Package: baseballr (via r-universe)

October 9, 2026

Title Acquiring and Analyzing Baseball Data

Version 2.0.0

Description Provides numerous utilities for acquiring and analyzing baseball data from online sources such as 'Baseball Reference' <https://www.baseball-reference.com/>, 'FanGraphs' <https://www.fangraphs.com/>, and the 'MLB Stats' API <https://www.mlb.com/>.

License MIT + file LICENSE

URL https://billpetti.github.io/baseballr/, https://github.com/BillPetti/baseballr

BugReports https://github.com/BillPetti/baseballr/issues

Depends R (>= 4.1.0)

Imports cli (>= 3.4.1), data.table (>= 1.14.0), dplyr (>= 1.0.10), ggplot2, glue, httr2 (>= 1.1.0), janitor, jsonlite, lubridate, magrittr, purrr (>= 1.0.0), Rcpp, RcppParallel, rlang (>= 1.0.4), rvest (>= 1.0.0), stringr (>= 1.5.0), tibble (>= 3.0), tidyr (>= 1.0.0)

Suggests chromote, crayon (>= 1.3.4), curl, DBI, furrr, future, ggrepel, knitr, pak, progressr (>= 0.6.0), reshape2, rmarkdown, RSQLite, scales, stats, stringi, testthat, usethis (>= 1.6.0), xml2 (>= 1.3), zoo

Config/roxygen2/version 8.1.0

Config/testthat/edition 3

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

Config/pak/sysreqs cmake libicu-dev libxml2-dev libssl-dev

Repository https://billpetti.r-universe.dev

Date/Publication 2026-10-09 04:33:42 UTC

RemoteUrl https://github.com/billpetti/baseballr

RemoteRef HEAD

RemoteSha e7091c51f97ace69d4a181e82f468bdf0de75ddf

Contents

batter_game_logs_fg . . . 10
bref . . . 11
bref_daily_batter . . . 11
bref_daily_pitcher . . . 13
bref_standings_on_date . . . 14
bref_team_results . . . 15
chadwick . . . 16
chadwick_path . . . 17
chadwick_player_lu . . . 18
code_barrel . . . 19
column_structure_draft_mlb . . . 20
daily_batter_bref . . . 20
daily_pitcher_bref . . . 21
edge_code . . . 22
edge_frequency . . . 22
espn_college_baseball_athletes_index . . . 23
espn_college_baseball_calendar . . . 24
espn_college_baseball_coach . . . 26
espn_college_baseball_coach_record . . . 28
espn_college_baseball_coach_season . . . 29
espn_college_baseball_coaches . . . 31
espn_college_baseball_conferences . . . 33
espn_college_baseball_game_all . . . 34
espn_college_baseball_game_broadcasts . . . 35
espn_college_baseball_game_official_detail . . . 37
espn_college_baseball_game_officials . . . 38
espn_college_baseball_game_play . . . 40
espn_college_baseball_game_play_personnel . . . 42
espn_college_baseball_game_player_box . . . 43
espn_college_baseball_game_rosters . . . 45
espn_college_baseball_game_situation . . . 50
espn_college_baseball_game_team_leaders . . . 52
espn_college_baseball_game_team_linescores . . . 53
espn_college_baseball_game_team_records . . . 55
espn_college_baseball_game_team_roster . . . 57
espn_college_baseball_game_team_roster_entry . . . 58
espn_college_baseball_game_team_score . . . 60
espn_college_baseball_game_team_statistics . . . 62
espn_college_baseball_leaders . . . 63
espn_college_baseball_news . . . 65
espn_college_baseball_pbp . . . 67
espn_college_baseball_player_awards . . . 70

espn_college_baseball_player_box . . . 71
espn_college_baseball_player_career_stats . . . 73
espn_college_baseball_player_eventlog . . . 75
espn_college_baseball_player_gamelog . . . 76
espn_college_baseball_player_info . . . 78
espn_college_baseball_player_overview . . . 81
espn_college_baseball_player_seasons . . . 83
espn_college_baseball_player_splits . . . 84
espn_college_baseball_player_statisticslog . . . 86
espn_college_baseball_scoreboard . . . 87
espn_college_baseball_season_group . . . 90
espn_college_baseball_season_group_children . . . 92
espn_college_baseball_season_group_teams . . . 93
espn_college_baseball_season_groups . . . 95
espn_college_baseball_season_info . . . 97
espn_college_baseball_season_leaders . . . 98
espn_college_baseball_season_ranking . . . 100
espn_college_baseball_season_rankings . . . 102
espn_college_baseball_season_type . . . 103
espn_college_baseball_season_types . . . 105
espn_college_baseball_season_week . . . 107
espn_college_baseball_season_weeks . . . 108
espn_college_baseball_seasons . . . 110
espn_college_baseball_standings . . . 111
espn_college_baseball_team . . . 113
espn_college_baseball_team_box . . . 116
espn_college_baseball_team_leaders . . . 119
espn_college_baseball_team_news . . . 120
espn_college_baseball_team_record . . . 122
espn_college_baseball_team_record_detail . . . 124
espn_college_baseball_team_roster . . . 125
espn_college_baseball_team_schedule . . . 127
espn_college_baseball_team_season_profile . . . 129
espn_college_baseball_team_season_roster . . . 131
espn_college_baseball_team_season_statistics . . . 133
espn_college_baseball_teams . . . 134
espn_college_baseball_tournament . . . 136
espn_college_baseball_tournament_season . . . 138
espn_college_baseball_tournament_seasons . . . 139
espn_college_baseball_tournaments . . . 141
espn_college_baseball_venues . . . 142
espn_college_baseball_week_ranking . . . 144
espn_college_baseball_week_rankings . . . 146
espn_mlb . . . 147
espn_mlb_athletes_index . . . 149
espn_mlb_award . . . 151
espn_mlb_betting . . . 152
espn_mlb_calendar . . . 155

espn_mlb_coach . . . 156
espn_mlb_coach_record . . . 158
espn_mlb_coach_season . . . 160
espn_mlb_coaches . . . 161
espn_mlb_conferences . . . 163
espn_mlb_draft . . . 164
espn_mlb_draft_athlete_detail . . . 166
espn_mlb_draft_athletes . . . 168
espn_mlb_draft_pick . . . 170
espn_mlb_draft_rounds . . . 171
espn_mlb_draft_status . . . 173
espn_mlb_franchise . . . 175
espn_mlb_franchises . . . 176
espn_mlb_freeagents . . . 178
espn_mlb_futures . . . 180
espn_mlb_game_all . . . 181
espn_mlb_game_broadcasts . . . 183
espn_mlb_game_endpoints . . . 184
espn_mlb_game_info . . . 186
espn_mlb_game_odds . . . 187
espn_mlb_game_official_detail . . . 189
espn_mlb_game_officials . . . 191
espn_mlb_game_play . . . 192
espn_mlb_game_play_personnel . . . 194
espn_mlb_game_player_box . . . 196
espn_mlb_game_powerindex . . . 198
espn_mlb_game_predictor . . . 199
espn_mlb_game_probabilities . . . 201
espn_mlb_game_probables . . . 203
espn_mlb_game_propbets . . . 204
espn_mlb_game_rosters . . . 206
espn_mlb_game_situation . . . 211
espn_mlb_game_team_leaders . . . 213
espn_mlb_game_team_linescores . . . 215
espn_mlb_game_team_records . . . 216
espn_mlb_game_team_roster . . . 218
espn_mlb_game_team_roster_entry . . . 219
espn_mlb_game_team_score . . . 221
espn_mlb_game_team_statistics . . . 223
espn_mlb_injuries . . . 225
espn_mlb_leaders . . . 226
espn_mlb_news . . . 228
espn_mlb_pbp . . . 230
espn_mlb_player_awards . . . 233
espn_mlb_player_box . . . 234
espn_mlb_player_career_stats . . . 236
espn_mlb_player_contract . . . 238
espn_mlb_player_contracts . . . 240

espn_mlb_player_endpoints . . . 242
espn_mlb_player_eventlog . . . 243
espn_mlb_player_eventlog_v2 . . . 245
espn_mlb_player_gamelog . . . 246
espn_mlb_player_info . . . 248
espn_mlb_player_overview . . . 251
espn_mlb_player_seasons . . . 253
espn_mlb_player_splits . . . 254
espn_mlb_player_statisticslog . . . 256
espn_mlb_player_stats . . . 258
espn_mlb_player_stats_v3 . . . 260
espn_mlb_position . . . 262
espn_mlb_positions . . . 264
espn_mlb_powerindex . . . 265
espn_mlb_scoreboard . . . 267
espn_mlb_season_awards . . . 269
espn_mlb_season_draft . . . 271
espn_mlb_season_group . . . 273
espn_mlb_season_group_children . . . 275
espn_mlb_season_group_teams . . . 276
espn_mlb_season_groups . . . 278
espn_mlb_season_info . . . 280
espn_mlb_season_leaders . . . 281
espn_mlb_season_ranking . . . 283
espn_mlb_season_rankings . . . 285
espn_mlb_season_type . . . 287
espn_mlb_season_types . . . 289
espn_mlb_season_week . . . 290
espn_mlb_season_weeks . . . 292
espn_mlb_seasons . . . 293
espn_mlb_standings . . . 295
espn_mlb_team . . . 297
espn_mlb_team_box . . . 299
espn_mlb_team_current_roster . . . 302
espn_mlb_team_depthchart . . . 306
espn_mlb_team_endpoints . . . 307
espn_mlb_team_injuries . . . 309
espn_mlb_team_leaders . . . 310
espn_mlb_team_news . . . 312
espn_mlb_team_odds_records . . . 314
espn_mlb_team_record . . . 316
espn_mlb_team_record_detail . . . 318
espn_mlb_team_roster . . . 319
espn_mlb_team_schedule . . . 321
espn_mlb_team_season_profile . . . 323
espn_mlb_team_season_roster . . . 325
espn_mlb_team_season_statistics . . . 327
espn_mlb_team_stats . . . 329

espn_mlb_teams . . . 331
espn_mlb_tournament . . . 333
espn_mlb_tournament_season . . . 335
espn_mlb_tournament_seasons . . . 336
espn_mlb_tournaments . . . 338
espn_mlb_transactions . . . 339
espn_mlb_venues . . . 341
espn_mlb_week_ranking . . . 343
espn_mlb_week_rankings . . . 345
espn_mlb_wp . . . 347
fangraphs . . . 349
fg_bat_leaders . . . 351
fg_batter_game_logs . . . 353
fg_batter_leaders . . . 361
fg_fielder_leaders . . . 372
fg_guts . . . 375
fg_milb_batter_game_logs . . . 376
fg_milb_pitcher_game_logs . . . 377
fg_park . . . 379
fg_pitch_leaders . . . 380
fg_pitcher_game_logs . . . 382
fg_pitcher_leaders . . . 390
fg_projections . . . 403
fg_team_batter . . . 404
fg_team_fielder . . . 415
fg_team_pitcher . . . 418
fip_plus . . . 430
fox_mlb_league_leaders . . . 432
fox_mlb_odds . . . 433
fox_mlb_standings . . . 433
fox_mlb_team_gamelog . . . 434
fox_mlb_team_roster . . . 434
fox_mlb_team_stats . . . 435
get_batting_orders . . . 435
get_draft_mlb . . . 436
get_game_info_mlb . . . 436
get_game_info_sup_petti . . . 437
get_game_pks_mlb . . . 437
get_ncaa_baseball_pbp . . . 438
get_ncaa_game_logs . . . 439
get_ncaa_lineups . . . 440
get_ncaa_park_factor . . . 441
get_ncaa_schedule_info . . . 442
get_pbp_mlb . . . 443
get_probables_mlb . . . 444
get_retrosheet_data . . . 444
get_umpire_ids_petti . . . 445
ggpitchzone . . . 446

ggspraychart . . . 447
label_statcast_imputed_data . . . 448
linear_weights_savant . . . 449
load_baseball . . . 450
load_game_info_sup . . . 450
load_mlb_group_aliases . . . 451
load_mlb_group_seasons . . . 452
load_mlb_groups . . . 453
load_mlb_park_dimensions . . . 454
load_mlb_team_group_seasons . . . 455
load_ncaa_baseball_group_aliases . . . 456
load_ncaa_baseball_group_seasons . . . 457
load_ncaa_baseball_groups . . . 458
load_ncaa_baseball_pbp . . . 459
load_ncaa_baseball_schedule . . . 460
load_ncaa_baseball_season_ids . . . 461
load_ncaa_baseball_team_group_seasons . . . 462
load_ncaa_baseball_teams . . . 463
load_umpire_ids . . . 463
metrics . . . 464
milb_batter_game_logs_fg . . . 465
milb_pitcher_game_logs_fg . . . 465
mlb . . . 466
mlb_all_star . . . 467
mlb_all_star_ballots . . . 467
mlb_all_star_final_vote . . . 469
mlb_all_star_write_ins . . . 470
mlb_attendance . . . 472
mlb_award . . . 474
mlb_awards . . . 475
mlb_awards_recipient . . . 475
mlb_baseball_stats . . . 476
mlb_batting_orders . . . 477
mlb_conferences . . . 478
mlb_divisions . . . 479
mlb_draft . . . 480
mlb_draft_endpoints . . . 482
mlb_draft_latest . . . 482
mlb_draft_prospects . . . 485
mlb_event_types . . . 487
mlb_fielder_detail_types . . . 488
mlb_game_changes . . . 489
mlb_game_content . . . 491
mlb_game_context_metrics . . . 492
mlb_game_endpoints . . . 494
mlb_game_info . . . 495
mlb_game_linescore . . . 496
mlb_game_pace . . . 498

mlb_game_pks . . . 500
mlb_game_status_codes . . . 502
mlb_game_timecodes . . . 503
mlb_game_types . . . 504
mlb_game_wp . . . 504
mlb_high_low_stats . . . 505
mlb_high_low_types . . . 508
mlb_hit_trajectories . . . 509
mlb_homerun_derby . . . 509
mlb_homerun_derby_bracket . . . 511
mlb_homerun_derby_endpoints . . . 512
mlb_homerun_derby_players . . . 513
mlb_job_types . . . 515
mlb_jobs . . . 516
mlb_jobs_datacasters . . . 517
mlb_jobs_endpoints . . . 517
mlb_jobs_official_scorers . . . 518
mlb_jobs_umpires . . . 519
mlb_languages . . . 519
mlb_league . . . 520
mlb_league_leader_types . . . 521
mlb_logical_events . . . 522
mlb_metrics . . . 523
mlb_model_loaders . . . 523
mlb_pbp . . . 526
mlb_pbp_diff . . . 530
mlb_people . . . 533
mlb_people_free_agents . . . 535
mlb_pitch_codes . . . 536
mlb_pitch_types . . . 537
mlb_player_game_stats . . . 537
mlb_player_game_stats_current . . . 539
mlb_player_status_codes . . . 542
mlb_positions . . . 543
mlb_probables . . . 543
mlb_review_reasons . . . 544
mlb_roster_types . . . 545
mlb_rosters . . . 545
mlb_runner_detail_types . . . 546
mlb_schedule . . . 547
mlb_schedule_endpoints . . . 550
mlb_schedule_event_types . . . 550
mlb_schedule_games_tied . . . 551
mlb_schedule_postseason . . . 553
mlb_schedule_postseason_series . . . 556
mlb_seasons . . . 558
mlb_seasons_all . . . 559
mlb_situation_codes . . . 561

mlb_sky . . . 561
mlb_sports . . . 562
mlb_sports_info . . . 563
mlb_sports_players . . . 564
mlb_standings . . . 565
mlb_standings_types . . . 568
mlb_stat_groups . . . 568
mlb_stat_types . . . 569
mlb_stats . . . 570
mlb_stats_endpoints . . . 573
mlb_stats_leaders . . . 574
mlb_team_affiliates . . . 576
mlb_team_alumni . . . 578
mlb_team_coaches . . . 579
mlb_team_endpoints . . . 580
mlb_team_history . . . 581
mlb_team_info . . . 582
mlb_team_leaders . . . 583
mlb_team_personnel . . . 584
mlb_team_stats . . . 585
mlb_teams . . . 587
mlb_teams_stats . . . 588
mlb_teams_stats_leaders . . . 590
mlb_venues . . . 592
mlb_wind_direction_codes . . . 593
most_recent_college_baseball_season . . . 593
most_recent_mlb_season . . . 594
most_recent_ncaa_baseball_season . . . 594
ncaa . . . 595
ncaa_baseball_roster . . . 596
ncaa_game_logs . . . 597
ncaa_lineups . . . 598
ncaa_park_factor . . . 599
ncaa_pbp . . . 600
ncaa_roster . . . 601
ncaa_schedule_info . . . 602
ncaa_school_id_lu . . . 603
ncaa_scrape . . . 604
ncaa_team_player_stats . . . 606
ncaa_teams . . . 607
pitcher_game_logs_fg . . . 608
playerid_lookup . . . 609
playername_lookup . . . 610
process_statcast_payload . . . 611
retrosheet_data . . . 611
run_expectancy_code . . . 612
school_id_lu . . . 613
scrape_savant_leaderboards . . . 614

scrape_statcast_savant 616
spotrac 617
sptrc_league_payrolls 618
sptrc_team_active_payroll 619
standings_on_date_bref 620
statcast 620
statcast_impute 622
statcast_leaderboards 622
statcast_pitch_colors 624
statcast_search 625
statline_from_statcast 630
stats_api_live_empty_df 630
team_consistency 631
team_results_bref 631
teams_lu_table 632
woba_plus 632

Index **634**

`batter_game_logs_fg` **(legacy) Scrape Batter Game Logs from FanGraphs**

Description

(legacy) Scrape Batter Game Logs from FanGraphs

Usage

```
batter_game_logs_fg(playerid, year)
```

Arguments

`playerid`	This is the playerid used by FanGraphs for a given player
`year`	The season for which game logs should be returned (use the YYYY format)

Value

A data frame of batter game logs.

bref — Baseball Reference Functions Overview

Description

- `bref_daily_batter()`: Scrape Batter Performance Data Over a Custom Time Frame
- `bref_daily_pitcher()`: Scrape Pitcher Performance Data Over a Custom Time Frame
- `bref_standings_on_date()`: Scrape MLB Standings on a Given Date
- `bref_team_results()`: Scrape Team Results

Details

Scrape Batter Performance Data Over a Custom Time Frame:

```
bref_daily_batter("2015-05-10", "2015-06-20")
```

Scrape Pitcher Performance Data Over a Custom Time Frame:

```
bref_daily_batter("2015-05-10", "2015-06-20")
```

Scrape MLB Standings on a Given Date:

```
bref_standings_on_date(date = "2015-08-04", division = "AL East")
```

Scrape Team Results:

```
bref_team_results("NYM", 2015)
bref_team_results(Tm="TBR", year=2008)
```

Team Level Consistency:

Uses `bref_team_results()` to calculate team consistency metrics

```
team_consistency(year=2015)
```

bref_daily_batter — Scrape Batter Performance Data Over a Custom Time Frame

Description

This function allows you to scrape basic batter statistics over a custom time frame. Data is sourced from Baseball-Reference.com.

Usage

```
bref_daily_batter(t1, t2)
```

Arguments

t1	First date data should be scraped from. Should take the form "YEAR-MONTH-DAY"
t2	Last date data should be scraped from. Should take the form "YEAR-MONTH-DAY"

Value

Returns a tibble of batter performance over the requested date range, one row per player, with the following columns:

col_name	types	description
bbref_id	character	Baseball-Reference player id (slug).
season	integer	Season year.
Name	character	Player name.
Age	numeric	Player age during the season.
Level	character	League level (e.g. Maj-AL, Maj-NL).
Team	character	Team name.
G	numeric	Games played.
PA	numeric	Plate appearances.
AB	numeric	At-bats.
R	numeric	Runs scored.
H	numeric	Hits.
X1B	numeric	Singles.
X2B	numeric	Doubles.
X3B	numeric	Triples.
HR	numeric	Home runs.
RBI	numeric	Runs batted in.
BB	numeric	Walks (bases on balls).
IBB	numeric	Intentional walks.
uBB	numeric	Unintentional walks.
SO	numeric	Strikeouts.
HBP	numeric	Times hit by pitch.
SH	numeric	Sacrifice hits (bunts).
SF	numeric	Sacrifice flies.
GDP	numeric	Grounded into double plays.
SB	numeric	Stolen bases.
CS	numeric	Times caught stealing.
BA	numeric	Batting average.
OBP	numeric	On-base percentage.
SLG	numeric	Slugging percentage.
OPS	numeric	On-base plus slugging.

Examples

```
try(bref_daily_batter(t1="2015-05-10", t2="2015-06-20"))
```

`bref_daily_pitcher` **Scrape Pitcher Performance Data Over a Custom Time Frame**

Description

This function allows you to scrape basic pitcher statistics over a custom time frame. Data is sourced from Baseball-Reference.com.

Usage

```
bref_daily_pitcher(t1, t2)
```

Arguments

`t1`	First date data should be scraped from. Should take the form "YEAR-MONTH-DAY"
`t2`	Last date data should be scraped from. Should take the form "YEAR-MONTH-DAY"

Value

Returns a tibble of pitcher performance over the requested date range, one row per player, with the following columns:

col_name	types	description
bbref_id	character	Baseball-Reference player id (slug).
season	integer	Season year.
Name	character	Player name.
Age	numeric	Player age during the season.
Level	character	League level (e.g. Maj-AL, Maj-NL).
Team	character	Team name.
G	numeric	Games pitched.
GS	numeric	Games started.
W	numeric	Wins.
L	numeric	Losses.
SV	numeric	Saves.
IP	numeric	Innings pitched.
H	numeric	Hits allowed.
R	numeric	Runs allowed.
ER	numeric	Earned runs allowed.
uBB	numeric	Unintentional walks allowed.
BB	numeric	Walks allowed.
SO	numeric	Strikeouts.
HR	numeric	Home runs allowed.
HBP	numeric	Batters hit by pitch.
ERA	numeric	Earned run average (per 9 innings).
AB	numeric	At-bats against.

X1B	numeric	Singles allowed.
X2B	numeric	Doubles allowed.
X3B	numeric	Triples allowed.
IBB	numeric	Intentional walks allowed.
GDP	numeric	Double plays induced.
SF	numeric	Sacrifice flies allowed.
SB	numeric	Stolen bases allowed.
CS	numeric	Runners caught stealing.
PO	numeric	Pickoffs.
BF	numeric	Batters faced.
Pit	numeric	Total pitches thrown.
Str	numeric	Strikes thrown (as a share of pitches).
StL	numeric	Looking (called) strikes share.
StS	numeric	Swinging strikes share.
GB.FB	numeric	Ground ball to fly ball share.
LD	numeric	Line drive share.
PU	numeric	Pop-up (infield fly) share.
WHIP	numeric	Walks plus hits per inning pitched.
BAbip	numeric	Batting average on balls in play allowed.
SO9	numeric	Strikeouts per 9 innings.
SO.W	numeric	Strikeout-to-walk ratio.
SO_perc	numeric	Strikeout rate (per batter faced).
uBB_perc	numeric	Unintentional walk rate (per batter faced).
SO_uBB	numeric	Strikeouts minus unintentional walks.

Examples

```
try(bref_daily_pitcher("2015-05-10", "2015-06-20"))
```

`bref_standings_on_date`

Scrape MLB Standings on a Given Date

Description

This function allows you to scrape the standings from MLB for any date you choose.

Usage

```
bref_standings_on_date(date, division, from = FALSE)
```

Arguments

`date`	a date object

division — One of AL East, AL Central, AL West, AL Overall, NL East, NL Central, NL West, and NL Overall. Which divisions exist depends on the date: before 1969 only `AL Overall` / `NL Overall`; 1969-1993 adds East/West; 1994 onward adds Central. Requesting a division that did not exist for the date errors with the era's available options.

from — a logical indicating whether you want standings up to and including the date (FALSE, default) or rather standings for games played after the date

Value

Returns a tibble of MLB standings, one row per team in the requested division, with the following columns:

col_name	types	description
Tm	character	Team abbreviation.
W	integer	Wins as of the requested date.
L	integer	Losses as of the requested date.
W-L%	numeric	Winning percentage.
GB	character	Games behind the division leader (– for the leader).
RS	integer	Runs scored.
RA	integer	Runs allowed.
pythW-L%	numeric	Pythagorean (expected) winning percentage from RS/RA.

Examples

```
try(bref_standings_on_date(date = "2015-08-04", division = "AL East"))
```

---

bref_team_results Scrape Team Results

Description

This function allows you to scrape schedule and results for a major league team from Baseball-Reference.com

Usage

```
bref_team_results(Tm, year)
```

Arguments

Tm — The abbreviation used by Baseball-Reference.com for the team whose results you want to scrape.

year — Season for which you want to scrape the park factors.

Value

Returns a tibble of MLB team results, one row per game on the team's schedule, with the following columns:

col_name	types	description
Gm	character	Game number / label in the schedule (includes postseason labels).
Date	character	Day-of-week and calendar date of the game.
Tm	character	Team abbreviation.
H_A	character	Home/away indicator (A denotes a road game).
Opp	character	Opponent team abbreviation.
Result	character	Game outcome from the team's perspective (W/L).
R	integer	Runs scored by the team.
RA	integer	Runs allowed (opponent runs).
Inn	integer	Innings played when not nine (e.g. extra innings).
Record	character	Team's cumulative win-loss record after the game.
Rank	character	Team's standing/rank in its division after the game.
GB	character	Games behind the division leader after the game.
Win	character	Winning pitcher.
Loss	character	Losing pitcher.
Save	character	Pitcher credited with the save (N if none).
Time	character	Duration of the game.
D/N	character	Day (D) or night (N) game.
Attendance	numeric	Announced attendance.
cLI	numeric	Championship leverage index of the game.
Streak	character	Win/loss streak entering the game.
Orig_Scheduled	character	Original scheduled date (for rescheduled games).
Year	numeric	Season year.

Examples

```
try(bref_team_results("NYM", 2015))
try(bref_team_results(Tm="TBR", year=2008))
```

`chadwick` **Chadwick Bureau Register Player Lookup**

Description

- `chadwick_player_lu()`: Directly download the Chadwick Bureau's public register of baseball players and the various IDs associated with them in different systems of record.
- `playername_lookup()`: Look up Baseball Player Name.
- `playerid_lookup()`: Look up Baseball Player IDs.

Details

Directly download the Chadwick Bureau's public register of baseball players.:

```
chadwick_player_lu()
```

Look up baseball player name by ID:

```
playername_lookup(4885)
playername_lookup("kaaihki01")
```

Look up baseball player IDs by player name:

```
playerid_lookup("Garcia", "Karim")
```

---

chadwick_path *Check Chadwick installation*

Description

Utility functions to help ensure that Chadwick is set up correctly.

The easiest way for the Chadwick CLI tools to work on *nix systems is to set the `LD_LIBRARY_PATH` environment variable. Unfortunately this environment variable is not set by default during the Chadwick installation.

`chadwick_ld_library_path()` checks to find the Chadwick shared libraries, and then set the `LD_LIBRARY_PATH` environment variable. If `chadwick_ld_library_path()` returns `TRUE`, the `cwevent` command line program that `retrosheet_data()` depends on should work.

The other functions documented here are mostly for internal use.

Usage

```
chadwick_path()

chadwick_is_installed()

chadwick_find_lib()

chadwick_set_ld_library_path()

chadwick_ld_library_path()
```

Value

If Chadwick is not installed `NULL`. If Chadwick is installed, the path to the `cwevent` binary.

`TRUE` or `FALSE`

Path to the Chadwick shared library.

See Also

retrosheet_data()

Examples

```
chadwick_path()

chadwick_is_installed()

chadwick_find_lib()
## Not run:
if (chadwick_ld_library_path()) {
  retrosheet_data(tempdir())
}

## End(Not run)
```

---

chadwick_player_lu — Download the Chadwick Bureau's public register of baseball players

---

Description

Download the Chadwick Bureau's public register of baseball players

Usage

```
chadwick_player_lu()

get_chadwick_lu()
```

Value

A data frame of baseball players and the various IDs associated with them in different systems of record and the following columns:

col_name	types	description
key_person	character	Chadwick Bureau primary person key.
key_uuid	character	Chadwick Bureau universally unique identifier for the person.
key_mlbam	integer	MLB Advanced Media (MLBAM) player ID.
key_retro	character	Retrosheet player ID.
key_bbref	character	Baseball-Reference major league player ID.
key_bbref_minors	character	Baseball-Reference minor league player ID.
key_fangraphs	integer	FanGraphs player ID.
key_npb	integer	Nippon Professional Baseball (Japan) player ID.
key_sr_nfl	character	Sports Reference NFL player ID.
key_sr_nba	character	Sports Reference NBA player ID.
key_sr_nhl	character	Sports Reference NHL player ID.

key_wikidata	character	Wikidata entity ID for the person.
name_last	character	Player last name.
name_first	character	Player first name.
name_given	character	Player full given (legal) name.
name_suffix	character	Name suffix (e.g. Jr., Sr., III).
name_matrilineal	character	Maternal surname, where recorded.
name_nick	character	Player nickname.
birth_year	integer	Year of birth.
birth_month	integer	Month of birth.
birth_day	integer	Day of birth.
death_year	integer	Year of death.
death_month	integer	Month of death.
death_day	integer	Day of death.
pro_played_first	integer	First season the person played professional baseball.
pro_played_last	integer	Last season the person played professional baseball.
mlb_played_first	integer	First MLB season as a player.
mlb_played_last	integer	Last MLB season as a player.
col_played_first	integer	First college season as a player.
col_played_last	integer	Last college season as a player.
pro_managed_first	integer	First professional season as a manager.
pro_managed_last	integer	Last professional season as a manager.
mlb_managed_first	integer	First MLB season as a manager.
mlb_managed_last	integer	Last MLB season as a manager.
col_managed_first	integer	First college season as a manager.
col_managed_last	integer	Last college season as a manager.
pro_umpired_first	integer	First professional season as an umpire.
pro_umpired_last	integer	Last professional season as an umpire.
mlb_umpired_first	integer	First MLB season as an umpire.
mlb_umpired_last	integer	Last MLB season as an umpire.

A data frame of baseball players and the various IDs associated with them in different systems of record.

Examples

```
try(chadwick_player_lu())
```

`code_barrel` **Helper for determining whether a batted ball is a "barrel"**

Description

This function allows you to code a batted ball as a barrel as defined by the Statcast research team using data as provided by baseballsavant.mlb.com.

Usage

```
code_barrel(df)
```

Arguments

df	A dataframe generated by baseballsavant.mlb.com that must include the following variables: launch_angle and launch_speed.

Value

Returns a tibble with the additional column, barrel.

---

column_structure_draft_mlb — Column structure of the MLB Draft data

Description

A tibble giving column structure of MLB Draft data

Usage

```
column_structure_draft_mlb
```

Format

An object of class tbl_df (inherits from tbl, data.frame) with 0 rows and 72 columns.

---

daily_batter_bref — (legacy) Scrape Batter Performance Data Over a Custom Time Frame

Description

(legacy) Scrape Batter Performance Data Over a Custom Time Frame

Usage

```
daily_batter_bref(t1, t2)
```

Arguments

t1	First date data should be scraped from. Should take the form "YEAR-MONTH-DAY"
t2	Last date data should be scraped from. Should take the form "YEAR-MONTH-DAY"

Value

Returns a tibble of batter performance

See Also

`bref_daily_batter()`

`daily_pitcher_bref` **(legacy) Scrape Pitcher Performance Data Over a Custom Time Frame**

Description

(legacy) Scrape Pitcher Performance Data Over a Custom Time Frame

Usage

```
daily_pitcher_bref(t1, t2)
```

Arguments

`t1`	First date data should be scraped from. Should take the form "YEAR-MONTH-DAY"
`t2`	Last date data should be scraped from. Should take the form "YEAR-MONTH-DAY"

Value

Returns a tibble of pitcher performance

See Also

`bref_daily_pitcher()`

edge_code Edge Code

Description

This function allows you to classify individual pitches based on the various categories from the Edge% metric. The dataframe passed to the function must include the batter's handedness, the px and pz coordinates from the PITCHf/x system, and the batter's height.

Usage

```
edge_code(df, height_var_name = "b_height")
```

Arguments

df	A dataframe that, at a minimum, includes the following columns: batter height (b_height), the batter's handedness (stand), vertical location of the pitch (pz), and then horizontal location of the pitch (pz)
height_var_name	The name of the variable in the data set that includes the batter's height. Defaults to b_height which assumes an height + inch format. If the variable name is "Height" it assumes the variable is already converted to inches (as is the case in some databases)

Value

Returns a tibble with the additional edge columns necessary for calculations.

edge_frequency Edge Percentage Frequency

Description

This function allows you to calculate the percent of pitches thrown to different edges of the strike zone for a pitch by pitch data set that has been coded using the `edge_code()` function.

Usage

```
edge_frequency(df, group = NULL)
```

Arguments

df	A data frame of pitch by pitch data that has been coded using the `edge_code()` function.
group	Character string indicating what column to group the frequency by. For example, "pitcher" or "batter". Defaults to NULL, which calculates the frequencies across the entire data set.

Value

Returns a tibble with the additional edge columns necessary for frequency calculations.

`espn_college_baseball_athletes_index`

Get ESPN College Baseball Athletes Index

Description

Get ESPN College Baseball Athletes Index

Get ESPN College Baseball Athletes Index

Usage

```
espn_college_baseball_athletes_index(
  season = most_recent_college_baseball_season(),
  active = TRUE,
  limit = 5000L,
  ...
)
```

Arguments

`season`	Season year (numeric). Defaults to the most recent college baseball season.
`active`	logical. When `TRUE` (default) only active athletes are returned. Set to `FALSE` for the full historical roster.
`limit`	integer. Maximum number of rows to return. Default 5000. Pass a small value (e.g. `limit = 50`) in tests to keep execution fast.
`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(baseballr.proxy = ...)` – see `?baseballr` for details.

Value

A single `baseballr_data` tibble with one row per athlete.

col_name	types	description
athlete_id	character	Unique athlete identifier (ESPN).
full_name	character	Player's full name.
jersey	character	Jersey number worn by the player.
position	character	Listed roster position (G, F, C, etc.).
team_id	character	Unique team identifier.
headshot	character	Headshot image URL.
status	character	Status label.
link	character	

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_calendar(), espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_season(), espn_college_baseball_coac espn_college_baseball_conferences(), espn_college_baseball_game_all(), espn_college_baseball_game_broa espn_college_baseball_game_official_detail(), espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_play_personnel(), espn_college_baseball_ espn_college_baseball_game_rosters(), espn_college_baseball_game_situation(), espn_college_baseball_ga espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_season_group_children(), espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(), espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_ espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_athletes_index(season = 2025, limit = 50))
```

---

espn_college_baseball_calendar

Get ESPN College Baseball Calendar

Description

Get ESPN College Baseball Calendar

Get ESPN College Baseball Calendar

Usage

```
espn_college_baseball_calendar(season = most_recent_college_baseball_season())
```

Arguments

season	Season year (numeric). Defaults to the most recent college baseball season.

Value

Returns a tibble of calendar entries.

col_name	types	description
season	character	Season identifier (4-digit year or 'YYYY-YY' string).
season_type	character	Season type (1=pre-season, 2=regular season, 3=postseason, 4=off-season for ESPN).
season_type_label	character	
season_start_date	character	Date in YYYY-MM-DD format.
season_end_date	character	Date in YYYY-MM-DD format.
label	character	
alternate_label	character	
detail	character	
value	character	Numeric or string value field.
start_date	character	Start date (YYYY-MM-DD).
end_date	character	End date (YYYY-MM-DD).

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_coach
espn_college_baseball_coach_record(), espn_college_baseball_coach_season(), espn_college_baseball_coa
espn_college_baseball_conferences(), espn_college_baseball_game_all(), espn_college_baseball_game_broa
espn_college_baseball_game_official_detail(), espn_college_baseball_game_officials(),
espn_college_baseball_game_play(), espn_college_baseball_game_play_personnel(), espn_college_baseball_
espn_college_baseball_game_rosters(), espn_college_baseball_game_situation(), espn_college_baseball_ga
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball

espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_season_group_children(), espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(), espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_ espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_calendar(season = 2025))
```

`espn_college_baseball_coach`

Get ESPN College Baseball Single-Coach Detail

Description

Get ESPN College Baseball Single-Coach Detail

Get ESPN College Baseball Single-Coach Detail

Usage

```
espn_college_baseball_coach(coach_id, ...)
```

Arguments

`coach_id`	ESPN coach identifier (character or numeric).
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
coach_id	character	ESPN coach identifier.
uid	character	ESPN UID string.
first_name	character	First name.
last_name	character	Last name.

date_of_birth	character	Date of birth (ISO 8601).
birth_city	character	Birth city.
birth_state	character	Birth state / region.
n_career_records	integer	Count of career-records entries.
n_coach_seasons	integer	Count of seasons coached.
college_ref	character	`$ref` to the coach's college.
team_ref	character	`$ref` to the coach's current team.
league	character	League slug (`"mlb"`).

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach_record(), espn_college_baseball_coach_season(), espn_college_baseball_coa
espn_college_baseball_conferences(), espn_college_baseball_game_all(), espn_college_baseball_game_bro
espn_college_baseball_game_official_detail(), espn_college_baseball_game_officials(),
espn_college_baseball_game_play(), espn_college_baseball_game_play_personnel(), espn_college_baseball_
espn_college_baseball_game_rosters(), espn_college_baseball_game_situation(), espn_college_baseball_g
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_play
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_coach(coach_id = 52120))
```

`espn_college_baseball_coach_record` **Get ESPN College Baseball Coach Career Record (Long Format)**

Description

Get ESPN College Baseball Coach Career Record (Long Format)

Get ESPN College Baseball Coach Career Record (Long Format)

Usage

```
espn_college_baseball_coach_record(coach_id, record_type = 0L, ...)
```

Arguments

`coach_id`	ESPN coach identifier (use `espn_mlb_coaches()` to find).
`record_type`	Integer record type: 0 = Total (default), 1 = Pre Season, 2 = Regular Season, 3 = Post Season.
`...`	Additional arguments; currently unused.

Value

A long tibble.

Note: ESPN's core-v2 coach feed is sparsely populated for MLB and this frequently returns an empty tibble. When populated, the columns are:

col_name	types	description
coach_id	character	Unique ESPN coach identifier.
record_type	integer	Record type identifier.
name	character	Record name (e.g. 'overall').
summary	character	Record summary (e.g. 'W-L').
stat_name	character	Statistic name.
value	numeric	Statistic value.
display_value	character	Human-readable statistic value.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: `espn_college_baseball_athletes_index()`, `espn_college_baseball_calen`
`espn_college_baseball_coach()`, `espn_college_baseball_coach_season()`, `espn_college_baseball_coaches()`,
`espn_college_baseball_conferences()`, `espn_college_baseball_game_all()`, `espn_college_baseball_game_broa`
`espn_college_baseball_game_official_detail()`, `espn_college_baseball_game_officials()`,

espn_college_baseball_game_play(), espn_college_baseball_game_play_personnel(), espn_college_baseball_
espn_college_baseball_game_rosters(), espn_college_baseball_game_situation(), espn_college_baseball_ga
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seaso
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_coach_record(coach_id = 52120, record_type = 2))
```

---

espn_college_baseball_coach_season

Get ESPN College Baseball Coach-in-Season Detail

Description

Get ESPN College Baseball Coach-in-Season Detail

Usage

```
espn_college_baseball_coach_season(
  coach_id,
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

coach_id	ESPN coach identifier.
season	Season year (numeric). Defaults to the most recent college baseball season.
...	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
league	character	League slug.
season	integer	Season year.
coach_id	character	ESPN coach id.
uid	character	ESPN UID string.
first_name	character	First name.
last_name	character	Last name.
date_of_birth	character	Date of birth.
birth_city	character	Birth city.
birth_state	character	Birth state / region.
n_records	integer	Count of records entries.
person_ref	character	$ref to person resource.
college_ref	character	$ref to college.
team_ref	character	$ref to team-in-season.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coaches(),
espn_college_baseball_conferences(), espn_college_baseball_game_all(), espn_college_baseball_game_broa
espn_college_baseball_game_official_detail(), espn_college_baseball_game_officials(),
espn_college_baseball_game_play(), espn_college_baseball_game_play_personnel(), espn_college_baseball_
espn_college_baseball_game_rosters(), espn_college_baseball_game_situation(), espn_college_baseball_ga
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea

espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seaso
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_coach_season(coach_id = 52120, season = 2025))
```

`espn_college_baseball_coaches`

Get ESPN College Baseball Coaches

Description

Get ESPN College Baseball Coaches

Get ESPN College Baseball Coaches

Usage

```
espn_college_baseball_coaches(
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

season	Season year (numeric). Defaults to the most recent college baseball season.
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(baseballr.proxy = ...)` – see `?baseballr` for details.

Value

A single `baseballr_data` tibble with one row per coach.

col_name	types	description
coach_id	character	
first_name	character	Player's first name.
last_name	character	Player's last name.

full_name	character	Player's full name.
experience	integer	Years of professional experience.
team_id	character	Unique team identifier.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_conferences(), espn_college_baseball_game_all(), espn_college_baseball_game_bro
espn_college_baseball_game_official_detail(), espn_college_baseball_game_officials(),
espn_college_baseball_game_play(), espn_college_baseball_game_play_personnel(), espn_college_baseball_
espn_college_baseball_game_rosters(), espn_college_baseball_game_situation(), espn_college_baseball_g
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_play
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseba
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseba
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_se
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseba
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_ranki
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_coaches(season = 2025))
```

espn_college_baseball_conferences

Get ESPN College Baseball Conferences

Description

Get ESPN College Baseball Conferences

Get ESPN College Baseball Conferences

Usage

```
espn_college_baseball_conferences()
```

Value

A `baseballr_data` tibble with one row per conference:

col_name	types	description
group_id	integer	Group identifier (e.g. conference group_id).
conference_short_name	character	Conference short name (e.g. 'ACC').
conference_uid	character	ESPN universal conference identifier.
conference_name	character	Full conference name.
conference_logo	character	Logo image URL for conference.
parent_group_id	integer	Unique identifier for parent group.
conference_id	integer	Conference identifier.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_game_all(), espn_college_baseball_game_broadcas
espn_college_baseball_game_official_detail(), espn_college_baseball_game_officials(),
espn_college_baseball_game_play(), espn_college_baseball_game_play_personnel(), espn_college_baseball_
espn_college_baseball_game_rosters(), espn_college_baseball_game_situation(), espn_college_baseball_ga
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),

espn_college_baseball_season_group(), espn_college_baseball_season_group_children(), espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(), espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_ espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_conferences())
```

---

espn_college_baseball_game_all

Get ESPN College Baseball Game All

Description

Get ESPN College Baseball game data (Pbp, Team and Player Box)

Usage

```
espn_college_baseball_game_all(game_id)
```

Arguments

game_id	Game ID

Value

A named list of data frames: Plays, Team, Player

`espn_mlb_game_all()` bundles three tibbles returned in one call. Each component is identical to the matching standalone function – see those for the full column documentation:

- **Plays** – play-by-play, identical to `espn_mlb_pbp()`.
- **Team** – team box score, identical to `espn_mlb_team_box()`.
- **Player** – player box score, identical to `espn_mlb_player_box()`.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_broa
espn_college_baseball_game_official_detail(), espn_college_baseball_game_officials(),
espn_college_baseball_game_play(), espn_college_baseball_game_play_personnel(), espn_college_baseball_
espn_college_baseball_game_rosters(), espn_college_baseball_game_situation(), espn_college_baseball_ga
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_all(game_id = "401778093"))
```

`espn_college_baseball_game_broadcasts`

Get ESPN College Baseball Event Broadcasts

Description

Get ESPN College Baseball Event Broadcasts

Get ESPN College Baseball Event Broadcasts

Usage

```
espn_college_baseball_game_broadcasts(event_id, ...)
```

Arguments

event_id	ESPN event/game identifier (character or numeric).
...	Additional arguments; currently unused.

Value

A tibble with one row per broadcast outlet for the game.

col_name	types	description
event_id	character	Unique event / game identifier (ESPN).
broadcast_id	character	
type_id	character	Type identifier (numeric).
type_short_name	character	
type_long_name	character	
market_id	character	
market_type	character	
names	character	
lang	character	
region	character	Region label.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_official_detail(), espn_college_baseball_game_officials(),
espn_college_baseball_game_play(), espn_college_baseball_game_play_personnel(), espn_college_baseball_
espn_college_baseball_game_rosters(), espn_college_baseball_game_situation(), espn_college_baseball_ga
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r

espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_broadcasts(event_id = "401778093"))
```

`espn_college_baseball_game_official_detail`

Get ESPN College Baseball Event Official Detail (Single Official)

Description

Get ESPN College Baseball Event Official Detail (Single Official)

Get ESPN College Baseball Event Official Detail (Single Official)

Usage

```
espn_college_baseball_game_official_detail(event_id, order, ...)
```

Arguments

`event_id`	ESPN event identifier.
`order`	Crew order index (1 = first official). Pair with the `order` column from event_officials().
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
official_id	character	Official id.
first_name	character	First name.
last_name	character	Last name.
full_name	character	Full name.
display_name	character	Display name.
position_id	character	Unique position identifier.
position_name	character	Position name.
order	integer	Order.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_officials(), espn_college_baseball
espn_college_baseball_game_play_personnel(), espn_college_baseball_game_player_box(),
espn_college_baseball_game_rosters(), espn_college_baseball_game_situation(), espn_college_baseball_ga
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_official_detail(event_id = "401778093", order = 1))
```

---

espn_college_baseball_game_officials

Get ESPN College Baseball Event Officials

Description

Get ESPN College Baseball Event Officials

Get ESPN College Baseball Event Officials

Usage

```
espn_college_baseball_game_officials(event_id, ...)
```

Arguments

event_id	ESPN event/game identifier (character or numeric).
...	Additional arguments; currently unused.

Value

A tibble with one row per official assigned to the game.

col_name	types	description
event_id	character	Unique event / game identifier (ESPN).
official_id	character	Unique official / referee identifier.
full_name	character	Player's full name.
display_name	character	Display name.
position_id	character	Unique position identifier.
position_name	character	Listed roster position (e.g. 'Pitcher', 'Shortstop', 'Catcher').
position_type	character	
order	integer	Display order within the result set.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_play(), espn_college_baseball_game_play_personnel(), espn_college_baseball_
espn_college_baseball_game_rosters(), espn_college_baseball_game_situation(), espn_college_baseball_ga
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),

espn_college_baseball_season_group(), espn_college_baseball_season_group_children(), espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(), espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_ espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_officials(event_id = "401778093"))
```

`espn_college_baseball_game_play`

Get ESPN College Baseball Event Play Detail (Single Play)

Description

Get ESPN College Baseball Event Play Detail (Single Play)

Get ESPN College Baseball Event Play Detail (Single Play)

Usage

```
espn_college_baseball_game_play(event_id, play_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`play_id`	ESPN play identifier (visible in `pbp()` output as `play_id` or extractable from `plays[].$ref`).
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.

play_id	character	Play id.
sequence_number	character	Sequence number.
type_id	character	Type id.
type_text	character	Type text.
text	character	Text description.
short_text	character	Short text.
period	integer	Inning number.
clock	character	Clock.
scoring_play	logical	Scoring play.
score_value	numeric	Score value.
away_score	integer	Away team run total.
home_score	integer	Home team run total.
shooting_play	logical	Shooting play.
coordinate_x	numeric	Coordinate x.
coordinate_y	numeric	Coordinate y.
team_ref	character	Team ref.
wallclock	character	Wallclock.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play_personnel(),
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasou
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_

espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankings(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_play(event_id = "401778093", play_id = "4017780931"))
```

`espn_college_baseball_game_play_personnel` **Get ESPN College Baseball Event Play Personnel (On-Court Lineup at Play)**

Description

Get ESPN College Baseball Event Play Personnel (On-Court Lineup at Play)

Get ESPN College Baseball Event Play Personnel (On-Court Lineup at Play)

Usage

```
espn_college_baseball_game_play_personnel(event_id, play_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`play_id`	ESPN play identifier.
`...`	Additional arguments; currently unused.

Value

A long tibble with one row per on-court athlete.

Note: ESPN baseball plays do not carry a personnel sub-resource, so this typically returns an empty tibble (it is meaningful for sports such as football). When populated:

col_name	types	description
event_id	character	Unique ESPN event/game identifier.
play_id	character	Unique play identifier within the game.
athlete_id	character	Athlete involved in the play.
participant_type	character	Role of the athlete in the play.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_rosters(), espn_college_baseball_game_situation(), espn_college_baseball_ga
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_play_personnel(event_id = "401778093", play_id = "4017780931"))
```

---

espn_college_baseball_game_player_box

Get ESPN College Baseball Event Player Box Score (Long Format)

Description

Get ESPN College Baseball Event Player Box Score (Long Format)

Get ESPN College Baseball Event Player Box Score (Long Format)

Usage

```
espn_college_baseball_game_player_box(
  event_id,
  team_id,
  athlete_id,
  stat_type = 0L,
  ...
)
```

Arguments

event_id	ESPN event identifier.
team_id	ESPN team identifier (the competitor the athlete played for).
athlete_id	ESPN athlete identifier.
stat_type	Integer stat-type segment. Defaults to 0 (the only type commonly populated for finished events).
...	Additional arguments; currently unused.

Value

A long tibble with one row per (category x stat).

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
athlete_id	character	Unique ESPN athlete identifier.
stat_type	integer	Stat type.
category_name	character	Category name.
category_display	character	Category display.
stat_name	character	Stat name.
stat_abbrev	character	Stat abbrev.
stat_display	character	Stat display.
value	numeric	Numeric value.
display_value	character	Human-readable value.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_

espn_college_baseball_game_rosters(), espn_college_baseball_game_situation(), espn_college_baseball_ga
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seaso
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_player_box(event_id = "401778093", team_id = "113",
                                          athlete_id = "5102102"))
```

---

espn_college_baseball_game_rosters

Get ESPN College Baseball Game Rosters

Description

Get ESPN College Baseball game rosters

Usage

```
espn_college_baseball_game_rosters(game_id)
```

Arguments

game_id	Game ID

Value

A game rosters data frame

col_name	types	description
athlete_id	integer	Unique ESPN athlete identifier.
athlete_uid	character	Athlete uid.
athlete_guid	character	Athlete guid.
athlete_type	character	Athlete type.
sdr	integer	Sdr.
first_name	character	First name.
last_name	character	Last name.
full_name	character	Full name.
athlete_display_name	character	Athlete display name (full).
short_name	character	Short display name.
weight	integer	Weight.
display_weight	character	Display weight.
height	integer	Height.
display_height	character	Display height.
age	integer	Age.
date_of_birth	character	Date of birth.
debut_year	integer	Debut year.
birth_place_city	character	Birth place city.
birth_place_state	character	Birth place state.
birth_place_country	character	Birth place country.
slug	character	Slug.
headshot_href	character	Headshot href.
headshot_alt	character	Headshot alt.
athlete_jersey_number	character	Athlete jersey number.
position_id	integer	Position id.
position_name	character	Position name.
position_display_name	character	Position display name.
position_abbreviation	character	Position abbreviation.
position_leaf	logical	Position leaf.
positions_ref	character	Positions ref.
positions_id	character	Positions id.
positions_name	character	Positions name.
positions_display_name	character	Positions display name.
positions_abbreviation	character	Positions abbreviation.
positions_leaf	logical	Positions leaf.
positions_parent_ref	character	Positions parent ref.
positions_statistics_ref	character	Positions statistics ref.
linked	logical	Linked.
years	integer	Years.
debut_year_2	integer	Debut year 2.
debut_ref	character	Debut ref.
debut_ref_1	character	Debut ref 1.
active	logical	TRUE if the row represents an active record.
status_id	integer	Status id.

status_name	character	Game status (e.g. 'STATUS_FINAL').
status_type	character	Status type.
status_abbreviation	character	Status abbreviation.
bats_type	character	Bats type.
bats_abbreviation	character	Bats abbreviation.
bats_display_value	character	Bats display value.
throws_type	character	Throws type.
throws_abbreviation	character	Throws abbreviation.
throws_display_value	character	Throws display value.
starter	logical	TRUE if the player started the game.
valid	logical	Valid.
display_name	character	Display name.
bat_order	integer	Spot in the batting order (1-9; NA if not applicable).
record_number	integer	Record number.
at_bats	list	At bats.
positions	list	Positions.
notes	list	Notes.
subbed_in_did_sub	logical	Subbed in did sub.
subbed_out_did_sub	logical	Subbed out did sub.
team_id	integer	Unique ESPN team identifier.
team_guid	character	ESPN team GUID.
team_uid	character	ESPN universal team identifier (UID).
team_sdr	character	Team sdr.
team_slug	character	URL-safe team identifier.
team_location	character	Team city / location.
team_name	character	Team nickname (e.g. 'Yankees').
team_abbreviation	character	Short team abbreviation (e.g. 'NYY').
team_display_name	character	Full team display name (e.g. 'New York Yankees').
team_short_display_name	character	Short team display name.
team_color	character	Team primary color (hex, no leading '#').
team_alternate_color	character	Team alternate color (hex).
team_is_active	logical	Team is active.
is_all_star	logical	Is all star.
logo_href	character	Logo href.
logo_dark_href	character	Logo dark href.
logos_href_2	character	Logos href 2.
logos_href_3	character	Logos href 3.
logos_href_4	character	Logos href 4.
logos_width_4	integer	Logos width 4.
logos_height_4	integer	Logos height 4.
logos_alt_4	character	Logos alt 4.
logos_rel_full_4	character	Logos rel full 4.
logos_rel_primary_logo_on_white_color	character	Logos rel primary logo on white color.
logos_last_updated_4	character	Logos last updated 4.
logos_href_5	character	Logos href 5.
logos_width_5	integer	Logos width 5.
logos_height_5	integer	Logos height 5.
logos_alt_5	character	Logos alt 5.

logos_rel_full_5	character	Logos rel full 5.
logos_rel_primary_logo_on_black_color	character	Logos rel primary logo on black color.
logos_last_updated_5	character	Logos last updated 5.
logos_href_6	character	Logos href 6.
logos_width_6	integer	Logos width 6.
logos_height_6	integer	Logos height 6.
logos_alt_6	character	Logos alt 6.
logos_rel_full_6	character	Logos rel full 6.
logos_rel_primary_logo_on_primary_color	character	Logos rel primary logo on primary color.
logos_last_updated_6	character	Logos last updated 6.
logos_href_7	character	Logos href 7.
logos_width_7	integer	Logos width 7.
logos_height_7	integer	Logos height 7.
logos_alt_7	character	Logos alt 7.
logos_rel_full_7	character	Logos rel full 7.
logos_rel_primary_logo_on_secondary_color	character	Logos rel primary logo on secondary color.
logos_last_updated_7	character	Logos last updated 7.
logos_href_8	character	Logos href 8.
logos_width_8	integer	Logos width 8.
logos_height_8	integer	Logos height 8.
logos_alt_8	character	Logos alt 8.
logos_rel_full_8	character	Logos rel full 8.
logos_rel_primary_logo_black	character	Logos rel primary logo black.
logos_last_updated_8	character	Logos last updated 8.
logos_href_9	character	Logos href 9.
logos_width_9	integer	Logos width 9.
logos_height_9	integer	Logos height 9.
logos_alt_9	character	Logos alt 9.
logos_rel_full_9	character	Logos rel full 9.
logos_rel_primary_logo_white	character	Logos rel primary logo white.
logos_last_updated_9	character	Logos last updated 9.
logos_href_10	character	Logos href 10.
logos_width_10	integer	Logos width 10.
logos_height_10	integer	Logos height 10.
logos_alt_10	character	Logos alt 10.
logos_rel_full_10	character	Logos rel full 10.
logos_rel_secondary_logo_on_white_color	character	Logos rel secondary logo on white color.
logos_last_updated_10	character	Logos last updated 10.
logos_href_11	character	Logos href 11.
logos_width_11	integer	Logos width 11.
logos_height_11	integer	Logos height 11.
logos_alt_11	character	Logos alt 11.
logos_rel_full_11	character	Logos rel full 11.
logos_rel_secondary_logo_on_black_color	character	Logos rel secondary logo on black color.
logos_last_updated_11	character	Logos last updated 11.
logos_href_12	character	Logos href 12.
logos_width_12	integer	Logos width 12.
logos_height_12	integer	Logos height 12.

logos_alt_12	character	Logos alt 12.
logos_rel_full_12	character	Logos rel full 12.
logos_rel_secondary_logo_on_primary_color	character	Logos rel secondary logo on primary color.
logos_last_updated_12	character	Logos last updated 12.
logos_href_13	character	Logos href 13.
logos_width_13	integer	Logos width 13.
logos_height_13	integer	Logos height 13.
logos_alt_13	character	Logos alt 13.
logos_rel_full_13	character	Logos rel full 13.
logos_rel_secondary_logo_on_secondary_color	character	Logos rel secondary logo on secondary color.
logos_last_updated_13	character	Logos last updated 13.
logos_href_14	character	Logos href 14.
logos_width_14	integer	Logos width 14.
logos_height_14	integer	Logos height 14.
logos_alt_14	character	Logos alt 14.
logos_rel_full_14	character	Logos rel full 14.
logos_rel_secondary_logo_black	character	Logos rel secondary logo black.
logos_last_updated_14	character	Logos last updated 14.
logos_href_15	character	Logos href 15.
logos_width_15	integer	Logos width 15.
logos_height_15	integer	Logos height 15.
logos_alt_15	character	Logos alt 15.
logos_rel_full_15	character	Logos rel full 15.
logos_rel_secondary_logo_white	character	Logos rel secondary logo white.
logos_last_updated_15	character	Logos last updated 15.
game_id	integer	Unique ESPN game/event identifier.
order	integer	Order.
home_away	character	Venue label for the team ('home' or 'away').
winner	logical	Winner.
nickname	character	Team nickname.
draft_display_text	character	Draft display text.
draft_round	integer	Draft round.
draft_year	integer	Draft year.
draft_selection	integer	Draft selection.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_situation(), espn_college_baseball
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),

espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_season_group_children(), espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(), espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_ espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_rosters(game_id = "401778093"))
```

---

espn_college_baseball_game_situation

Get ESPN College Baseball Event Situation (Live)

Description

Get ESPN College Baseball Event Situation (Live)

Get ESPN College Baseball Event Situation (Live)

Usage

```
espn_college_baseball_game_situation(event_id, ...)
```

Arguments

event_id	ESPN event identifier.
...	Additional arguments; currently unused.

Value

A single-row tibble with timeouts + fouls for both teams.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
home_timeouts_current	integer	Home timeouts current.
home_timeouts_remaining	integer	Home timeouts remaining.
away_timeouts_current	integer	Away timeouts current.
away_timeouts_remaining	integer	Away timeouts remaining.
home_team_fouls	integer	Home team fouls.
home_team_fouls_current	integer	Home team fouls current.
home_fouls_to_give	integer	Home fouls to give.
home_bonus_state	character	Home bonus state.
away_team_fouls	integer	Away team fouls.
away_team_fouls_current	integer	Away team fouls current.
away_fouls_to_give	integer	Away fouls to give.
away_bonus_state	character	Away bonus state.
last_play_ref	character	Last play ref.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r

espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_situation(event_id = "401778093"))
```

`espn_college_baseball_game_team_leaders` **Get ESPN College Baseball Event Competitor Leaders (Top Performers)**

Description

Get ESPN College Baseball Event Competitor Leaders (Top Performers)

Get ESPN College Baseball Event Competitor Leaders (Top Performers)

Usage

```
espn_college_baseball_game_team_leaders(event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`team_id`	ESPN team identifier.
`...`	Additional arguments; currently unused.

Value

A long tibble with one row per (category x rank).

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
category_name	character	Statistic category name.
category_display	character	Category display.
category_abbrev	character	Category abbrev.
rank	integer	Rank within the result set.
athlete_id	character	Unique ESPN athlete identifier.
display_value	character	Human-readable value.

value	numeric	Numeric value.
athlete_ref	character	Athlete ref.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_team_leaders(event_id = "401778093", team_id = "113"))
```

---

espn_college_baseball_game_team_linescores

Get ESPN College Baseball Event Competitor Linescores (Per-Inning)

Description

Get ESPN College Baseball Event Competitor Linescores (Per-Inning)

Get ESPN College Baseball Event Competitor Linescores (Per-Inning)

Usage

```
espn_college_baseball_game_team_linescores(event_id, team_id, ...)
```

Arguments

event_id	ESPN event identifier.
team_id	ESPN team identifier (the competitor whose linescore to fetch).
...	Additional arguments; currently unused.

Value

A tibble with one row per inning.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
period	integer	Inning number.
value	numeric	Numeric value.
display_value	character	Human-readable value.
source	character	Source.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all(
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_records(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),

espn_college_baseball_season_group(), espn_college_baseball_season_group_children(), espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(), espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_ espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_team_linescores(event_id = "401778093", team_id = "113"))
```

`espn_college_baseball_game_team_records` **Get ESPN College Baseball Event Competitor Records (At-Game Breakdown)**

Description

Get ESPN College Baseball Event Competitor Records (At-Game Breakdown)

Get ESPN College Baseball Event Competitor Records (At-Game Breakdown)

Usage

```
espn_college_baseball_game_team_records(event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`team_id`	ESPN team identifier.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per record type.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.

team_id	character	Unique ESPN team identifier.
record_id	character	Record id.
name	character	Name.
abbreviation	character	Short abbreviation.
display_name	character	Display name.
short_display_name	character	Short display name.
type	character	Type.
summary	character	Record summary (e.g. 'W-L').
value	numeric	Numeric value.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_team_records(event_id = "401778093", team_id = "113"))
```

`espn_college_baseball_game_team_roster` **Get ESPN College Baseball Event Competitor Roster (Game-Day)**

Description

Get ESPN College Baseball Event Competitor Roster (Game-Day)

Get ESPN College Baseball Event Competitor Roster (Game-Day)

Usage

```
espn_college_baseball_game_team_roster(event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`team_id`	ESPN team identifier.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per active athlete.

Note: ESPN's core-v2 per-game competitor roster is not populated for MLB and typically returns an empty tibble; use `espn_mlb_game_rosters()` (site summary) for game-day rosters. When populated:

col_name	types	description
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
athlete_id	character	Unique ESPN athlete identifier.
athlete_display_name	character	Player display name.
position	character	Position abbreviation.
jersey	character	Jersey number.
starter	logical	TRUE if the player started the game.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: `espn_college_baseball_athletes_index()`, `espn_college_baseball_calen`
`espn_college_baseball_coach()`, `espn_college_baseball_coach_record()`, `espn_college_baseball_coach_seas`
`espn_college_baseball_coaches()`, `espn_college_baseball_conferences()`, `espn_college_baseball_game_all()`
`espn_college_baseball_game_broadcasts()`, `espn_college_baseball_game_official_detail()`,

espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster_entry(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_team_roster(event_id = "401778093", team_id = "113"))
```

---

espn_college_baseball_game_team_roster_entry

Get ESPN College Baseball Event Competitor Roster Entry (Per-Athlete Game-Day Row)

Description

Get ESPN College Baseball Event Competitor Roster Entry (Per-Athlete Game-Day Row)

Get ESPN College Baseball Event Competitor Roster Entry (Per-Athlete Game-Day Row)

Usage

```
espn_college_baseball_game_team_roster_entry(
  event_id,
  team_id,
  athlete_id,
  ...
)
```

Arguments

event_id	ESPN event identifier.
team_id	ESPN team identifier.
athlete_id	ESPN athlete identifier.
...	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
athlete_id	character	Unique ESPN athlete identifier.
player_id	character	Player id.
period	integer	Inning number.
active	logical	Active.
starter	logical	TRUE if a starter.
did_not_play	logical	Did not play.
reason	character	Reason.
ejected	logical	Ejected.
for_player_id	character	For player id.
jersey	character	Jersey number.
display_name	character	Display name.
athlete_ref	character	Athlete ref.
position_ref	character	Position ref.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball

espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_season_group_children(), espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(), espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_ espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_team_roster_entry(event_id = "401778093",
                                                 team_id = "113",
                                                 athlete_id = "5102102"))
```

`espn_college_baseball_game_team_score`

Get ESPN College Baseball Event Competitor Score (Single Row)

Description

Get ESPN College Baseball Event Competitor Score (Single Row)

Get ESPN College Baseball Event Competitor Score (Single Row)

Usage

```
espn_college_baseball_game_team_score(event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`team_id`	ESPN team identifier.
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
league	character	League.

event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
value	numeric	Numeric value.
display_value	character	Human-readable value.
winner	logical	Winner.
source_id	character	Source id.
source_description	character	Source description.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_statistics(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_team_score(event_id = "401778093", team_id = "113"))
```

`espn_college_baseball_game_team_statistics` **Get ESPN College Baseball Event Competitor Team Statistics (Long Format)**

Description

Get ESPN College Baseball Event Competitor Team Statistics (Long Format)

Get ESPN College Baseball Event Competitor Team Statistics (Long Format)

Usage

```
espn_college_baseball_game_team_statistics(event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`team_id`	ESPN team identifier.
`...`	Additional arguments; currently unused.

Value

A long tibble with one row per (category x stat).

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
category_name	character	Statistic category name.
category_display	character	Category display.
stat_name	character	Statistic name.
stat_abbrev	character	Stat abbrev.
stat_display	character	Stat display.
value	numeric	Numeric value.
display_value	character	Human-readable value.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_leaders(), espn_college_baseball_news(), espn_college_baseball_pbp(),
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_game_team_statistics(event_id = "401778093", team_id = "113"))
```

---

espn_college_baseball_leaders

Get ESPN College Baseball League Leaders

Description

Get ESPN College Baseball League Leaders

Get ESPN College Baseball League Leaders

Usage

```
espn_college_baseball_leaders(
  season = most_recent_college_baseball_season(),
  season_type = 2,
  ...
)
```

Arguments

season	Season year (numeric). Defaults to the most recent college baseball season.
season_type	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use options(baseballr.proxy = ...) – see ?baseballr for details.

Value

A single baseballr_data tibble with one row per category-athlete pair.

col_name	types	description
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).
season_type	integer	Season type (1=pre-season, 2=regular season, 3=postseason, 4=off-season for ESPN).
category	character	Category label.
abbreviation	character	Short abbreviation.
athlete_id	character	Unique athlete identifier (ESPN).
athlete_name	character	Athlete display name (ESPN).
team_id	character	Unique team identifier.
team_abbrev	character	
value	numeric	Numeric or string value field.
rank	integer	Rank.
display_value	character	Human-readable display value.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),

espn_college_baseball_game_team_statistics(), espn_college_baseball_news(), espn_college_baseball_pbp
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seaso
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_leaders(season = 2025, season_type = 2))
```

`espn_college_baseball_news`

Get ESPN College Baseball News

Description

Get ESPN College Baseball News

Get ESPN College Baseball News

Usage

```
espn_college_baseball_news(limit = 50)
```

Arguments

`limit`	integer. Maximum number of articles to return. Default `50`.

Value

Returns a tibble of news articles.

col_name	types	description
id	character	Id.

type	character	Record type / category.
headline	character	News headline.
description	character	Long-form description text.
published	character	Publication timestamp (ISO 8601).
premium	logical	
byline	character	News article byline / author.
link_web	character	Web link / URL.
league_id	character	ESPN league identifier.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_p
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_news(limit = 5))
```

`espn_college_baseball_pbp` **Get ESPN College Baseball Play-by-Play**

Description

Get ESPN College Baseball PBP data

Usage

```
espn_college_baseball_pbp(game_id)
```

Arguments

`game_id`	Game ID

Value

A play-by-play data frame.

col_name	types	description
id	character	Play / record identifier.
sequence_number	character	Play sequence number within the game.
text	character	Text description of the play.
away_score	integer	Away team run total after the play.
home_score	integer	Home team run total after the play.
scoring_play	logical	TRUE if the play scored a run.
score_value	integer	Runs scored on the play.
wallclock	character	Wall-clock timestamp of the play (ISO 8601).
at_bat_id	character	Identifier of the at-bat the play belongs to.
summary_type	character	Play summary type.
outs	integer	Outs in the inning after the play.
type	character	Type.
bat_order	integer	Spot in the batting order (1-9; NA if not applicable).
at_bat_pitch_number	integer	Pitch number within the at-bat.
pitch_velocity	integer	Pitch velocity (mph).
trajectory	character	Batted-ball trajectory.
alternative_play	character	Alternative play.
type_id	integer	Type id.
type_text	character	Type text.
type_type	character	Type type.
type_alternative_text	character	Type alternative text.
type_abbreviation	character	Type abbreviation.
period_type	character	Period type ('inning').
period_number	integer	Inning number.
period_display_value	character	Inning display value (e.g. 'Top 1st').
team_id	integer	Unique ESPN team identifier.

pitch_count_balls	integer	Balls in the count when the pitch was thrown.
pitch_count_strikes	integer	Strikes in the count when the pitch was thrown.
result_count_balls	integer	Balls in the count after the pitch.
result_count_strikes	integer	Strikes in the count after the pitch.
bats_type	character	Bats type.
bats_abbreviation	character	Bats abbreviation.
bats_display_value	character	Bats display value.
pitch_coordinate_x	integer	Pitch location x-coordinate.
pitch_coordinate_y	integer	Pitch location y-coordinate.
pitch_type_id	character	Pitch type identifier.
pitch_type_text	character	Pitch type description (e.g. 'Four-seam FB').
pitch_type_abbreviation	character	Pitch type abbreviation.
hit_coordinate_x	integer	Batted-ball location x-coordinate.
hit_coordinate_y	integer	Batted-ball location y-coordinate.
alternative_type_id	character	Alternative type id.
alternative_type_text	character	Alternative type text.
alternative_type_abbreviation	character	Alternative type abbreviation.
alternative_type_alternative_text	character	Alternative type alternative text.
alternative_type_type	character	Alternative type type.
on_first_athlete_id	character	Athlete id of the runner on first base.
on_second_athlete_id	character	Athlete id of the runner on second base.
play_id	character	Play id.
athlete_id_1	integer	Primary participating athlete id (batter).
athlete_id_2	integer	Second participating athlete id (pitcher).
athlete_id_3	integer	Third participating athlete id (fielder).
home_team_id	integer	Home team id.
home_team_mascot	character	Home team mascot.
home_team_name	character	Home team name.
home_team_abbrev	character	Home team abbrev.
home_team_logo	character	Home team logo.
home_team_logo_dark	character	Home team logo dark.
home_team_full_name	character	Home team full name.
home_team_color	character	Home team color.
home_team_alternate_color	character	Home team alternate color.
home_team_score	integer	Home team score.
home_team_winner	logical	Home team winner.
home_team_record	character	Home team record.
away_team_id	integer	Away team id.
away_team_mascot	character	Away team mascot.
away_team_name	character	Away team name.
away_team_abbrev	character	Away team abbrev.
away_team_logo	character	Away team logo.
away_team_logo_dark	character	Away team logo dark.
away_team_full_name	character	Away team full name.
away_team_color	character	Away team color.
away_team_alternate_color	character	Away team alternate color.
away_team_score	integer	Away team score.
away_team_winner	logical	Away team winner.

away_team_record	character	Away team record.
game_id	integer	Unique ESPN game/event identifier.
season	integer	Season (4-digit year).
season_type	integer	ESPN season type (1=pre, 2=regular, 3=postseason, 4=off-season).
game_date	Date	Game date (YYYY-MM-DD).
game_date_time	POSIXct	Game start date/time (US/Eastern).

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_l
espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_playe
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_pbp(game_id = "401778093"))
```

`espn_college_baseball_player_awards`

Get ESPN College Baseball Athlete Awards

Description

Get ESPN College Baseball Athlete Awards

Get ESPN College Baseball Athlete Awards

Usage

```
espn_college_baseball_player_awards(athlete_id, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`...`	Additional arguments; currently unused.

Value

A single tibble. This endpoint is sparse; many athletes have no award data, in which case an empty tibble with canonical columns is returned.

col_name	types	description
season	character	Season identifier (4-digit year or 'YYYY-YY' string).
award_id	character	
name	character	Display name.
description	character	Long-form description text.
date	character	Date in YYYY-MM-DD format.
type	character	Record type / category.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: `espn_college_baseball_athletes_index()`, `espn_college_baseball_calen`
`espn_college_baseball_coach()`, `espn_college_baseball_coach_record()`, `espn_college_baseball_coach_seas`
`espn_college_baseball_coaches()`, `espn_college_baseball_conferences()`, `espn_college_baseball_game_all()`
`espn_college_baseball_game_broadcasts()`, `espn_college_baseball_game_official_detail()`,
`espn_college_baseball_game_officials()`, `espn_college_baseball_game_play()`, `espn_college_baseball_game_`
`espn_college_baseball_game_player_box()`, `espn_college_baseball_game_rosters()`, `espn_college_baseball_g`
`espn_college_baseball_game_team_leaders()`, `espn_college_baseball_game_team_linescores()`,
`espn_college_baseball_game_team_records()`, `espn_college_baseball_game_team_roster()`,
`espn_college_baseball_game_team_roster_entry()`, `espn_college_baseball_game_team_score()`,

espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_box(), espn_college_baseball_player_career_
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seaso
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_player_awards(athlete_id = "3730"))
```

---

espn_college_baseball_player_box

Get ESPN College Baseball Player Box

Description

Get ESPN College Baseball player box scores

Usage

```
espn_college_baseball_player_box(game_id)
```

Arguments

game_id	Game ID

Value

A player boxscore data frame

col_name	types	description
game_id	integer	Unique ESPN game/event identifier.
season	integer	Season (4-digit year).

season_type	integer	ESPN season type (1=pre, 2=regular, 3=postseason, 4=off-season).
game_date	Date	Game date (YYYY-MM-DD).
game_date_time	POSIXct	Game start date/time (US/Eastern).
stat_group	character	Statistic side this row reports: 'batting' or 'pitching'.
team_id	integer	Unique ESPN team identifier.
team_name	character	Team nickname (e.g. 'Yankees').
team_abbreviation	character	Short team abbreviation (e.g. 'NYY').
team_display_name	character	Full team display name (e.g. 'New York Yankees').
athlete_id	integer	Unique ESPN athlete identifier.
athlete_display_name	character	Athlete display name (full).
athlete_short_name	character	Athlete short display name.
athlete_position_name	character	Athlete fielding position (e.g. 'Shortstop', 'Pitcher').
athlete_position_abbreviation	character	Position abbreviation (e.g. 'SS', 'P').
starter	logical	TRUE if the player started the game.
bat_order	integer	Spot in the batting order (1-9; NA if not applicable).
active	logical	TRUE if the row represents an active record.
h_ab	character	Hits-for-At-bats line (e.g. '2-4').
ab	character	At-bats.
r	character	Runs scored.
h	character	Hits.
rbi	character	Runs batted in.
hr	character	Home runs.
bb	character	Bases on balls (walks).
k	character	Strikeouts.
number_p	character	Pitches seen / thrown.
avg	character	Batting average.
obp	character	On-base percentage.
slg	character	Slugging percentage.
ip	character	Innings pitched.
er	character	Earned runs.
pc_st	character	Pitch count - strikes (e.g. '95-58').
era	character	Earned run average.
pc	character	Pitch count.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),

espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_season_group_children(), espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(), espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_player_box(game_id = "401778093"))
```

`espn_college_baseball_player_career_stats`

Get ESPN College Baseball Athlete Career Stats (Long Format)

Description

Get ESPN College Baseball Athlete Career Stats (Long Format)

Get ESPN College Baseball Athlete Career Stats (Long Format)

Usage

```
espn_college_baseball_player_career_stats(athlete_id, stat_type = 0L, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier.
`stat_type`	Integer or integer vector of stat-type codes. Default `0L` fetches the standard "All Splits" / regular-season view. Pass a vector like `c(0L, 1L, 2L)` to bind multiple types via a `stat_type_id` column; non-existent variants are silently skipped.
`...`	Additional arguments; currently unused.

Value

A long tibble (one row per stat_type × split × category × stat).

col_name	types	description
league	character	League slug.
athlete_id	character	ESPN athlete id.
stat_type_id	character	Stat-type code (0 = reg, 1 = post, 2 = career).
split_id	character	Split id.
split_name	character	Split name (typically "All Splits").
split_type	character	Split type code.
category_name	character	Category key (e.g. "defensive").
category_display	character	Category display name.
category_short	character	Category short display.
category_abbrev	character	Category abbreviation.
stat_name	character	Stat key.
stat_abbrev	character	Stat abbreviation.
stat_display	character	Stat display name.
stat_short	character	Stat short display.
description	character	Stat description.
value	numeric	Stat value.
display_value	character	Display-formatted value.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all(
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box(
espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball
espn_college_baseball_player_overview(), espn_college_baseball_player_seasons(), espn_college_baseball
espn_college_baseball_player_statisticslog(), espn_college_baseball_scoreboard(),
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas

espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_ espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_player_career_stats(athlete_id = "3730"))
try(espn_college_baseball_player_career_stats(athlete_id = "3730", stat_type = 2L))
```

`espn_college_baseball_player_eventlog`

Get ESPN College Baseball Athlete Eventlog

Description

Get ESPN College Baseball Athlete Eventlog

Get ESPN College Baseball Athlete Eventlog

Usage

```
espn_college_baseball_player_eventlog(
  athlete_id,
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`season`	Season year (numeric). Defaults to the most recent college baseball season.
`...`	Additional arguments; currently unused.

Value

A single tibble. Per-event `statistics.$ref` URLs from the ESPN core-v2 API are returned as the character column `statistics_ref` and are NOT resolved. Similarly, `event_ref`, `competition_ref`, and `team_ref` are returned as character columns.

col_name	types	description
event_ref	character	Reference link to the originating event.
competition_ref	character	

team_ref	character
statistics_ref	character

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_gamelog(),
espn_college_baseball_player_info(), espn_college_baseball_player_overview(), espn_college_baseball_pl
espn_college_baseball_player_splits(), espn_college_baseball_player_statisticslog(),
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasor
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_player_eventlog(athlete_id = "3730", season = 2025))
```

---

espn_college_baseball_player_gamelog

Get ESPN College Baseball Athlete Gamelog

Description

Get ESPN College Baseball Athlete Gamelog

Get ESPN College Baseball Athlete Gamelog

Usage

```
espn_college_baseball_player_gamelog(
  athlete_id,
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent college baseball season.
...	Additional arguments; currently unused.

Value

A single tibble with one row per game. Column names reflect the stat labels returned by ESPN and will vary by season and player.

col_name	types	description
id	character	Identifier.
at_vs	character	At vs.
game_date	character	Game date (YYYY-MM-DD).
score	character	Score.
home_team_id	character	Unique ESPN team identifier.
away_team_id	character	Unique ESPN team identifier.
home_team_score	character	Home team score.
away_team_score	character	Away team score.
game_result	character	Game result (W/L).
league_name	character	League name.
league_abbreviation	character	League abbreviation.
league_short_name	character	League short name.
event_note	character	Event note.
team_id	character	Unique ESPN team identifier.
team_uid	character	ESPN universal team identifier (UID).
team_abbreviation	character	Short team abbreviation (e.g. 'NYY').
team_logo	character	Team logo.
team_is_all_star	character	Team is all star.
opponent_id	character	Opponent team identifier.
opponent_uid	character	ESPN UID.
opponent_display_name	character	Display name.
opponent_abbreviation	character	Opponent abbreviation.
opponent_logo	character	Opponent logo.
event_id	character	Unique ESPN event/game identifier.

week character Week.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_info(), espn_college_baseball_player_overview(), espn_college_baseball_pl
espn_college_baseball_player_splits(), espn_college_baseball_player_statisticslog(),
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_season
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_player_gamelog(athlete_id = "3730", season = 2025))
```

`espn_college_baseball_player_info`

Get ESPN College Baseball Athlete Info

Description

Get ESPN College Baseball Athlete Info

Get ESPN College Baseball Athlete Info

Usage

```
espn_college_baseball_player_info(athlete_id, ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use options(baseballr.proxy = ...) – see ?baseballr for details.

Value

A named list of data frames: Bio, Team, Position, Status, College, Draft.

Bio

col_name	types	description
id	character	Id.
full_name	character	Player's full name.
display_name	character	Display name.
jersey	character	Jersey number worn by the player.
age	character	Player age (in years).
date_of_birth	character	Date of birth (YYYY-MM-DD).
headshot_href	character	Headshot image URL.

Team

col_name	types	description
id	character	Id.
abbreviation	character	Short abbreviation.
display_name	character	Display name.

Position

col_name	types	description
id	character	Id.
name	character	Display name.
abbreviation	character	Short abbreviation.

Status

col_name	types	description
id	character	Id.
name	character	Display name.
type	character	Record type / category.

College

col_name	types	description
id	character	Id.
name	character	Display name.
mascot	character	Team mascot.

Draft

col_name	types	description
year	character	4-digit year.
round	character	Tournament / playoff round.
selection	character	

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_overview(), espn_college_baseball
espn_college_baseball_player_splits(), espn_college_baseball_player_statisticslog(),
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_season
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),

espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_player_info(athlete_id = "3730"))
```

`espn_college_baseball_player_overview`

Get ESPN College Baseball Athlete Overview

Description

Get ESPN College Baseball Athlete Overview

Get ESPN College Baseball Athlete Overview

Usage

```
espn_college_baseball_player_overview(
  athlete_id,
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`season`	Season year (numeric). Defaults to the most recent college baseball season.
`...`	Additional arguments; currently unused.

Value

A named list of data frames: `Statistics`, `NextGame`, `Last5Games`, `Headlines`, `FantasyOutlook`.

Statistics

col_name	types	description
(varies)	character	

NextGame

col_name	types	description
id	character	Id.
date	character	Date in YYYY-MM-DD format.
name	character	Display name.
short_name	character	Short display name.

Last5Games

col_name	types	description
(varies)	character	

Headlines

col_name	types	description
headline	character	News headline.
description	character	Long-form description text.
published	character	Publication timestamp (ISO 8601).

FantasyOutlook

col_name	types	description
(varies)	character	

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_l
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_splits(), espn_college_baseball_player_statisticslog(),
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seaso

espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(), espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_ espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_player_overview(athlete_id = "3730", season = 2025))
```

`espn_college_baseball_player_seasons`

Get ESPN College Baseball Athlete Career Seasons

Description

Get ESPN College Baseball Athlete Career Seasons

Get ESPN College Baseball Athlete Career Seasons

Usage

```
espn_college_baseball_player_seasons(athlete_id, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`...`	Additional arguments; currently unused.

Value

A tibble with one row per career season.

col_name	types	description
league	character	League slug.
athlete_id	character	ESPN athlete id.
season	integer	Season year.
ref	character	`$ref` URL to the season detail.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_splits(), espn_college_baseball_player_statisticslog(),
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_season
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_player_seasons(athlete_id = "3730"))
```

---

espn_college_baseball_player_splits

Get ESPN College Baseball Athlete Splits

Description

Get ESPN College Baseball Athlete Splits

Get ESPN College Baseball Athlete Splits

Usage

```
espn_college_baseball_player_splits(
  athlete_id,
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent college baseball season.
...	Additional arguments; currently unused.

Value

A single long-format tibble. When data are present, columns include at minimum `category` and `split_name`, plus per-stat columns driven by ESPN labels.

col_name	types	description
name	character	Name.
display_name	character	Display name.
splits	list	Splits.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all(
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_l
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box(
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_statisticslog(),
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_season
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s

espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_player_splits(athlete_id = "3730", season = 2025))
```

---

espn_college_baseball_player_statisticslog

Get ESPN College Baseball Athlete Statisticslog

Description

Get ESPN College Baseball Athlete Statisticslog

Get ESPN College Baseball Athlete Statisticslog

Usage

```
espn_college_baseball_player_statisticslog(
  athlete_id,
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent college baseball season.
...	Additional arguments; currently unused.

Value

A single tibble. When resolved, each row corresponds to one statistical entry in the core-v2 statistics log, with event_ref and statistics_ref character columns pointing to resolvable ESPN endpoints.

col_name	types	description
event_ref	character	Reference link to the originating event.

statistics_ref	character

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_s
espn_college_baseball_season_group(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_player_statisticslog(athlete_id = "3730", season = 2025))
```

---

espn_college_baseball_scoreboard

Get ESPN College Baseball Scoreboard

Description

Get ESPN College Baseball schedule for a specific year

Usage

```
espn_college_baseball_scoreboard(season)
```

Arguments

season	Either numeric or character (YYYYMMDD)

Value

Returns a tibble with scoreboard data

col_name	types	description
matchup	character	Full game matchup name.
matchup_short	character	Short matchup name.
season	integer	Season (4-digit year).
season_type	integer	ESPN season type (1=pre, 2=regular, 3=postseason, 4=off-season).
season_slug	character	Season slug.
game_id	integer	Unique ESPN game/event identifier.
game_uid	character	ESPN game UID.
game_date	Date	Game date (YYYY-MM-DD).
attendance	integer	Game attendance.
play_by_play_available	logical	TRUE if play-by-play is available.
was_suspended	logical	Was suspended.
notes	logical	Notes.
status_name	character	Game status (e.g. 'STATUS_FINAL').
broadcast_market	character	Broadcast market ('national'/'home'/'away').
broadcast_name	character	Broadcast network name.
batting_leader_value	numeric	Team batting: batting leader value.
batting_leader_stat	character	Team batting: batting leader stat.
batting_leader_name	character	Team batting: batting leader name.
batting_leader_shortname	character	Team batting: batting leader shortname.
batting_leader_headshot	character	Team batting: batting leader headshot.
batting_leader_team_id	character	Team batting: batting leader team id.
batting_leader_pos	character	Team batting: batting leader pos.
home_run_leader_value	logical	Home run leader value.
home_run_leader_stat	logical	Home run leader stat.
home_run_leader_name	logical	Home run leader name.
home_run_leader_shortname	logical	Home run leader shortname.
home_run_leader_headshot	logical	Home run leader headshot.
home_run_leader_team_id	logical	Home run leader team id.
home_run_leader_pos	logical	Home run leader pos.
rbi_leader_value	logical	Rbi leader value.
rbi_leader_stat	logical	Rbi leader stat.
rbi_leader_name	logical	Rbi leader name.
rbi_leader_shortname	logical	Rbi leader shortname.

rbi_leader_headshot	logical	Rbi leader headshot.
rbi_leader_team_id	logical	Rbi leader team id.
rbi_leader_pos	logical	Rbi leader pos.
start_date	character	Start date.
broadcast	character	Broadcast network.
highlights	logical	Highlights.
game_date_time	POSIXct	Game start date/time (US/Eastern).
home_team_name	character	Home team name.
home_team_logo	character	Home team logo.
home_team_abb	character	Home team abb.
home_team_id	integer	Home team id.
home_team_location	character	Home team location.
home_team_full_name	character	Home team full name.
home_team_color	character	Home team color.
home_score	integer	Home team run total after the play.
home_win	integer	Home win.
home_record	character	Home record.
away_team_name	character	Away team name.
away_team_logo	character	Away team logo.
away_team_abb	character	Away team abb.
away_team_id	integer	Away team id.
away_team_location	character	Away team location.
away_team_full_name	character	Away team full name.
away_team_color	character	Away team color.
away_score	integer	Away team run total after the play.
away_win	integer	Away win.
away_record	character	Away record.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p

espn_college_baseball_season_group(), espn_college_baseball_season_group_children(), espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(), espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_ espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin espn_college_baseball_week_rankings()

Examples

```
# Get scoreboard from a College World Series date (2025-06-15).

try(espn_college_baseball_scoreboard(season = "20250615"))
```

---

espn_college_baseball_season_group

Get ESPN College Baseball Season Group Detail

Description

Get ESPN College Baseball Season Group Detail

Get ESPN College Baseball Season Group Detail

Usage

```
espn_college_baseball_season_group(
  group_id,
  season = most_recent_college_baseball_season(),
  season_type = 2L,
  ...
)
```

Arguments

group_id	ESPN group identifier.
season	Season year (numeric). Defaults to the most recent college baseball season.
season_type	Season-type id (2 = regular (default)).
...	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
group_id	character	ESPN group id.
uid	character	ESPN UID string.
name	character	Full name (e.g. "Eastern Conference").
abbreviation	character	Short code (e.g. "EAST").
short_name	character	Short name.
midsize_name	character	Mid-size display name.
is_conference	logical	Whether this group is a conference.
slug	character	URL slug.
parent_ref	character	`$ref` to parent group (if any).
children_ref	character	`$ref` to child-groups endpoint.
teams_ref	character	`$ref` to teams-in-group endpoint.
standings_ref	character	`$ref` to standings endpoint.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group_children(),
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r

espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_season_group(group_id = 5, season = 2025))
```

---

espn_college_baseball_season_group_children

Get ESPN College Baseball Season Group Children Index

Description

Get ESPN College Baseball Season Group Children Index

Get ESPN College Baseball Season Group Children Index

Usage

```
espn_college_baseball_season_group_children(
  group_id,
  season = most_recent_college_baseball_season(),
  season_type = 2L,
  ...
)
```

Arguments

group_id	Parent group identifier.
season	Season year (numeric). Defaults to the most recent college baseball season.
season_type	Season-type id (2 = regular (default)).
...	Additional arguments; currently unused.

Value

A tibble with one row per child group.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
parent_group_id	character	Parent group id (queried).

child_group_id	character	Child group id.
ref	character	`$ref` to child group detail.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasons
espn_college_baseball_season_groups(), espn_college_baseball_season_info(), espn_college_baseball_seas
espn_college_baseball_season_ranking(), espn_college_baseball_season_rankings(), espn_college_baseball
espn_college_baseball_season_types(), espn_college_baseball_season_week(), espn_college_baseball_seas
espn_college_baseball_seasons(), espn_college_baseball_standings(), espn_college_baseball_team(),
espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_new
espn_college_baseball_team_record(), espn_college_baseball_team_record_detail(), espn_college_baseball
espn_college_baseball_team_schedule(), espn_college_baseball_team_season_profile(),
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_s
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_season_group_children(group_id = 5, season = 2025))
```

`espn_college_baseball_season_group_teams`

Get ESPN College Baseball Season Group Teams Index

Description

Get ESPN College Baseball Season Group Teams Index

Get ESPN College Baseball Season Group Teams Index

Usage

```
espn_college_baseball_season_group_teams(
  group_id,
  season = most_recent_college_baseball_season(),
  season_type = 2L,
  ...
)
```

Arguments

group_id	ESPN group identifier.
season	Season year (numeric). Defaults to the most recent college baseball season.
season_type	Season-type id (2 = regular (default)).
...	Additional arguments; currently unused.

Value

A tibble with one row per team in the group.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
group_id	character	ESPN group id.
team_id	character	ESPN team id.
ref	character	$ref URL to the team-in-season entry.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),

espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasor
espn_college_baseball_season_groups(), espn_college_baseball_season_info(), espn_college_baseball_seas
espn_college_baseball_season_ranking(), espn_college_baseball_season_rankings(), espn_college_baseball
espn_college_baseball_season_types(), espn_college_baseball_season_week(), espn_college_baseball_seasc
espn_college_baseball_seasons(), espn_college_baseball_standings(), espn_college_baseball_team(),
espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_new
espn_college_baseball_team_record(), espn_college_baseball_team_record_detail(), espn_college_baseball
espn_college_baseball_team_schedule(), espn_college_baseball_team_season_profile(),
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_sc
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_season_group_teams(group_id = 5, season = 2025))
```

---

espn_college_baseball_season_groups

Get ESPN College Baseball Season Groups Index

Description

Get ESPN College Baseball Season Groups Index

Get ESPN College Baseball Season Groups Index

Usage

```
espn_college_baseball_season_groups(
  season = most_recent_college_baseball_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

season	Season year (numeric). Defaults to the most recent college baseball season.
season_type	Season-type id (2 = regular (default)).
...	Additional arguments; currently unused.

Value

A tibble with one row per group.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
group_id	character	ESPN group id.
ref	character	`$ref` URL for the group detail.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_l
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seaso
espn_college_baseball_season_group_teams(), espn_college_baseball_season_info(), espn_college_baseball
espn_college_baseball_season_ranking(), espn_college_baseball_season_rankings(), espn_college_baseball
espn_college_baseball_season_types(), espn_college_baseball_season_week(), espn_college_baseball_seas
espn_college_baseball_seasons(), espn_college_baseball_standings(), espn_college_baseball_team(),
espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_ne
espn_college_baseball_team_record(), espn_college_baseball_team_record_detail(), espn_college_baseball
espn_college_baseball_team_schedule(), espn_college_baseball_team_season_profile(),
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_s
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_season_groups(season = 2025))
```

`espn_college_baseball_season_info`

Get ESPN College Baseball Season Info

Description

Get ESPN College Baseball Season Info

Get ESPN College Baseball Season Info

Usage

```
espn_college_baseball_season_info(
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

`season`	Season year (numeric). Defaults to the most recent college baseball season.
`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(baseballr.proxy = ...)` – see `?baseballr` for details.

Value

A named list of `baseballr_data` tibbles: `Info`, `Types`, `Athletes`, `Coaches`, `Teams`, `Awards`. `$ref` URL components are returned as character columns and are NOT auto-resolved – use targeted endpoint functions for details.

Info

col_name	types	description
year	integer	4-digit year.
start_date	character	Start date (YYYY-MM-DD).
end_date	character	End date (YYYY-MM-DD).
display_name	character	Display name.
type_id	character	Type identifier (numeric).
type_name	character	

Types / Athletes / Coaches / Teams / Awards

col_name	types	description
count	integer	Count of count.
ref	character	

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasor
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_leaders(), espn_college_baseball_season_ranking(), espn_college_baseball_
espn_college_baseball_season_type(), espn_college_baseball_season_types(), espn_college_baseball_seas
espn_college_baseball_season_weeks(), espn_college_baseball_seasons(), espn_college_baseball_standings
espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(),
espn_college_baseball_team_news(), espn_college_baseball_team_record(), espn_college_baseball_team_re
espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tea
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_s
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseba
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_season_info(season = 2025))
```

---

espn_college_baseball_season_leaders

Get ESPN College Baseball Season Leaders (Long Format)

Description

Get ESPN College Baseball Season Leaders (Long Format)

Get ESPN College Baseball Season Leaders (Long Format)

Usage

```
espn_college_baseball_season_leaders(
  season = most_recent_college_baseball_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

season	Season year (numeric). Defaults to the most recent college baseball season.
season_type	Season-type id (2 = regular (default), 3 = postseason).
...	Additional arguments; currently unused.

Value

A long tibble with one row per (category x leader).

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
category_name	character	Internal category key (e.g. "pointsPerGame").
category_display	character	Human-readable category name.
category_short	character	Short display name.
category_abbrev	character	Stat abbreviation (e.g. "PTS").
rank	integer	Rank within the category (1 = best).
athlete_id	character	ESPN athlete id.
team_id	character	ESPN team id.
display_value	character	Display-formatted value.
value	numeric	Numeric leader value.
rel	character	Comma-joined `rel` tags from ESPN.
athlete_ref	character	`$ref` URL to the leader's athlete.
team_ref	character	`$ref` URL to the leader's team.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),

espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(), espn_college_baseball_season_info(), espn_college_baseball_season_ranking(), espn_college_baseball_season_type(), espn_college_baseball_season_types(), espn_college_baseball_season_weeks(), espn_college_baseball_seasons(), espn_college_baseball_standings, espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_record(), espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_season_leaders(season = 2025))
```

---

espn_college_baseball_season_ranking

Get ESPN College Baseball Season Ranking Detail

Description

Get ESPN College Baseball Season Ranking Detail

Get ESPN College Baseball Season Ranking Detail

Usage

```
espn_college_baseball_season_ranking(
  ranking_id,
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

ranking_id	ESPN ranking identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent college baseball season.
...	Additional arguments; currently unused.

Value

A tibble with one row per weekly snapshot.

col_name	types	description
league	character	League slug.
season	integer	Season year.
ranking_id	character	ESPN ranking id.
name	character	Ranking name (e.g. "AP Top 25").
short_name	character	Short name (e.g. "AP Poll").
type	character	Ranking type code (e.g. "ap").
season_type	integer	Season-type id of this snapshot.
week	integer	Week number of this snapshot.
ref	character	`$ref` URL for the per-week ranking detail.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seaso
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasor
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_type(), espn_college_baseball_season_types(), espn_college_baseball_seaso
espn_college_baseball_season_weeks(), espn_college_baseball_seasons(), espn_college_baseball_standings
espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(),
espn_college_baseball_team_news(), espn_college_baseball_team_record(), espn_college_baseball_team_re
espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tea
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_s
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_season_ranking(ranking_id = 1, season = 2025))
```

`espn_college_baseball_season_rankings`
Get ESPN College Baseball Season Rankings Index

Description

Get ESPN College Baseball Season Rankings Index

Get ESPN College Baseball Season Rankings Index

Usage

```
espn_college_baseball_season_rankings(
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

`season`	Season year (numeric). Defaults to the most recent college baseball season.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per ranking source.

col_name	types	description
league	character	League slug.
season	integer	Season year.
ranking_id	character	ESPN ranking id.
ref	character	`$ref` URL for the ranking detail.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasons
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_type(), espn_college_baseball_season_types(), espn_college_baseball_seas
espn_college_baseball_season_weeks(), espn_college_baseball_seasons(), espn_college_baseball_standings
espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(),
espn_college_baseball_team_news(), espn_college_baseball_team_record(), espn_college_baseball_team_re
espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tea
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_s
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_season_rankings(season = 2025))
```

---

espn_college_baseball_season_type

Get ESPN College Baseball Season-Type Detail

Description

Get ESPN College Baseball Season-Type Detail

Get ESPN College Baseball Season-Type Detail

Usage

```
espn_college_baseball_season_type(
  season_type = 2L,
```

```
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

season_type	Season-type id (1 = preseason, 2 = regular (default), 3 = postseason, 4 = off-season).
season	Season year (numeric). Defaults to the most recent college baseball season.
...	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
type	integer	Numeric type code.
name	character	Display name (e.g. "Regular Season").
abbreviation	character	Short code (e.g. "reg").
year	integer	Year stamp.
start_date	character	ISO 8601 start date.
end_date	character	ISO 8601 end date.
has_groups	logical	Whether groups exist for this type.
has_standings	logical	Whether standings exist.
has_legs	logical	Whether playoff legs exist.
slug	character	URL slug.
groups_ref	character	$ref to the groups endpoint.
weeks_ref	character	$ref to the weeks endpoint.
leaders_ref	character	$ref to the leaders endpoint.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),

espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasor
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_types(), espn_college_baseball_s
espn_college_baseball_season_weeks(), espn_college_baseball_seasons(), espn_college_baseball_standings
espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(),
espn_college_baseball_team_news(), espn_college_baseball_team_record(), espn_college_baseball_team_rec
espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tean
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_sc
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_season_type(season_type = 2, season = 2025))
```

`espn_college_baseball_season_types`

Get ESPN College Baseball Season Types Index

Description

Get ESPN College Baseball Season Types Index

Get ESPN College Baseball Season Types Index

Usage

```
espn_college_baseball_season_types(
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

`season`	Season year (numeric). Defaults to the most recent college baseball season.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per season type.

col_name	types	description
league	character	League slug ("mlb").
season	integer	Season year.
season_type	integer	Season-type id (1/2/3/4).
ref	character	$ref URL for the type detail.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasons
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_weeks(), espn_college_baseball_seasons(), espn_college_baseball_standings
espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(),
espn_college_baseball_team_news(), espn_college_baseball_team_record(), espn_college_baseball_team_re
espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tea
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_se
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_season_types(season = 2025))
```

`espn_college_baseball_season_week` **Get ESPN College Baseball Season-Week Detail**

Description

Get ESPN College Baseball Season-Week Detail

Usage

```
espn_college_baseball_season_week(
  week,
  season = most_recent_college_baseball_season(),
  season_type = 2L,
  ...
)
```

Arguments

`week`	Week number.
`season`	Season year (numeric). Defaults to the most recent college baseball season.
`season_type`	Season-type id (2 = regular (default)).
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
week	integer	Week number.
text	character	Display label (e.g. "Week 5").
start_date	character	ISO 8601 week start.
end_date	character	ISO 8601 week end.
rankings_ref	character	`$ref` to the per-week rankings endpoint.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasor
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_weeks(), espn_college_baseball_seasons(), espn_college_baseball_standings
espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(),
espn_college_baseball_team_news(), espn_college_baseball_team_record(), espn_college_baseball_team_rec
espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tean
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_se
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_season_week(week = 5, season = 2025))
```

`espn_college_baseball_season_weeks`

Get ESPN College Baseball Season Weeks Index

Description

Get ESPN College Baseball Season Weeks Index

Get ESPN College Baseball Season Weeks Index

Usage

```
espn_college_baseball_season_weeks(
  season = most_recent_college_baseball_season(),
```

```
  season_type = c(2L, 3L),
  ...
)
```

Arguments

season	Season year (numeric). Defaults to the most recent college baseball season.
season_type	Season-type id (2 = regular (default), 3 = postseason).
...	Additional arguments; currently unused.

Value

A tibble with one row per week.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
week	integer	Week number (1-based).
ref	character	$ref URL for the week detail.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_season
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_seasons(), espn_college_baseball_standings
espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(),
espn_college_baseball_team_news(), espn_college_baseball_team_record(), espn_college_baseball_team_rec

espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tea
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_s
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_season_weeks(season = 2025))
```

`espn_college_baseball_seasons`

Get ESPN College Baseball Seasons

Description

Get ESPN College Baseball Seasons

Get ESPN College Baseball Seasons

Usage

```
espn_college_baseball_seasons(...)
```

Arguments

`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(baseballr.proxy = ...)` – see `?baseballr` for details.

Value

A single `baseballr_data` tibble with one row per season.

col_name	types	description
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).
start_date	character	Start date (YYYY-MM-DD).
end_date	character	End date (YYYY-MM-DD).
display_name	character	Display name.
season_type_count	integer	

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasons
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_stand
espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(),
espn_college_baseball_team_news(), espn_college_baseball_team_record(), espn_college_baseball_team_rec
espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tean
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_se
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_seasons())
```

`espn_college_baseball_standings`

Get ESPN College Baseball Standings

Description

Get ESPN College Baseball's Standings

Usage

```
espn_college_baseball_standings(year)
```

Arguments

year	Either numeric or character (YYYY)

Value

A standings data frame

col_name	types	description
team_id	integer	Unique ESPN team identifier.
team	character	Team.
otlosses	character	Otlosses.
otwins	character	Otwins.
avgpointsagainst	numeric	Avgpointsagainst.
avgpointsfor	numeric	Avgpointsfor.
clincher	numeric	Clincher.
differential	numeric	Differential.
divisionwinpercent	numeric	Divisionwinpercent.
gamesbehind	numeric	Gamesbehind.
gamesplayed	character	Gamesplayed.
leaguewinpercent	numeric	Leaguewinpercent.
losses	numeric	Losses.
playoffseed	numeric	Playoffseed.
pointdifferential	character	Pointdifferential.
points	character	Points.
pointsagainst	character	Pointsagainst.
pointsfor	character	Pointsfor.
streak	numeric	Streak.
ties	character	Ties.
winpercent	numeric	Winpercent.
wins	numeric	Wins.
divisiongamesbehind	character	Divisiongamesbehind.
divisionpercent	character	Divisionpercent.
divisiontied	character	Divisiontied.
homelosses	character	Homelosses.
hometies	character	Hometies.
homewins	character	Homewins.
magicnumberdivision	character	Magicnumberdivision.
magicnumberwildcard	character	Magicnumberwildcard.
playoffpercent	character	Playoffpercent.
roadlosses	character	Roadlosses.
roadties	character	Roadties.
roadwins	character	Roadwins.
wildcardpercent	character	Wildcardpercent.
total	character	Total.
home	character	Home.
road	character	Road.
intradivision	character	Intradivision.
intraleague	character	Intraleague.
lasttengames	character	Lasttengames.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasor
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(),
espn_college_baseball_team_news(), espn_college_baseball_team_record(), espn_college_baseball_team_re
espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tea
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_s
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_standings(year = 2025))
```

---

espn_college_baseball_team

Get ESPN College Baseball Team Detail

Description

Get ESPN College Baseball Team Detail

Get ESPN College Baseball Team Detail

Usage

```
espn_college_baseball_team(
  team_id,
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

team_id	ESPN team identifier (character or numeric).
season	Season year (numeric, e.g. 2025). Defaults to the most recent college baseball season.
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use options(baseballr.proxy = ...) – see ?baseballr for details.

Value

A named list of data frames: Info, Record, NextEvent, StandingSummary, Coaches.

Info

col_name	types	description
id	character	Id.
uid	character	ESPN UID string (universal identifier).
slug	character	URL-safe identifier.
abbreviation	character	Short abbreviation.
display_name	character	Display name.
short_display_name	character	Short display name.
name	character	Display name.
nickname	character	Team or athlete nickname.
location	character	Location.
color	character	Primary color (hex without leading '#').
alternate_color	character	Alternate color (hex without leading '#').
logo	character	Team or league logo URL.

Record

col_name	types	description
type	character	Record type / category.
summary	character	
stats	list	

NextEvent

col_name	types	description

id	character	Id.
date	character	Date in YYYY-MM-DD format.
name	character	Display name.
short_name	character	Short display name.

StandingSummary

col_name	types	description
standing_summary	character	

Coaches

col_name	types	description
id	character	Id.
first_name	character	Player's first name.
last_name	character	Player's last name.
experience	integer	Years of professional experience.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_season
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team_box(), espn_college_baseball_team_leade
espn_college_baseball_team_news(), espn_college_baseball_team_record(), espn_college_baseball_team_re

espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tea
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_s
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
espn_college_baseball_team(team_id = "59", season = 2025)
```

---

espn_college_baseball_team_box

Get ESPN College Baseball Team Box

Description

Get ESPN College Baseball team box scores

Usage

```
espn_college_baseball_team_box(game_id)
```

Arguments

game_id	Game ID

Value

A team boxscore data frame

col_name	types	description
game_id	integer	Unique ESPN game/event identi
season	integer	Season (4-digit year).
season_type	integer	ESPN season type (1=pre, 2=reg
game_date	Date	Game date (YYYY-MM-DD).
game_date_time	POSIXct	Game start date/time (US/Easter
team_id	integer	Unique ESPN team identifier.
team_uid	character	ESPN universal team identifier (
team_slug	character	URL-safe team identifier.
team_location	character	Team city / location.
team_name	character	Team nickname (e.g. 'Yankees')
team_abbreviation	character	Short team abbreviation (e.g. 'N
team_display_name	character	Full team display name (e.g. 'Ne
team_short_display_name	character	Short team display name.
team_color	character	Team primary color (hex, no lead
team_alternate_color	character	Team alternate color (hex).
team_logo	character	Team logo image URL.

batting_games_played	character	Team batting: batting games play
batting_team_games_played	character	Team batting: batting team game
batting_hit_by_pitch	character	Team batting: batting hit by pitch
batting_ground_balls	character	Team batting: batting ground ball
batting_strikeouts	character	Team batting: batting strikeouts.
batting_rb_is	character	Team batting: batting rb is.
batting_sac_hits	character	Team batting: batting sac hits.
batting_hits	character	Team batting: batting hits.
batting_stolen_bases	character	Team batting: batting stolen base
batting_walks	character	Team batting: batting walks.
batting_catcher_interference	character	Team batting: batting catcher int
batting_runs	character	Team batting: batting runs.
batting_gid_ps	character	Team batting: batting gid ps.
batting_sac_flies	character	Team batting: batting sac flies.
batting_at_bats	character	Team batting: batting at bats.
batting_home_runs	character	Team batting: batting home runs
batting_grand_slam_home_runs	character	Team batting: batting grand slam
batting_runners_left_on_base	character	Team batting: batting runners lef
batting_triples	character	Team batting: batting triples.
batting_game_winning_rb_is	character	Team batting: batting game winn
batting_intentional_walks	character	Team batting: batting intentional
batting_doubles	character	Team batting: batting doubles.
batting_fly_balls	character	Team batting: batting fly balls.
batting_caught_stealing	character	Team batting: batting caught stea
batting_pitches	character	Team batting: batting pitches.
batting_games_started	character	Team batting: batting games star
batting_pinch_at_bats	character	Team batting: batting pinch at ba
batting_pinch_hits	character	Team batting: batting pinch hits.
batting_player_rating	character	Team batting: batting player ratin
batting_is_qualified	character	Team batting: batting is qualified
batting_is_qualified_steals	character	Team batting: batting is qualified
batting_total_bases	character	Team batting: batting total bases
batting_plate_appearances	character	Team batting: batting plate appea
batting_projected_home_runs	character	Team batting: batting projected h
batting_extra_base_hits	character	Team batting: batting extra base
batting_runs_created	character	Team batting: batting runs create
batting_avg	character	Team batting: batting average.
batting_pinch_avg	character	Team batting: batting pinch avg.
batting_slug_avg	character	Team batting: batting slug avg.
batting_secondary_avg	character	Team batting: batting secondary
batting_on_base_pct	character	Team batting: batting on base pc
batting_ops	character	Team batting: batting ops.
batting_ground_to_fly_ratio	character	Team batting: batting ground to f
batting_runs_created_per27outs	character	Team batting: batting runs create
batting_batter_rating	character	Team batting: batting batter ratin
batting_at_bats_per_home_run	character	Team batting: batting at bats per
batting_stolen_base_pct	character	Team batting: batting stolen base
batting_pitches_per_plate_appearance	character	Team batting: batting pitches per

batting_isolated_power	character	Team batting: batting isolated po
batting_walk_to_strikeout_ratio	character	Team batting: batting walk to str
batting_walks_per_plate_appearance	character	Team batting: batting walks per
batting_secondary_avg_minus_ba	character	Team batting: batting secondary
batting_runs_produced	character	Team batting: batting runs produ
batting_runs_ratio	character	Team batting: batting runs ratio.

...and 128 further ESPN stat columns (full batting / pitching / fielding stat set).

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasons
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_leaders(),
espn_college_baseball_team_news(), espn_college_baseball_team_record(), espn_college_baseball_team_re
espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tea
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_s
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_team_box(game_id = "401778093"))
```

`espn_college_baseball_team_leaders`

Get ESPN College Baseball Team Leaders

Description

Get ESPN College Baseball Team Leaders

Get ESPN College Baseball Team Leaders

Usage

```
espn_college_baseball_team_leaders(
  team_id,
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

`team_id`	ESPN team identifier (character or numeric).
`season`	Season year (numeric). Defaults to the most recent college baseball season.
`...`	Additional arguments; currently unused.

Value

A single long-format tibble (one row per category-rank-athlete).

col_name	types	description
team_id	character	Unique team identifier.
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).
category	character	Category label.
display_name	character	Display name.
athlete_id	character	Unique athlete identifier (ESPN).
athlete_name	character	Athlete display name (ESPN).
value	numeric	Numeric or string value field.
rank	integer	Rank.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasons
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_news(), espn_college_baseball_team_record(), espn_college_baseball_team_re
espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tea
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_s
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
espn_college_baseball_team_leaders(team_id = "59", season = 2025)
```

`espn_college_baseball_team_news`

Get ESPN College Baseball Team News

Description

Get ESPN College Baseball Team News

Get ESPN College Baseball Team News

Usage

```
espn_college_baseball_team_news(team_id, limit = 25)
```

Arguments

team_id	character or integer. ESPN team ID (e.g. 17 for New York Yankees).
limit	integer. Maximum number of articles to return. Default 25.

Value

Returns a tibble of team news articles.

col_name	types	description
id	character	Id.
type	character	Record type / category.
headline	character	News headline.
description	character	Long-form description text.
published	character	Publication timestamp (ISO 8601).
premium	logical	
byline	character	News article byline / author.
link_web	character	Web link / URL.
league_id	character	ESPN league identifier.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasor
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_record(), espn_college_baseball_team_
espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tea

espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_s espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_team_news(team_id = "59", limit = 5))
```

---

espn_college_baseball_team_record

Get ESPN College Baseball Team Record (Per Season Type)

Description

Get ESPN College Baseball Team Record (Per Season Type)

Get ESPN College Baseball Team Record (Per Season Type)

Usage

```
espn_college_baseball_team_record(
  team_id,
  season = most_recent_college_baseball_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

team_id	ESPN team identifier.
season	Season year (numeric). Defaults to the most recent college baseball season.
season_type	Integer (2 = regular season default; 3 = postseason).
...	Additional arguments; currently unused.

Value

A tibble with one row per record category.

col_name	types	description
league	character	League slug ("mlb").
team_id	character	ESPN team identifier.
season	integer	Season year.
season_type	integer	Season type (1/2/3).
record_id	character	Record sub-id.
name	character	Internal record name (e.g. "overall").

abbreviation	character	Abbreviation (e.g. "Total").
display_name	character	Display name (e.g. "Overall").
short_display_name	character	Short display (e.g. "OVER").
description	character	Description (e.g. "Overall Record").
type	character	Record type code (`total`, `home`, ...).
summary	character	W-L summary (e.g. "50-32").
display_value	character	Same as summary in most cases.
value	numeric	Win percentage (0-1).

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasons
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r
espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tea
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_s
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_team_record(team_id = "59", season = 2025))
```

`espn_college_baseball_team_record_detail` **Get ESPN College Baseball Team Record Detail (Long Format)**

Description

Get ESPN College Baseball Team Record Detail (Long Format)

Get ESPN College Baseball Team Record Detail (Long Format)

Usage

```
espn_college_baseball_team_record_detail(
  team_id,
  season,
  record_id,
  season_type = 2L,
  ...
)
```

Arguments

`team_id`	ESPN team identifier.
`season`	Season year (numeric).
`record_id`	Record identifier (from `espn_mlb_team_record()` index).
`season_type`	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
`...`	Additional arguments; currently unused.

Value

A long tibble.

col_name	types	description
league	character	League.
team_id	character	Unique ESPN team identifier.
season	integer	Season (4-digit year).
season_type	integer	ESPN season type (1=pre, 2=regular, 3=post).
record_id	character	Record id.
record_name	character	Record name.
record_abbrev	character	Record abbrev.
record_display	character	Record display.
record_type	character	Record type id.
record_summary	character	Record summary.
stat_name	character	Statistic name.
stat_abbrev	character	Stat abbrev.
stat_display	character	Stat display.

value	numeric	Numeric value.
stat_display_value	character	Statistic display value.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasons
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r
espn_college_baseball_team_roster(), espn_college_baseball_team_schedule(), espn_college_baseball_tea
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_s
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_team_record_detail(team_id = "59", season = 2025, record_id = 0))
```

---

espn_college_baseball_team_roster

Get ESPN College Baseball Team Roster

Description

Get ESPN College Baseball Team Roster

Get ESPN College Baseball Team Roster

Usage

```
espn_college_baseball_team_roster(
  team_id,
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

team_id	ESPN team identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent college baseball season.
...	Additional arguments; currently unused.

Value

A single tibble with one row per athlete.

col_name	types	description
athlete_id	character	Unique athlete identifier (ESPN).
full_name	character	Player's full name.
jersey	character	Jersey number worn by the player.
position_abbrev	character	
position_name	character	Listed roster position (e.g. 'Pitcher', 'Shortstop', 'Catcher').
height	character	Player height (string e.g. '6-2' or inches).
weight	character	Player weight in pounds.
age	character	Player age (in years).
birth_date	character	Date of birth (YYYY-MM-DD).
birth_place	character	Place of birth.
headshot	character	Headshot image URL.
link_web	character	Web link / URL.
status	character	Status label.
team_id	character	Unique team identifier.
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasons
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r
espn_college_baseball_team_record_detail(), espn_college_baseball_team_schedule(),
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
espn_college_baseball_team_roster(team_id = "59", season = 2025)
```

---

espn_college_baseball_team_schedule

Get ESPN College Baseball Team Schedule

Description

Get ESPN College Baseball Team Schedule

Get ESPN College Baseball Team Schedule

Usage

```
espn_college_baseball_team_schedule(
  team_id,
  season = most_recent_college_baseball_season(),
  season_type = 2,
  ...
)
```

Arguments

team_id	ESPN team identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent college baseball season.
season_type	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
...	Additional arguments; currently unused.

Value

A single tibble with one row per event.

col_name	types	description
event_id	character	Unique event / game identifier (ESPN).
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).
season_type	integer	Season type (1=pre-season, 2=regular season, 3=postseason, 4=off-season for ESPN).
week	integer	Week number within the season.
date	character	Date in YYYY-MM-DD format.
name	character	Display name.
short_name	character	Short display name.
opponent_id	character	Unique identifier for opponent.
opponent_abbrev	character	Abbreviation for opponent.
home_away	character	Game venue label ('home' or 'away').
neutral_site	logical	Neutral site.
conference_competition	logical	Conference competition.
venue_id	character	Unique venue identifier.
venue_name	character	Venue name.
venue_city	character	Venue city.
venue_state	character	Venue state / region.
broadcast	character	Broadcast information string.
result	character	Result.
team_score	character	Team's score / final score.
opponent_score	character	Opponent score.
winner	logical	Winner.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasons
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_se
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
espn_college_baseball_team_schedule(team_id = "59", season = 2025)
```

`espn_college_baseball_team_season_profile`

Get ESPN College Baseball Team-in-Season Profile

Description

Era-correct team identity for an NCAA college baseball program in a specific season, plus the available `$ref` URLs for deeper resources (record, statistics, leaders, coaches, etc.). Backed by the core-v2 endpoint `sports.core.api.espn.com/v2/sports/baseball/leagues/college-baseball/seasons/{season}/tea`

Usage

```
espn_college_baseball_team_season_profile(
  team_id,
```

```
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

team_id	ESPN team identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent college baseball season.
...	Additional arguments; currently unused.

Value

A single-row tibble with team identity scalars and _ref URL columns. Selected columns:

col_name	types	description
id	character	ESPN team identifier.
guid	character	Stable cross-league team GUID.
uid	character	ESPN UID string.
slug	character	URL-safe identifier.
location	character	Team city/region (e.g. "Los Angeles").
name	character	Team name (e.g. "Yankees").
abbreviation	character	Short abbreviation (e.g. "LAL").
display_name	character	Full display name.
short_display_name	character	Short display name.
color	character	Primary color (hex, no leading '#').
alternate_color	character	Alternate color (hex, no leading '#').
is_active	logical	Whether the team was active in this season.
season	integer	Season year.
logo	character	Primary logo URL.
logo_dark	character	Dark-mode logo URL.
record_ref	character	$ref to team record resource (if present).
statistics_ref	character	$ref to team statistics resource (if present).
leaders_ref	character	$ref to team leaders resource (if present).
coaches_ref	character	$ref to team coaches resource (if present).
depth_charts_ref	character	$ref to depth chart resource (MLB-only).
events_ref	character	$ref to team events resource (if present).
transactions_ref	character	$ref to team transactions resource (if present).
franchise_ref	character	$ref to franchise resource.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()

espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(), espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(), espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(), espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(), espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box(), espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(), espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(), espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(), espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball_team_season_roster(), espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
espn_college_baseball_team_season_profile(team_id = "59", season = 2025)
```

`espn_college_baseball_team_season_roster`

Get ESPN College Baseball Team Roster (Per-Season, core-v2)

Description

Get ESPN College Baseball Team Roster (Per-Season, core-v2)

Usage

```
espn_college_baseball_team_season_roster(
  team_id,
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

team_id	ESPN team identifier.
season	Season year (numeric). Defaults to the most recent college baseball season.
...	Additional arguments; currently unused.

Value

A tibble with one row per athlete on the season roster.

col_name	types	description
league	character	League slug.
team_id	character	ESPN team id.
season	integer	Season year.
athlete_id	character	ESPN athlete id.
ref	character	$ref URL to athlete-in-season detail.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasor
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_statistics(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_se
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_team_season_roster(team_id = "59", season = 2025))
```

`espn_college_baseball_team_season_statistics`

Get ESPN College Baseball Team Season Statistics (Long Format with Rank)

Description

Returns the full team-season-type statistics sheet for one college baseball team in long format: one row per (category x stat), each carrying the team's league rank for that stat where ESPN provides it.

Usage

```
espn_college_baseball_team_season_statistics(
  team_id,
  season = most_recent_college_baseball_season(),
  season_type = 2L,
  ...
)
```

Arguments

`team_id`	ESPN team identifier.
`season`	Season year (numeric). Defaults to the most recent college baseball season.
`season_type`	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
`...`	Additional arguments; currently unused.

Value

A long tibble with one row per (category x stat).

col_name	types	description
league	character	League.
season	integer	Season (4-digit year).
season_type	integer	ESPN season type (1=pre, 2=regular, 3=post).
team_id	character	Unique ESPN team identifier.
category_name	character	Statistic category name.
category_display	character	Category display.
stat_name	character	Statistic name.
stat_abbrev	character	Stat abbrev.
stat_display	character	Stat display.
value	numeric	Numeric value.
display_value	character	Human-readable value.

rank	integer	Rank within the result set.
rank_display_value	character	Rank display value.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasons
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_teams(), espn_college_baseball_tournament(), espn_college_baseball_tournament_se
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
espn_college_baseball_team_season_statistics(team_id = 59, season = 2025)
```

`espn_college_baseball_teams`

Get ESPN College Baseball Teams

Description

Get ESPN College Baseball team names and IDs

Usage

```
espn_college_baseball_teams()
```

Value

A teams data frame

col_name	types	description
abbreviation	character	Short abbreviation.
alternate_color	character	Alternate color (hex).
color	character	Primary color (hex).
display_name	character	Display name.
team_id	integer	Unique ESPN team identifier.
team	character	Team.
logo	character	Logo image URL.
logo_dark	character	Dark-mode logo image URL.
logos_href_3	character	Logos href 3.
logos_href_4	character	Logos href 4.
logos_href_5	character	Logos href 5.
logos_href_6	character	Logos href 6.
logos_href_7	character	Logos href 7.
logos_href_8	character	Logos href 8.
logos_href_9	character	Logos href 9.
logos_href_10	character	Logos href 10.
logos_href_11	character	Logos href 11.
logos_href_12	character	Logos href 12.
logos_href_13	character	Logos href 13.
logos_href_14	character	Logos href 14.
logos_href_15	character	Logos href 15.
logos_href_16	character	Logos href 16.
mascot	character	Team mascot.
nickname	character	Team nickname.
short_name	character	Short display name.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all(
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),

espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasor
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_tournament(),
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin
espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_teams())
```

`espn_college_baseball_tournament`

Get ESPN College Baseball Tournament Detail

Description

Get ESPN College Baseball Tournament Detail

Get ESPN College Baseball Tournament Detail

Usage

```
espn_college_baseball_tournament(tournament_id, ...)
```

Arguments

`tournament_id`	ESPN tournament identifier.
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
tournament_id	character	ESPN tournament identifier.
display_name	character	Human-readable tournament name.
seasons_ref	character	`$ref` to the seasons-list endpoint.
league	character	League slug (`"mlb"`).

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasons
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_tournament(tournament_id = 1))
```

espn_college_baseball_tournament_season

Get ESPN College Baseball Tournament Season Detail

Description

Get ESPN College Baseball Tournament Season Detail

Get ESPN College Baseball Tournament Season Detail

Usage

```
espn_college_baseball_tournament_season(
  tournament_id,
  season = most_recent_college_baseball_season(),
  ...
)
```

Arguments

tournament_id	ESPN tournament identifier.
season	Season year (numeric). Defaults to the most recent college baseball season.
...	Additional arguments; currently unused.

Value

A single-row tibble.

Note: MLB has no tournament structure at ESPN, so this returns an empty tibble (the wrapper exists for cross-sport API symmetry). When populated (other sports), the columns are:

col_name	types	description
tournament_id	character	Unique ESPN tournament identifier.
season	integer	Season (4-digit year).
name	character	Tournament name.
display_name	character	Tournament display name.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all(
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),

espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasor
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_seasons(), espn_college_baseball_tournaments(), espn_college_baseball
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_tournament_season(tournament_id = 1, season = 2025))
```

`espn_college_baseball_tournament_seasons`

Get ESPN College Baseball Tournament Seasons List

Description

Get ESPN College Baseball Tournament Seasons List

Get ESPN College Baseball Tournament Seasons List

Usage

```
espn_college_baseball_tournament_seasons(tournament_id, ...)
```

Arguments

`tournament_id`	ESPN tournament identifier.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per season.

col_name	types	description
league	character	League slug ("mlb").
tournament_id	character	ESPN tournament identifier.
season	integer	Season year.
ref	character	Full $ref URL for that season.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasons
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournaments(), espn_college_baseball_
espn_college_baseball_week_ranking(), espn_college_baseball_week_rankings()

Examples

```
try(espn_college_baseball_tournament_seasons(tournament_id = 1))
```

`espn_college_baseball_tournaments`

Get ESPN College Baseball Tournaments Index

Description

Get ESPN College Baseball Tournaments Index

Get ESPN College Baseball Tournaments Index

Usage

```
espn_college_baseball_tournaments(...)
```

Arguments

...	Additional arguments; currently unused.

Value

A tibble with one row per tournament.

col_name	types	description
tournament_id	character	ESPN tournament identifier.
ref	character	Full `$ref` URL for the detail.
league	character	League slug (`"mlb"`).

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all(
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box(
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p

espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasor
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_s
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_r
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_venues(), espn_college_baseball_week_ranking(), espn_college_baseball_week_rank

Examples

```
try(espn_college_baseball_tournaments())
```

`espn_college_baseball_venues`

Get ESPN College Baseball Venues

Description

Get ESPN College Baseball Venues

Get ESPN College Baseball Venues

Usage

```
espn_college_baseball_venues(...)
```

Arguments

...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(baseballr.proxy = ...)` – see `?baseballr` for details.

Value

A single `baseballr_data` tibble with one row per venue.

col_name	types	description
venue_id	character	Unique venue identifier.
name	character	Display name.
full_name	character	Player's full name.
address_city	character	
address_state	character	

capacity	integer
indoor	logical
grass	logical
images_url	character

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasou
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_week_ranking(), espn_college_baseball_week_

Examples

```
try(espn_college_baseball_venues())
```

`espn_college_baseball_week_ranking`

Get ESPN College Baseball Per-Week Ranking Detail

Description

Get ESPN College Baseball Per-Week Ranking Detail

Usage

```
espn_college_baseball_week_ranking(
  ranking_id,
  week,
  season = most_recent_college_baseball_season(),
  season_type = 2L,
  ...
)
```

Arguments

`ranking_id`	Ranking source id (1 = AP, 2 = Coaches, etc.).
`week`	Week number.
`season`	Season year (numeric). Defaults to the most recent college baseball season.
`season_type`	Season-type id (2 = regular (default)).
`...`	Additional arguments; currently unused.

Value

A tibble with one row per ranked team (typically 25).

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
week	integer	Week number.
ranking_id	character	ESPN ranking id.
name	character	Ranking name (e.g. "AP Top 25").
short_name	character	Short name.
type	character	Ranking type code.
headline	character	Full headline.
date	character	Date of the ranking.
current	integer	Current rank.
previous	integer	Previous-week rank.
points	numeric	Voting points.
first_place_votes	integer	First-place vote count.
trend	character	Trend indicator (e.g. "+3", "-2", "-").

record_summary	character	Team's record at time of poll (e.g. "20-2").
team_id	character	ESPN team id.
team_ref	character	`$ref` to the team-in-season resource.
last_updated	character	Last-updated timestamp.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasou
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin

Examples

```
try(espn_college_baseball_week_ranking(ranking_id = 1, week = 5, season = 2025))
```

`espn_college_baseball_week_rankings` **Get ESPN College Baseball Per-Week Rankings Index**

Description

Get ESPN College Baseball Per-Week Rankings Index

Usage

```
espn_college_baseball_week_rankings(
  week,
  season = most_recent_college_baseball_season(),
  season_type = 2L,
  ...
)
```

Arguments

`week`	Week number.
`season`	Season year (numeric). Defaults to the most recent college baseball season.
`season_type`	Season-type id (2 = regular (default)).
`...`	Additional arguments; currently unused.

Value

A tibble with one row per ranking source.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
week	integer	Week number.
ranking_id	character	ESPN ranking id.
ref	character	`$ref` URL for the ranked-teams detail.

Author(s)

Saiem Gilani

See Also

Other ESPN College Baseball Functions: espn_college_baseball_athletes_index(), espn_college_baseball_calen
espn_college_baseball_coach(), espn_college_baseball_coach_record(), espn_college_baseball_coach_seas
espn_college_baseball_coaches(), espn_college_baseball_conferences(), espn_college_baseball_game_all()
espn_college_baseball_game_broadcasts(), espn_college_baseball_game_official_detail(),
espn_college_baseball_game_officials(), espn_college_baseball_game_play(), espn_college_baseball_game_
espn_college_baseball_game_player_box(), espn_college_baseball_game_rosters(), espn_college_baseball_g
espn_college_baseball_game_team_leaders(), espn_college_baseball_game_team_linescores(),
espn_college_baseball_game_team_records(), espn_college_baseball_game_team_roster(),
espn_college_baseball_game_team_roster_entry(), espn_college_baseball_game_team_score(),
espn_college_baseball_game_team_statistics(), espn_college_baseball_leaders(), espn_college_baseball_
espn_college_baseball_pbp(), espn_college_baseball_player_awards(), espn_college_baseball_player_box()
espn_college_baseball_player_career_stats(), espn_college_baseball_player_eventlog(),
espn_college_baseball_player_gamelog(), espn_college_baseball_player_info(), espn_college_baseball_pla
espn_college_baseball_player_seasons(), espn_college_baseball_player_splits(), espn_college_baseball_p
espn_college_baseball_scoreboard(), espn_college_baseball_season_group(), espn_college_baseball_seasor
espn_college_baseball_season_group_teams(), espn_college_baseball_season_groups(),
espn_college_baseball_season_info(), espn_college_baseball_season_leaders(), espn_college_baseball_sea
espn_college_baseball_season_rankings(), espn_college_baseball_season_type(), espn_college_baseball_se
espn_college_baseball_season_week(), espn_college_baseball_season_weeks(), espn_college_baseball_seas
espn_college_baseball_standings(), espn_college_baseball_team(), espn_college_baseball_team_box(),
espn_college_baseball_team_leaders(), espn_college_baseball_team_news(), espn_college_baseball_team_re
espn_college_baseball_team_record_detail(), espn_college_baseball_team_roster(), espn_college_baseball
espn_college_baseball_team_season_profile(), espn_college_baseball_team_season_roster(),
espn_college_baseball_team_season_statistics(), espn_college_baseball_teams(), espn_college_baseball_t
espn_college_baseball_tournament_season(), espn_college_baseball_tournament_seasons(),
espn_college_baseball_tournaments(), espn_college_baseball_venues(), espn_college_baseball_week_rankin

Examples

```
try(espn_college_baseball_week_rankings(week = 5, season = 2025))
```

---

espn_mlb **ESPN MLB Endpoint Overview**

Description

Wrappers around ESPN's Major League Baseball endpoints (`espn_mlb_*()`). They cover ESPN's three public hosts:

- `site.api.espn.com` – scoreboard, schedule, game summary (play-by-play, team / player box scores), teams, rosters.
- `sports.core.api.espn.com` – reference data: athletes, coaches, seasons, franchises, draft, futures, leaders, standings, events, plays, and per-competitor game detail.
- `site.web.api.espn.com` – athlete overviews, game logs, splits, and league-wide statistics.

These complement the MLB Stats API wrappers (`mlb_*()`), FanGraphs (`fg_*()`), Baseball Reference (`bref_*()`), and Baseball Savant / Statcast (`statcast_*()`) families. The `espn_mlb_*()` naming mirrors the sister SportsDataverse packages – hoopR (`espn_nba_*` / `espn_mbb_*`), wehoop (`espn_wnba_*` / `espn_wbb_*`), and cfbfastR (`espn_cfb_*`).

Details

Play-by-play, scoreboard, schedule, box scores:

- `espn_mlb_pbp()` – play-by-play (pitch- and at-bat-level).
- `espn_mlb_scoreboard()` – scores / schedule for a date (`YYYYMMDD`).
- `espn_mlb_team_box()` – team batting / pitching / fielding box score.
- `espn_mlb_player_box()` – player batting / pitching box score.
- `espn_mlb_game_all()` – all three (plays, team box, player box) in one call.
- `espn_mlb_game_rosters()` – the two game-day rosters.

Reference data:

- `espn_mlb_teams()`, `espn_mlb_team_roster()`, `espn_mlb_standings()`.
- `espn_mlb_team_stats()`, `espn_mlb_player_stats()`, `espn_mlb_leaders()`.
- `espn_mlb_athletes_index()`, `espn_mlb_player_info()`, `espn_mlb_draft()`.

HTTP layer:

ESPN wrappers call `.retry_request()` directly without `...`, so per-call proxy overrides are not supported. Route requests through `options(baseballr.proxy = ...)` or the `http_proxy` / `https_proxy` environment variables instead.

See Also

Other ESPN MLB Functions: `espn_mlb_athletes_index()`, `espn_mlb_award()`, `espn_mlb_betting()`, `espn_mlb_calendar()`, `espn_mlb_coach()`, `espn_mlb_coach_record()`, `espn_mlb_coach_season()`, `espn_mlb_coaches()`, `espn_mlb_conferences()`, `espn_mlb_draft()`, `espn_mlb_draft_athlete_detail()`, `espn_mlb_draft_athletes()`, `espn_mlb_draft_pick()`, `espn_mlb_draft_rounds()`, `espn_mlb_draft_status()`, `espn_mlb_franchise()`, `espn_mlb_franchises()`, `espn_mlb_freeagents()`, `espn_mlb_futures()`, `espn_mlb_game_all()`, `espn_mlb_game_broadcasts()`, `espn_mlb_game_endpoints`, `espn_mlb_game_info()`, `espn_mlb_game_odds()`, `espn_mlb_game_official_detail()`, `espn_mlb_game_officials()`, `espn_mlb_game_play()`, `espn_mlb_game_play_personnel()`, `espn_mlb_game_player_box()`, `espn_mlb_game_powerindex()`, `espn_mlb_game_predictor()`, `espn_mlb_game_probabilities()`, `espn_mlb_game_probables()`, `espn_mlb_game_propbets()`, `espn_mlb_game_rosters()`, `espn_mlb_game_situation()`, `espn_mlb_game_team_leaders()`, `espn_mlb_game_team_linescores()`, `espn_mlb_game_team_records()`, `espn_mlb_game_team_roster()`, `espn_mlb_game_team_roster_entry()`, `espn_mlb_game_team_score()`, `espn_mlb_game_team_statistics()`, `espn_mlb_injuries()`, `espn_mlb_leaders()`, `espn_mlb_news()`, `espn_mlb_pbp()`, `espn_mlb_player_awards()`, `espn_mlb_player_box()`, `espn_mlb_player_career_stats()`, `espn_mlb_player_contract()`, `espn_mlb_player_contracts()`, `espn_mlb_player_endpoints`, `espn_mlb_player_eventlog()`, `espn_mlb_player_eventlog_v2()`, `espn_mlb_player_gamelog()`, `espn_mlb_player_info()`, `espn_mlb_player_overview()`, `espn_mlb_player_seasons()`, `espn_mlb_player_splits()`, `espn_mlb_player_statisticslog()`, `espn_mlb_player_stats()`, `espn_mlb_player_stats_v3()`, `espn_mlb_position()`, `espn_mlb_positions()`, `espn_mlb_powerindex()`, `espn_mlb_scoreboard()`, `espn_mlb_season_awards()`, `espn_mlb_season_draft()`, `espn_mlb_season_group()`, `espn_mlb_season_group_child`, `espn_mlb_season_group_teams()`, `espn_mlb_season_groups()`, `espn_mlb_season_info()`, `espn_mlb_season_leader`

espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

`espn_mlb_athletes_index`

Get ESPN MLB Athletes Index

Description

Get ESPN MLB Athletes Index

Get ESPN MLB Athletes Index

Usage

```
espn_mlb_athletes_index(
  season = most_recent_mlb_season(),
  active = TRUE,
  limit = 5000L,
  ...
)
```

Arguments

`season`	Season year (numeric, e.g. 2025). Defaults to the most recent MLB season.
`active`	logical. When `TRUE` (default) only active athletes are returned. Set to `FALSE` for the full historical roster.
`limit`	integer. Maximum number of rows to return. Default 5000. Pass a small value (e.g. `limit = 50`) in tests to keep execution fast.
`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(baseballr.proxy = ...)` – see `?baseballr` for details.

Value

A single `baseballr_data` tibble with one row per athlete.

col_name	types	description
athlete_id	character	Unique athlete identifier (ESPN).

full_name	character	Player's full name.
jersey	character	Jersey number worn by the player.
position	character	Listed roster position (G, F, C, etc.).
team_id	character	Unique team identifier.
headshot	character	Headshot image URL.
status	character	Status label.
link	character	

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader, espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_athletes_index(season = 2025, limit = 50)
```

`espn_mlb_award` **Get ESPN MLB Season Award Detail**

Description

Returns the name, description, and winners of one MLB season award. Most awards have a single winner; multi-recipient awards (e.g. All-MLB First Team) return one row per winner.

Usage

```
espn_mlb_award(award_id, season = most_recent_mlb_season(), ...)
```

Arguments

`award_id`	ESPN award identifier (character or numeric).
`season`	Season year (numeric). Defaults to the most recent MLB season.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per winner.

col_name	types	description
league	character	League slug (`"mlb"`).
season	integer	Season year.
award_id	character	ESPN award identifier.
name	character	Award name (e.g. "MVP").
description	character	Award description.
athlete_id	character	ESPN athlete id of winner (parsed from `athlete_ref`).
team_id	character	ESPN team id (parsed from `team_ref`).
athlete_ref	character	`$ref` to winner's per-season athlete resource.
team_ref	character	`$ref` to winner's per-season team resource.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: `espn_mlb`, `espn_mlb_athletes_index()`, `espn_mlb_betting()`, `espn_mlb_calendar()`, `espn_mlb_coach()`, `espn_mlb_coach_record()`, `espn_mlb_coach_season()`, `espn_mlb_coaches()`, `espn_mlb_conferences()`, `espn_mlb_draft()`, `espn_mlb_draft_athlete_detail()`, `espn_mlb_draft_athletes()`, `espn_mlb_draft_pick()`, `espn_mlb_draft_rounds()`, `espn_mlb_draft_status()`, `espn_mlb_franchise()`, `espn_mlb_franchises()`, `espn_mlb_freeagents()`, `espn_mlb_futures()`,

espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
# MVP award id = 33
espn_mlb_award(award_id = 33, season = 2024)
```

---

espn_mlb_betting **Get ESPN MLB's Betting information**

Description

Get ESPN MLB's Betting information

Usage

```
espn_mlb_betting(game_id)
```

Arguments

game_id	Game ID

Value

Returns a named list of data frames: pickcenter, againstTheSpread, predictor

pickcenter

col_name	types	description
details	character	Details.
over_under	numeric	Over under.
spread	numeric	Spread.
provider_id	integer	Unique identifier for provider.
provider_name	character	Provider name.
provider_priority	integer	Provider priority.
away_team_odds_favorite	logical	Away team's team odds favorite.
away_team_odds_underdog	logical	Away team's team odds underdog.
away_team_odds_money_line	integer	Away team's team odds money line.
away_team_odds_spread_odds	numeric	Away team's team odds spread odds.
away_team_odds_team_id	integer	Unique identifier for away team odds team.
away_team_odds_win_percentage	numeric	Away team odds win percentage (0-1 decimal).
away_team_odds_average_score	numeric	Away team's team odds average score.
away_team_odds_money_line_odds	numeric	Away team's team odds money line odds.
away_team_odds_spread_return	numeric	Away team's team odds spread return.
away_team_odds_spread_record_wins	integer	Away team's team odds spread record wins.
away_team_odds_spread_record_losses	integer	Away team's team odds spread record losses.
away_team_odds_spread_record_pushes	integer	Away team's team odds spread record pushes.
away_team_odds_spread_record_summary	character	Away team's team odds spread record summary.
home_team_odds_favorite	logical	Home team's team odds favorite.
home_team_odds_underdog	logical	Home team's team odds underdog.
home_team_odds_money_line	integer	Home team's team odds money line.
home_team_odds_spread_odds	numeric	Home team's team odds spread odds.
home_team_odds_team_id	integer	Unique identifier for home team odds team.
home_team_odds_win_percentage	numeric	Home team odds win percentage (0-1 decimal).
home_team_odds_average_score	numeric	Home team's team odds average score.
home_team_odds_money_line_odds	numeric	Home team's team odds money line odds.
home_team_odds_spread_return	numeric	Home team's team odds spread return.
home_team_odds_spread_record_wins	integer	Home team's team odds spread record wins.
home_team_odds_spread_record_losses	integer	Home team's team odds spread record losses.
home_team_odds_spread_record_pushes	integer	Home team's team odds spread record pushes.
home_team_odds_spread_record_summary	character	Home team's team odds spread record summary.
game_id	integer	Unique game identifier.

againstTheSpread

col_name	types	description
id	integer	Id.
uid	character	ESPN UID string (universal identifier).
display_name	character	Display name.
abbreviation	character	Short abbreviation.

logo	character	Team or league logo URL.
logos	list	Logos.
records	list	Records.
game_id	integer	Unique game identifier.
team_id	integer	Unique team identifier.

predictor

col_name	types	description
game_id	integer	Unique game identifier.
home_team_id	integer	Unique identifier for the home team.
away_team_id	integer	Unique identifier for the away team.
away_team_game_projection	numeric	Away team's team game projection.
away_team_chance_loss	numeric	Away team's team chance loss.

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader, espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
try(espn_mlb_betting(game_id = 401283399))
```

`espn_mlb_calendar` **Get ESPN MLB Calendar**

Description

Get ESPN MLB Calendar

Get ESPN MLB Calendar

Usage

```
espn_mlb_calendar(season = most_recent_mlb_season())
```

Arguments

`season`	integer or character. Four-digit season year (e.g. `2025`). Defaults to `most_recent_mlb_season()`.

Details

Retrieve the ESPN MLB schedule calendar for a given season. The underlying scoreboard response contains a `leagues[[1]]$calendar` block with season-type entries (pre-season, regular, post). Uses `getOption("baseballr.proxy")` or `http_proxy`/`https_proxy` environment variables for proxy configuration (per-call proxy override is not supported for ESPN wrappers).

Value

Returns a tibble of calendar entries.

col_name	types	description
season	character	Season identifier (4-digit year or 'YYYY-YY' string).
season_type	character	Season type (1=pre-season, 2=regular season, 3=postseason, 4=off-season for ESPN).
season_type_label	character	
season_start_date	character	Date in YYYY-MM-DD format.
season_end_date	character	Date in YYYY-MM-DD format.
label	character	
alternate_label	character	
detail	character	
value	character	Numeric or string value field.
start_date	character	Start date (YYYY-MM-DD).
end_date	character	End date (YYYY-MM-DD).

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader, espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_calendar(season = 2025)
```

`espn_mlb_coach` **Get ESPN MLB Single-Coach Detail**

Description

Returns biography, current team / college refs, and counts of career record entries + per-season coaching entries for one MLB coach. Backed by `sports.core.api.espn.com/v2/sports/baseball/leagues/mlb/coach`

Usage

```
espn_mlb_coach(coach_id, ...)
```

Arguments

coach_id	ESPN coach identifier (character or numeric).
...	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
coach_id	character	ESPN coach identifier.
uid	character	ESPN UID string.
first_name	character	First name.
last_name	character	Last name.
date_of_birth	character	Date of birth (ISO 8601).
birth_city	character	Birth city.
birth_state	character	Birth state / region.
n_career_records	integer	Count of career-records entries.
n_coach_seasons	integer	Count of seasons coached.
college_ref	character	$ref to the coach's college.
team_ref	character	$ref to the coach's current team.
league	character	League slug ("mlb").

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leade
espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis
espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(),

espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_coach(coach_id = 52120)
```

---

espn_mlb_coach_record Get ESPN MLB Coach Career Record (Long Format)

Description

Returns a coach's career record by type in long format (one row per stat in the record's `stats[]` array). `record_type` codes commonly populated: 0 = Total, 1 = Pre Season, 2 = Regular Season, 3 = Post Season. Use `espn_mlb_coaches()` to discover coach_ids for a season.

Usage

```
espn_mlb_coach_record(coach_id, record_type = 0L, ...)
```

Arguments

`coach_id`	ESPN coach identifier (use `espn_mlb_coaches()` to find).
`record_type`	Integer record type: 0 = Total (default), 1 = Pre Season, 2 = Regular Season, 3 = Post Season.
`...`	Additional arguments; currently unused.

Value

A long tibble.

Note: ESPN's core-v2 coach feed is sparsely populated for MLB and this frequently returns an empty tibble. When populated, the columns are:

col_name	types	description
coach_id	character	Unique ESPN coach identifier.
record_type	integer	Record type identifier.
name	character	Record name (e.g. 'overall').

summary	character	Record summary (e.g. 'W-L').
stat_name	character	Statistic name.
value	numeric	Statistic value.
display_value	character	Human-readable statistic value.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_coach_record(coach_id = 52120, record_type = 2)
```

`espn_mlb_coach_season` **Get ESPN MLB Coach-in-Season Detail**

Description

Per-season coach detail (name, birth info, `$ref`s to team/college/ person). ESPN's coverage of this endpoint is sparse; many (coach × season) combinations return 404.

Usage

```
espn_mlb_coach_season(coach_id, season = most_recent_mlb_season(), ...)
```

Arguments

`coach_id`	ESPN coach identifier.
`season`	Season year. Defaults to most recent MLB season.
`...`	Additional arguments; currently unused.

Details

Get ESPN MLB Coach-in-Season Detail

Value

A single-row tibble.

col_name	types	description
league	character	League slug.
season	integer	Season year.
coach_id	character	ESPN coach id.
uid	character	ESPN UID string.
first_name	character	First name.
last_name	character	Last name.
date_of_birth	character	Date of birth.
birth_city	character	Birth city.
birth_state	character	Birth state / region.
n_records	integer	Count of records entries.
person_ref	character	`$ref` to person resource.
college_ref	character	`$ref` to college.
team_ref	character	`$ref` to team-in-season.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader, espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_coach_season(coach_id = 52120, season = 2025)
```

---

espn_mlb_coaches **Get ESPN MLB Coaches**

Description

Get ESPN MLB Coaches

Get ESPN MLB Coaches

Usage

```
espn_mlb_coaches(season = most_recent_mlb_season(), ...)
```

Arguments

season	Season year (numeric, e.g. 2025). Defaults to the most recent MLB season.
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use options(baseballr.proxy = ...) – see ?baseballr for details.

Value

A single baseballr_data tibble with one row per coach.

col_name	types	description
coach_id	character	
first_name	character	Player's first name.
last_name	character	Player's last name.
full_name	character	Player's full name.
experience	integer	Years of professional experience.
team_id	character	Unique team identifier.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leade
espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis
espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(),

espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_coaches(season = 2025)
```

---

espn_mlb_conferences Get ESPN MLB Conferences

Description

Get ESPN MLB Conferences

Get ESPN MLB Conferences

Usage

```
espn_mlb_conferences()
```

Value

A `baseballr_data` tibble with one row per conference:

col_name	types	description
group_id	integer	Group identifier (e.g. conference group_id).
conference_short_name	character	Conference short name (e.g. 'ACC').
conference_uid	character	ESPN universal conference identifier.
conference_name	character	Full conference name.
conference_logo	character	Logo image URL for conference.
parent_group_id	integer	Unique identifier for parent group.
conference_id	integer	Conference identifier.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader, espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
try(espn_mlb_conferences())
```

`espn_mlb_draft` **Get ESPN MLB Draft Picks**

Description

Get ESPN MLB Draft Picks

Get ESPN MLB Draft Picks

Usage

```
espn_mlb_draft(season = most_recent_mlb_season(), ...)
```

Arguments

season	Season year (numeric, e.g. 2025). Defaults to the most recent MLB season.
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use options(baseballr.proxy = ...).

Details

Calls the ESPN core-v2 endpoint https://sports.core.api.espn.com/v2/sports/baseball/leagues/mlb/seasons/{ which returns each round of the draft with its picks inlined as picks: [...]. For historical seasons with no ESPN draft data the function returns an empty tibble rather than erroring.

Value

A baseballr_data tibble with one row per draft pick:

col_name	types	description
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).
round	integer	Tournament / playoff round.
pick	integer	
overall	integer	Overall.
traded	logical	
trade_note	character	
status	character	Status label.
athlete_id	character	Unique athlete identifier (ESPN).
athlete_ref	character	
team_id	character	Unique team identifier.
team_ref	character	

Athlete and team details (name, position, college, abbreviation) are not inlined in the draft response; resolve them via espn_mlb_player_info() or espn_mlb_team() using the returned IDs.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(),

espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(),
espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(),
espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(),
espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader
espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(),
espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(),
espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(),
espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(),
espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(),
espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(),
espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis
espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(),
espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(),
espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(),
espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(),
espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(),
espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(),
espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint
espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(),
espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule()
espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(),
espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(),
espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(),
espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_draft(season = 2024)
```

`espn_mlb_draft_athlete_detail`

Get ESPN MLB Draft Athlete Detail (Single Drafted Player)

Description

Returns rich single-row detail for one drafted athlete in one MLB draft year: name, height, weight, position, pick (overall/round/team), and a `$ref` to the athlete's core-v2 profile. Use `espn_mlb_draft_athletes()` to enumerate draftees for a year.

Usage

```
espn_mlb_draft_athlete_detail(
  season = most_recent_mlb_season(),
  athlete_id,
  ...
)
```

Arguments

season	Draft year (numeric). Defaults to the most recent MLB season.
athlete_id	ESPN draftee identifier.
...	Additional arguments; currently unused.

Value

A single-row tibble.

Note: ESPN does not currently populate the MLB draft feed, so this typically returns an empty tibble. When populated, the columns are:

col_name	types	description
season	integer	Draft season (4-digit year).
athlete_id	character	Unique ESPN athlete identifier.
athlete_full_name	character	Drafted player full name.
position	character	Player position abbreviation.
round	integer	Draft round number.
pick	integer	Pick number within the round.
overall	integer	Overall pick number.
team_id	character	Drafting team identifier.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leade
espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis
espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(),

espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_draft_athlete_detail(season = 2024, athlete_id = 33192)
```

`espn_mlb_draft_athletes`

Get ESPN MLB Draft Athletes Index

Description

Returns one row per drafted athlete in a given MLB draft year.

Usage

```
espn_mlb_draft_athletes(season = most_recent_mlb_season(), ...)
```

Arguments

`season`	Season year. Defaults to most recent MLB season.
`...`	Additional arguments; currently unused.

Details

Get ESPN MLB Draft Athletes Index

Value

A tibble of athlete IDs + `$ref` URLs.

Note: ESPN does not currently populate the MLB draft-prospect feed, so this typically returns an empty tibble. When populated, the columns are:

col_name	types	description
season	integer	Draft season (4-digit year).
round	integer	Draft round number.
pick	integer	Pick number within the round.

overall	integer	Overall pick number.
athlete_id	character	Unique ESPN athlete identifier.
athlete_full_name	character	Drafted player full name.
position	character	Player position abbreviation.
team_id	character	Drafting team identifier.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader, espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_draft_athletes(season = 2024)
```

`espn_mlb_draft_pick` **Get ESPN MLB Draft Pick Detail**

Description

Returns a single MLB draft pick. Defaults to the most recent MLB season's #1 overall pick. For a full draft, use `espn_mlb_draft()`.

Usage

```
espn_mlb_draft_pick(
  season = most_recent_mlb_season(),
  round = 1L,
  pick = 1L,
  ...
)
```

Arguments

`season`	Season year. Defaults to most recent MLB season.
`round`	Draft round (default 1).
`pick`	Pick number within the round (default 1).
`...`	Additional arguments; currently unused.

Details

Get ESPN MLB Draft Pick Detail

Value

A single-row tibble.

col_name	types	description
league	character	League slug.
season	integer	Season year of the draft.
round	integer	Round number.
pick	integer	Pick within the round.
overall	integer	Overall pick number.
traded	logical	Whether the pick was traded.
trade_note	character	Trade note (if any).
status	character	Pick status name.
athlete_id	character	Drafted athlete's ESPN id.
team_id	character	Drafting team's ESPN id.
athlete_ref	character	`$ref` to athlete.
team_ref	character	`$ref` to team.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leade
espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis
espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint
espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(
espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_draft_pick(season = 2024, round = 1, pick = 1)
```

---

espn_mlb_draft_rounds **Get ESPN MLB Draft Rounds Summary**

Description

Returns one row per round of the MLB draft (typically 2 rounds: 1st with 30 picks, 2nd with ~28 picks).

Usage

```
espn_mlb_draft_rounds(season = most_recent_mlb_season(), ...)
```

Arguments

season	Season year. Defaults to most recent MLB season.
...	Additional arguments; currently unused.

Details

Get ESPN MLB Draft Rounds Summary

Value

A tibble with one row per round.

Note: ESPN does not currently populate the MLB draft feed, so this typically returns an empty tibble. When populated, the columns are:

col_name	types	description
season	integer	Draft season (4-digit year).
round	integer	Draft round number.
display_name	character	Round display name.
number_of_picks	integer	Number of picks in the round.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leade espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis

espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_draft_rounds(season = 2024)
```

---

espn_mlb_draft_status Get ESPN MLB Draft Status

Description

Returns the current status of one MLB draft year (round, state, description). Live during the draft; static afterward.

Usage

```
espn_mlb_draft_status(season = most_recent_mlb_season(), ...)
```

Arguments

season	Season year. Defaults to most recent MLB season.
...	Additional arguments; currently unused.

Details

Get ESPN MLB Draft Status

Value

A single-row tibble.

col_name	types	description
league	character	League.
season	integer	Season (4-digit year).

round	integer	Draft round.
type_id	character	Type id.
type_name	character	Type name.
type_state	character	Type state.
description	character	Description.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader, espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_draft_status(season = 2024)
```

`espn_mlb_franchise` **Get ESPN MLB Franchise Detail**

Description

Returns franchise-level metadata for an MLB franchise. Franchise IDs are stable across relocations and rebrands — useful for tracking franchise history independent of current team identity.

Usage

```
espn_mlb_franchise(franchise_id, ...)
```

Arguments

`franchise_id`	ESPN franchise identifier (character or numeric).
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
id	character	ESPN franchise identifier.
uid	character	ESPN UID string.
slug	character	URL-safe identifier.
location	character	Franchise location.
name	character	Franchise name.
nickname	character	Common nickname (often same as name).
abbreviation	character	Short abbreviation.
display_name	character	Full display name.
short_display_name	character	Short display name.
color	character	Primary color (hex, no leading '#').
is_active	logical	Whether franchise is currently active.
league	character	League slug (`"mlb"`).
logo	character	Primary logo URL.
logo_dark	character	Dark-mode logo URL.
venue_ref	character	`$ref` to franchise's primary venue.
team_ref	character	`$ref` to the current team for franchise.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader, espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_franchise(franchise_id = 13)
```

---

espn_mlb_franchises Get ESPN MLB Franchises Index

Description

Returns the full MLB franchises index from sports.core.api.espn.com/v2/sports/baseball/leagues/mlb/franchise
Each row is one franchise with its ID and the canonical $ref URL — pass an ID to espn_mlb_franchise()
for full franchise detail.

Usage

```
espn_mlb_franchises(...)
```

Arguments

...	Additional arguments; currently unused.

Value

A tibble with one row per franchise.

col_name	types	description
franchise_id	character	ESPN franchise identifier.
ref	character	Full `$ref` URL for franchise detail.
league	character	League slug (`"mlb"`).

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leade
espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis
espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint
espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule()

espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_franchises()
```

`espn_mlb_freeagents` **Get ESPN MLB Free Agents**

Description

Get ESPN MLB Free Agents

Get ESPN MLB Free Agents

Usage

```
espn_mlb_freeagents(season = most_recent_mlb_season(), ...)
```

Arguments

season	Season year (numeric, e.g. 2025). Defaults to the most recent MLB season.
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(baseballr.proxy = ...)`.

Details

Calls the ESPN core-v2 endpoint `https://sports.core.api.espn.com/v2/sports/baseball/leagues/mlb/seasons/{` As of 2026-05, this endpoint returns HTTP 500 for every season tested and there is no documented replacement; the function consequently returns an empty tibble and emits a CLI error message. It is retained so that downstream code does not break if ESPN restores the endpoint, but should not be relied on in the meantime.

Value

A `baseballr_data` tibble with one row per free agent:

col_name	types	description
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).
athlete_id	character	Unique athlete identifier (ESPN).
athlete_name	character	Athlete display name (ESPN).
position	character	Listed roster position (G, F, C, etc.).
prior_team_id	character	
status	character	Status label.

signed_team_id	character
signed_date	character
contract_value	character
contract_term_years	character

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leade
espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis
espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(),
espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint
espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule()
espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_freeagents(season = 2025)
```

`espn_mlb_futures` **Get ESPN MLB Season Futures (Long Format)**

Description

Returns the full futures-betting board for an MLB season, in long format: one row per (market x team). Markets include championship winner, conference winner, division winner, MVP odds, etc. Backed by `sports.core.api.espn.com/v2/sports/baseball/leagues/mlb/seasons/{season}/futures`.

Usage

```
espn_mlb_futures(season = most_recent_mlb_season(), ...)
```

Arguments

`season`	Season year (numeric). Defaults to the most recent MLB season.
`...`	Additional arguments; currently unused.

Value

A long-format tibble.

col_name	types	description
season	integer	Season year.
league	character	League slug ("mlb").
market_id	character	ESPN futures-market identifier.
market_name	character	Internal market name (e.g. "MLB - Winner").
market_type	character	Market type code (`winLeague`, `winConference`, `winDivision`, ...).
market_display	character	Human-readable name (e.g. "MLB Championship Winner").
provider_id	character	Sportsbook provider identifier.
provider_name	character	Sportsbook provider name (e.g. "ESPN BET").
team_id	character	ESPN team id (parsed from `team_ref`).
odds_value	character	American odds for the team (e.g. "-250", "+800").
team_ref	character	`$ref` to the per-season team resource.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: `espn_mlb`, `espn_mlb_athletes_index()`, `espn_mlb_award()`, `espn_mlb_betting()`, `espn_mlb_calendar()`, `espn_mlb_coach()`, `espn_mlb_coach_record()`, `espn_mlb_coach_season()`, `espn_mlb_coaches()`, `espn_mlb_conferences()`, `espn_mlb_draft()`, `espn_mlb_draft_athlete_detail()`, `espn_mlb_draft_athletes()`, `espn_mlb_draft_pick()`, `espn_mlb_draft_rounds()`, `espn_mlb_draft_status()`, `espn_mlb_franchise()`, `espn_mlb_franchises()`, `espn_mlb_freeagents()`, `espn_mlb_game_all()`,

espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_futures(season = 2025)
```

---

espn_mlb_game_all Get ESPN MLB game data (Pbp, Team and Player Box)

Description

Get ESPN MLB game data (Pbp, Team and Player Box)

Usage

```
espn_mlb_game_all(game_id)
```

Arguments

game_id	Game ID

Value

A named list of data frames: Plays, Team, Player

`espn_mlb_game_all()` bundles three tibbles returned in one call. Each component is identical to the matching standalone function – see those for the full column documentation:

- **Plays** – play-by-play, identical to `espn_mlb_pbp()`.
- **Team** – team box score, identical to `espn_mlb_team_box()`.
- **Player** – player box score, identical to `espn_mlb_player_box()`.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: `espn_mlb`, `espn_mlb_athletes_index()`, `espn_mlb_award()`, `espn_mlb_betting()`, `espn_mlb_calendar()`, `espn_mlb_coach()`, `espn_mlb_coach_record()`, `espn_mlb_coach_season()`, `espn_mlb_coaches()`, `espn_mlb_conferences()`, `espn_mlb_draft()`, `espn_mlb_draft_athlete_detail()`, `espn_mlb_draft_athletes()`, `espn_mlb_draft_pick()`, `espn_mlb_draft_rounds()`, `espn_mlb_draft_status()`, `espn_mlb_franchise()`, `espn_mlb_franchises()`, `espn_mlb_freeagents()`, `espn_mlb_futures()`, `espn_mlb_game_broadcasts()`, `espn_mlb_game_endpoints`, `espn_mlb_game_info()`, `espn_mlb_game_odds()`, `espn_mlb_game_official_detail()`, `espn_mlb_game_officials()`, `espn_mlb_game_play()`, `espn_mlb_game_play_personnel()`, `espn_mlb_game_player_box()`, `espn_mlb_game_powerindex()`, `espn_mlb_game_predictor()`, `espn_mlb_game_probabilities()`, `espn_mlb_game_probables()`, `espn_mlb_game_propbets()`, `espn_mlb_game_rosters()`, `espn_mlb_game_situation()`, `espn_mlb_game_team_leade`
`espn_mlb_game_team_linescores()`, `espn_mlb_game_team_records()`, `espn_mlb_game_team_roster()`, `espn_mlb_game_team_roster_entry()`, `espn_mlb_game_team_score()`, `espn_mlb_game_team_statistics()`, `espn_mlb_injuries()`, `espn_mlb_leaders()`, `espn_mlb_news()`, `espn_mlb_pbp()`, `espn_mlb_player_awards()`, `espn_mlb_player_box()`, `espn_mlb_player_career_stats()`, `espn_mlb_player_contract()`, `espn_mlb_player_contracts()`, `espn_mlb_player_endpoints`, `espn_mlb_player_eventlog()`, `espn_mlb_player_eventlog_v2()`, `espn_mlb_player_gamelog()`, `espn_mlb_player_info()`, `espn_mlb_player_overview()`, `espn_mlb_player_seasons()`, `espn_mlb_player_splits()`, `espn_mlb_player_statis`
`espn_mlb_player_stats()`, `espn_mlb_player_stats_v3()`, `espn_mlb_position()`, `espn_mlb_positions()`, `espn_mlb_powerindex()`, `espn_mlb_scoreboard()`, `espn_mlb_season_awards()`, `espn_mlb_season_draft()`, `espn_mlb_season_group()`, `espn_mlb_season_group_children()`, `espn_mlb_season_group_teams()`, `espn_mlb_season_groups()`, `espn_mlb_season_info()`, `espn_mlb_season_leaders()`, `espn_mlb_season_ranking()`, `espn_mlb_season_rankings()`, `espn_mlb_season_type()`, `espn_mlb_season_types()`, `espn_mlb_season_week()`, `espn_mlb_season_weeks()`, `espn_mlb_seasons()`, `espn_mlb_standings()`, `espn_mlb_team()`, `espn_mlb_team_box()`, `espn_mlb_team_current_roster()`, `espn_mlb_team_depthchart()`, `espn_mlb_team_endpoint`
`espn_mlb_team_injuries()`, `espn_mlb_team_leaders()`, `espn_mlb_team_news()`, `espn_mlb_team_odds_records()`, `espn_mlb_team_record()`, `espn_mlb_team_record_detail()`, `espn_mlb_team_roster()`, `espn_mlb_team_schedule()`, `espn_mlb_team_season_profile()`, `espn_mlb_team_season_roster()`, `espn_mlb_team_season_statistics()`, `espn_mlb_team_stats()`, `espn_mlb_teams()`, `espn_mlb_tournament()`, `espn_mlb_tournament_season()`, `espn_mlb_tournament_seasons()`, `espn_mlb_tournaments()`, `espn_mlb_transactions()`, `espn_mlb_venues()`, `espn_mlb_week_ranking()`, `espn_mlb_week_rankings()`, `espn_mlb_wp()`

Examples

```
try(espn_mlb_game_all(game_id = 401283399))
```

`espn_mlb_game_broadcasts`

Get ESPN MLB Event Broadcasts

Description

Get ESPN MLB Event Broadcasts

Get ESPN MLB Event Broadcasts

Usage

```
espn_mlb_game_broadcasts(event_id, ...)
```

Arguments

`event_id`	ESPN event/game identifier (character or numeric).
`...`	Additional arguments; currently unused.

Value

A tibble with one row per broadcast outlet for the game.

col_name	types	description
event_id	character	Unique event / game identifier (ESPN).
broadcast_id	character	
type_id	character	Type identifier (numeric).
type_short_name	character	
type_long_name	character	
market_id	character	
market_type	character	
names	character	
lang	character	
region	character	Region label.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader, espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_broadcasts(event_id = "401283399")
```

`espn_mlb_game_endpoints`

ESPN MLB Game Endpoint Overview

Description

- `espn_mlb_scoreboard()`: Scores and schedule for a date (`YYYYMMDD`).
- `espn_mlb_pbp()`: Pitch- and at-bat-level play-by-play for a game.
- `espn_mlb_team_box()`: Team batting / pitching / fielding box score (one wide row per team).

- `espn_mlb_player_box()`: Player batting / pitching box score (one row per athlete-side).
- `espn_mlb_game_all()`: Plays, team box, and player box bundled in one call.
- `espn_mlb_game_rosters()`: The two game-day rosters.
- `espn_mlb_game_probables()`: Probable / announced starting pitchers.
- `espn_mlb_game_info()`: Venue, attendance, game duration, and the umpire crew.
- `espn_mlb_betting()`, `espn_mlb_game_odds()`, `espn_mlb_game_propbets()`: Odds and prop bets.
- `espn_mlb_wp()`, `espn_mlb_game_probabilities()`: Win-probability series.
- `espn_mlb_game_situation()`, `espn_mlb_game_play()`, `espn_mlb_game_play_personnel()`: Per-play detail.
- `espn_mlb_game_team_statistics()`, `espn_mlb_game_team_linescores()`, `espn_mlb_game_team_leaders()`, `espn_mlb_game_team_records()`, `espn_mlb_game_team_roster()`, `espn_mlb_game_team_score()`: Per-competitor game detail.
- `espn_mlb_game_officials()`, `espn_mlb_game_official_detail()`, `espn_mlb_game_broadcasts()`: Officials and broadcasts.

Details

ESPN MLB Game:

Game-level ESPN endpoints: scoreboard / schedule, the game-summary feed (play-by-play and box scores), rosters, win probability, odds, and per-competitor game detail. Box scores are returned wide and tidy.

See Also

Other ESPN MLB Functions: `espn_mlb`, `espn_mlb_athletes_index()`, `espn_mlb_award()`, `espn_mlb_betting()`, `espn_mlb_calendar()`, `espn_mlb_coach()`, `espn_mlb_coach_record()`, `espn_mlb_coach_season()`, `espn_mlb_coaches()`, `espn_mlb_conferences()`, `espn_mlb_draft()`, `espn_mlb_draft_athlete_detail()`, `espn_mlb_draft_athletes()`, `espn_mlb_draft_pick()`, `espn_mlb_draft_rounds()`, `espn_mlb_draft_status()`, `espn_mlb_franchise()`, `espn_mlb_franchises()`, `espn_mlb_freeagents()`, `espn_mlb_futures()`, `espn_mlb_game_all()`, `espn_mlb_game_broadcasts()`, `espn_mlb_game_info()`, `espn_mlb_game_odds()`, `espn_mlb_game_official_detail()`, `espn_mlb_game_officials()`, `espn_mlb_game_play()`, `espn_mlb_game_play_personnel()`, `espn_mlb_game_player_box()`, `espn_mlb_game_powerindex()`, `espn_mlb_game_predictor()`, `espn_mlb_game_probabilities()`, `espn_mlb_game_probables()`, `espn_mlb_game_propbets()`, `espn_mlb_game_rosters()`, `espn_mlb_game_situation()`, `espn_mlb_game_team_leader`, `espn_mlb_game_team_linescores()`, `espn_mlb_game_team_records()`, `espn_mlb_game_team_roster()`, `espn_mlb_game_team_roster_entry()`, `espn_mlb_game_team_score()`, `espn_mlb_game_team_statistics()`, `espn_mlb_injuries()`, `espn_mlb_leaders()`, `espn_mlb_news()`, `espn_mlb_pbp()`, `espn_mlb_player_awards()`, `espn_mlb_player_box()`, `espn_mlb_player_career_stats()`, `espn_mlb_player_contract()`, `espn_mlb_player_contracts()`, `espn_mlb_player_endpoints`, `espn_mlb_player_eventlog()`, `espn_mlb_player_eventlog_v2()`, `espn_mlb_player_gamelog()`, `espn_mlb_player_info()`, `espn_mlb_player_overview()`, `espn_mlb_player_seasons()`, `espn_mlb_player_splits()`, `espn_mlb_player_statis`, `espn_mlb_player_stats()`, `espn_mlb_player_stats_v3()`, `espn_mlb_position()`, `espn_mlb_positions()`, `espn_mlb_powerindex()`, `espn_mlb_scoreboard()`, `espn_mlb_season_awards()`, `espn_mlb_season_draft()`, `espn_mlb_season_group()`, `espn_mlb_season_group_children()`, `espn_mlb_season_group_teams()`, `espn_mlb_season_groups()`, `espn_mlb_season_info()`, `espn_mlb_season_leaders()`, `espn_mlb_season_ranking()`,

espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

`espn_mlb_game_info` **Get ESPN MLB Game Info (venue, attendance, duration, umpires)**

Description

Returns one wide row of game metadata from the ESPN game-summary `gameInfo` block: venue, attendance, game duration, and the umpire crew (home-plate, first-, second-, and third-base umpires).

Usage

```
espn_mlb_game_info(game_id)
```

Arguments

`game_id`	Game ID – ESPN event identifier (character or numeric).

Value

A single-row `baseballr_data` tibble.

col_name	types	description
game_id	integer	Unique ESPN game/event identifier.
venue_id	character	Unique ESPN venue identifier.
venue_name	character	Venue (ballpark) full name.
venue_city	character	Venue city.
venue_state	character	Venue state / province.
attendance	integer	Announced attendance.
game_duration	character	Elapsed game time (H:MM).
home_plate_umpire	character	Home-plate umpire.
first_base_umpire	character	First-base umpire.
second_base_umpire	character	Second-base umpire.
third_base_umpire	character	Third-base umpire.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader, espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
try(espn_mlb_game_info(game_id = "401570000"))
```

---

espn_mlb_game_odds **Get ESPN MLB Event Odds**

Description

Get ESPN MLB Event Odds

Get ESPN MLB Event Odds

Usage

```
espn_mlb_game_odds(event_id, ...)
```

Arguments

event_id	ESPN event/game identifier (character or numeric).
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use options(baseballr.proxy = ...) – see ?baseballr for details.

Value

A tibble with one row per odds provider.

col_name	types	description
event_id	character	Unique event / game identifier (ESPN).
provider_id	character	Unique identifier for provider.
provider_name	character	Provider name.
details	character	Details.
over_under	numeric	Over under.
spread	numeric	Spread.
home_money_line	integer	
away_money_line	integer	
home_team_odds_open	numeric	
home_team_odds_close	numeric	
away_team_odds_open	numeric	
away_team_odds_close	numeric	

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(),

espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_odds(event_id = "401283399")
```

`espn_mlb_game_official_detail`

Get ESPN MLB Event Official Detail (Single Official)

Description

Returns a single-row tibble for one referee assigned to one MLB event, with their name, position (Referee / Crew Chief / Umpire), and crew order. Pair with `espn_mlb_game_officials()` to enumerate the crew.

Usage

```
espn_mlb_game_official_detail(event_id, order, ...)
```

Arguments

`event_id`	ESPN event identifier.
`order`	Crew order index (1 = first official). Pair with the `order` column from event_officials().
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
official_id	character	Official id.
first_name	character	First name.
last_name	character	Last name.
full_name	character	Full name.
display_name	character	Display name.
position_id	character	Unique position identifier.
position_name	character	Position name.
order	integer	Order.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule()

espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_official_detail(event_id = 401283399, order = 1)
```

---

espn_mlb_game_officials

Get ESPN MLB Event Officials

Description

Get ESPN MLB Event Officials

Get ESPN MLB Event Officials

Usage

```
espn_mlb_game_officials(event_id, ...)
```

Arguments

event_id	ESPN event/game identifier (character or numeric).
...	Additional arguments; currently unused.

Value

A tibble with one row per official assigned to the game.

col_name	types	description
event_id	character	Unique event / game identifier (ESPN).
official_id	character	Unique official / referee identifier.
full_name	character	Player's full name.
display_name	character	Display name.
position_id	character	Unique position identifier.
position_name	character	Listed roster position (e.g. 'Pitcher', 'Shortstop', 'Catcher').
position_type	character	
order	integer	Display order within the result set.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_play(), espn_mlb_game_play_personn espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_officials(event_id = "401283399")
```

`espn_mlb_game_play` **Get ESPN MLB Event Play Detail (Single Play)**

Description

Returns the rich detail block for a single MLB play: sequence, period, clock, text, scoring/shooting flags, current home/away score, team `$ref`, and shot coordinates if applicable. Complements the bulk `espn_mlb_pbp()` output by exposing the canonical core-v2 play record.

Usage

```
espn_mlb_game_play(event_id, play_id, ...)
```

Arguments

event_id	ESPN event identifier.
play_id	ESPN play identifier (visible in pbp() output as play_id or extractable from plays[].$ref).
...	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
play_id	character	Play id.
sequence_number	character	Sequence number.
type_id	character	Type id.
type_text	character	Type text.
text	character	Text description.
short_text	character	Short text.
period	integer	Inning number.
clock	character	Clock.
scoring_play	logical	Scoring play.
score_value	numeric	Score value.
away_score	integer	Away team run total.
home_score	integer	Home team run total.
shooting_play	logical	Shooting play.
coordinate_x	numeric	Coordinate x.
coordinate_y	numeric	Coordinate y.
team_ref	character	Team ref.
wallclock	character	Wallclock.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(),

espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(),
espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(),
espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(),
espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader
espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(),
espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(),
espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(),
espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(),
espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(),
espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(),
espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis
espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(),
espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(),
espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(),
espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(),
espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(),
espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(),
espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint
espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(),
espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule()
espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(),
espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(),
espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(),
espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_play(event_id = 401283399, play_id = 4012833994)
```

`espn_mlb_game_play_personnel`

Get ESPN MLB Event Play Personnel (On-Court Lineup at Play)

Description

Returns the players on court at a specific MLB play in long format (one row per athlete entry across both competitors). Foundation for lineup analysis. ESPN coverage is sparse — many plays return zero rows; the wrapper returns a typed empty tibble in that case.

Usage

```
espn_mlb_game_play_personnel(event_id, play_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`play_id`	ESPN play identifier.
`...`	Additional arguments; currently unused.

Value

A long tibble with one row per on-court athlete.

Note: ESPN baseball plays do not carry a personnel sub-resource, so this typically returns an empty tibble (it is meaningful for sports such as football). When populated:

col_name	types	description
event_id	character	Unique ESPN event/game identifier.
play_id	character	Unique play identifier within the game.
athlete_id	character	Athlete involved in the play.
participant_type	character	Role of the athlete in the play.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_play_personnel(event_id = 401283399, play_id = 4012833994)
```

`espn_mlb_game_player_box`

Get ESPN MLB Event Player Box Score (Long Format)

Description

Returns the long-format per-game box score for a single athlete in one MLB event. One row per (category x stat). Same shape as `espn_mlb_game_team_statistics()` but scoped to a single athlete-in-event instead of the full team. `stat_type` defaults to 0 (regular-season aggregate as ESPN tags it for finished events).

Usage

```
espn_mlb_game_player_box(event_id, team_id, athlete_id, stat_type = 0L, ...)
```

Arguments

`event_id`	ESPN event identifier.
`team_id`	ESPN team identifier (the competitor the athlete played for).
`athlete_id`	ESPN athlete identifier.
`stat_type`	Integer stat-type segment. Defaults to 0 (the only type commonly populated for finished events).
`...`	Additional arguments; currently unused.

Value

A long tibble with one row per (category x stat).

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
athlete_id	character	Unique ESPN athlete identifier.
stat_type	integer	Stat type.
category_name	character	Category name.
category_display	character	Category display.
stat_name	character	Stat name.
stat_abbrev	character	Stat abbrev.
stat_display	character	Stat display.
value	numeric	Numeric value.
display_value	character	Human-readable value.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader, espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_player_box(event_id = 401283399, team_id = 29,
                         athlete_id = 33192)
```

espn_mlb_game_powerindex

Get ESPN MLB Event Power Index Index

Description

Returns the per-team power-index `$ref` URLs for one MLB event. Coverage is sparse — many events return zero items.

Usage

```
espn_mlb_game_powerindex(event_id, ...)
```

Arguments

event_id	ESPN event identifier.
...	Additional arguments; currently unused.

Details

Get ESPN MLB Event Power Index Index

Value

A tibble with one row per team-game power-index entry.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
ref	character	Ref.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(),

espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_powerindex(event_id = 401283399)
```

`espn_mlb_game_predictor`

Get ESPN MLB Event Predictor (Pre-game)

Description

Returns pre-game predictor statistics for one MLB event in long format: one row per (team × statistic). Typical stats include matchup quality, predicted score, win probability, and team strength metrics. Returns empty for events without predictor data (often the case for already-played games).

Usage

```
espn_mlb_game_predictor(event_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`...`	Additional arguments; currently unused.

Details

Get ESPN MLB Event Predictor (Pre-game)

Value

A long tibble with rows for both home and away teams.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
name	character	Name.
short_name	character	Short display name.
last_modified	character	Last modified.
side	character	Side.
team_id	character	Unique ESPN team identifier.
stat_name	character	Statistic name.
stat_display	character	Stat display.
description	character	Description.
value	numeric	Numeric value.
display_value	character	Human-readable value.
team_ref	character	Team ref.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leade
espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis
espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(),

espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_predictor(event_id = 401283399)
```

`espn_mlb_game_probabilities`

Get ESPN MLB Event Win Probabilities

Description

Get ESPN MLB Event Win Probabilities

Get ESPN MLB Event Win Probabilities

Usage

```
espn_mlb_game_probabilities(event_id, limit = 200, ...)
```

Arguments

`event_id`	ESPN event/game identifier (character or numeric).
`limit`	integer. Maximum number of probability rows to return. Defaults to `200`. Pagination is handled internally.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per play-level win-probability entry.

col_name	types	description
event_id	character	Unique event / game identifier (ESPN).
sequence_number	character	Sequence number of the play within the game.
play_id	character	Unique play identifier within a game.
period	integer	Inning number.
clock	character	Game clock value (typically empty for baseball).
home_win_percentage	numeric	Home win percentage (0-1 decimal).

away_win_percentage	numeric	Away win percentage (0-1 decimal).
tie_percentage	numeric	Tie percentage (0-1 decimal).
secs_to_end_of_period	numeric	
secs_to_end_of_game	numeric	

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_probabilities(event_id = "401283399", limit = 50)
```

`espn_mlb_game_probables`

Get ESPN MLB Probable Starting Pitchers

Description

Returns the probable / announced starting pitchers for a game, one row per team, parsed from the ESPN game-summary `header.competitions.competitors probables` block. Available for upcoming and completed games.

Usage

```
espn_mlb_game_probables(game_id)
```

Arguments

`game_id`	Game ID – ESPN event identifier (character or numeric).

Value

A `baseballr_data` tibble with one row per team's probable starter.

col_name	types	description
game_id	integer	Unique ESPN game/event identifier.
season	integer	Season (4-digit year).
season_type	integer	ESPN season type (1=pre, 2=regular, 3=post).
team_id	integer	Unique ESPN team identifier.
team_abbreviation	character	Short team abbreviation (e.g. 'NYY').
team_display_name	character	Full team display name.
home_away	character	Venue label for the team ('home' or 'away').
athlete_id	integer	Unique ESPN athlete identifier (pitcher).
athlete_full_name	character	Pitcher full name.
athlete_display_name	character	Pitcher display name.
athlete_short_name	character	Pitcher short display name.
jersey	character	Jersey number.
position	character	Position abbreviation (SP / RP / P).
throws	character	Throwing handedness (L / R).
headshot_href	character	Headshot image URL.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leader, espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
try(espn_mlb_game_probables(game_id = "401570000"))
```

`espn_mlb_game_propbets`

Get ESPN MLB Event Prop Bets (Long Format)

Description

Returns prop-bet markets for one MLB event + provider in long format: one row per (athlete × prop type). Each row has american / decimal / fraction odds plus the current target (e.g. over/under line). Hits the core-v2 `competitions/{id}/odds/{provider_id}/propBets` endpoint and auto-paginates.

Usage

```
espn_mlb_game_propbets(event_id, provider_id, ...)
```

Arguments

event_id	ESPN event identifier.
provider_id	Sportsbook provider id (e.g. 58 = ESPN BET, 100 = Caesars). Look up via espn_mlb_game_odds().
...	Additional arguments; currently unused.

Details

Get ESPN MLB Event Prop Bets (Long Format)

Value

A long tibble with one row per (athlete × prop type).

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
provider_id	character	Provider id.
athlete_id	character	Unique ESPN athlete identifier.
prop_type_id	character	Prop type id.
prop_type_name	character	Prop type name.
american	character	American.
decimal	numeric	Decimal.
fraction	character	Fraction.
total	numeric	Total.
current_target	numeric	Current target.
last_updated	character	Last updated.
athlete_ref	character	Athlete ref.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(),

espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leade espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_propbets(event_id = 401283399, provider_id = 58)
```

---

espn_mlb_game_rosters Get ESPN MLB game rosters

Description

Get ESPN MLB game rosters

Usage

```
espn_mlb_game_rosters(game_id)
```

Arguments

game_id	Game ID

Value

A game rosters data frame

col_name	types	description
athlete_id	integer	Unique ESPN athlete identifier.
athlete_uid	character	Athlete uid.
athlete_guid	character	Athlete guid.
athlete_type	character	Athlete type.
sdr	integer	Sdr.
first_name	character	First name.
last_name	character	Last name.
full_name	character	Full name.
athlete_display_name	character	Athlete display name (full).
short_name	character	Short display name.
weight	integer	Weight.
display_weight	character	Display weight.
height	integer	Height.
display_height	character	Display height.
age	integer	Age.
date_of_birth	character	Date of birth.
debut_year	integer	Debut year.
birth_place_city	character	Birth place city.
birth_place_state	character	Birth place state.
birth_place_country	character	Birth place country.
slug	character	Slug.
headshot_href	character	Headshot href.
headshot_alt	character	Headshot alt.
athlete_jersey_number	character	Athlete jersey number.
position_id	integer	Position id.
position_name	character	Position name.
position_display_name	character	Position display name.
position_abbreviation	character	Position abbreviation.
position_leaf	logical	Position leaf.
positions_ref	character	Positions ref.
positions_id	character	Positions id.
positions_name	character	Positions name.
positions_display_name	character	Positions display name.
positions_abbreviation	character	Positions abbreviation.
positions_leaf	logical	Positions leaf.
positions_parent_ref	character	Positions parent ref.
positions_statistics_ref	character	Positions statistics ref.
linked	logical	Linked.
years	integer	Years.
debut_year_2	integer	Debut year 2.
debut_ref	character	Debut ref.
debut_ref_1	character	Debut ref 1.
active	logical	TRUE if the row represents an active record.
status_id	integer	Status id.
status_name	character	Game status (e.g. 'STATUS_FINAL').
status_type	character	Status type.
status_abbreviation	character	Status abbreviation.

bats_type	character	Bats type.
bats_abbreviation	character	Bats abbreviation.
bats_display_value	character	Bats display value.
throws_type	character	Throws type.
throws_abbreviation	character	Throws abbreviation.
throws_display_value	character	Throws display value.
starter	logical	TRUE if the player started the game.
valid	logical	Valid.
display_name	character	Display name.
bat_order	integer	Spot in the batting order (1-9; NA if not applicable).
record_number	integer	Record number.
at_bats	list	At bats.
positions	list	Positions.
notes	list	Notes.
subbed_in_did_sub	logical	Subbed in did sub.
subbed_out_did_sub	logical	Subbed out did sub.
team_id	integer	Unique ESPN team identifier.
team_guid	character	ESPN team GUID.
team_uid	character	ESPN universal team identifier (UID).
team_sdr	character	Team sdr.
team_slug	character	URL-safe team identifier.
team_location	character	Team city / location.
team_name	character	Team nickname (e.g. 'Yankees').
team_abbreviation	character	Short team abbreviation (e.g. 'NYY').
team_display_name	character	Full team display name (e.g. 'New York Yankees').
team_short_display_name	character	Short team display name.
team_color	character	Team primary color (hex, no leading '#').
team_alternate_color	character	Team alternate color (hex).
team_is_active	logical	Team is active.
is_all_star	logical	Is all star.
logo_href	character	Logo href.
logo_dark_href	character	Logo dark href.
logos_href_2	character	Logos href 2.
logos_href_3	character	Logos href 3.
logos_href_4	character	Logos href 4.
logos_width_4	integer	Logos width 4.
logos_height_4	integer	Logos height 4.
logos_alt_4	character	Logos alt 4.
logos_rel_full_4	character	Logos rel full 4.
logos_rel_primary_logo_on_white_color	character	Logos rel primary logo on white color.
logos_last_updated_4	character	Logos last updated 4.
logos_href_5	character	Logos href 5.
logos_width_5	integer	Logos width 5.
logos_height_5	integer	Logos height 5.
logos_alt_5	character	Logos alt 5.
logos_rel_full_5	character	Logos rel full 5.
logos_rel_primary_logo_on_black_color	character	Logos rel primary logo on black color.
logos_last_updated_5	character	Logos last updated 5.

logos_href_6	character	Logos href 6.
logos_width_6	integer	Logos width 6.
logos_height_6	integer	Logos height 6.
logos_alt_6	character	Logos alt 6.
logos_rel_full_6	character	Logos rel full 6.
logos_rel_primary_logo_on_primary_color	character	Logos rel primary logo on primary color.
logos_last_updated_6	character	Logos last updated 6.
logos_href_7	character	Logos href 7.
logos_width_7	integer	Logos width 7.
logos_height_7	integer	Logos height 7.
logos_alt_7	character	Logos alt 7.
logos_rel_full_7	character	Logos rel full 7.
logos_rel_primary_logo_on_secondary_color	character	Logos rel primary logo on secondary color.
logos_last_updated_7	character	Logos last updated 7.
logos_href_8	character	Logos href 8.
logos_width_8	integer	Logos width 8.
logos_height_8	integer	Logos height 8.
logos_alt_8	character	Logos alt 8.
logos_rel_full_8	character	Logos rel full 8.
logos_rel_primary_logo_black	character	Logos rel primary logo black.
logos_last_updated_8	character	Logos last updated 8.
logos_href_9	character	Logos href 9.
logos_width_9	integer	Logos width 9.
logos_height_9	integer	Logos height 9.
logos_alt_9	character	Logos alt 9.
logos_rel_full_9	character	Logos rel full 9.
logos_rel_primary_logo_white	character	Logos rel primary logo white.
logos_last_updated_9	character	Logos last updated 9.
logos_href_10	character	Logos href 10.
logos_width_10	integer	Logos width 10.
logos_height_10	integer	Logos height 10.
logos_alt_10	character	Logos alt 10.
logos_rel_full_10	character	Logos rel full 10.
logos_rel_secondary_logo_on_white_color	character	Logos rel secondary logo on white color.
logos_last_updated_10	character	Logos last updated 10.
logos_href_11	character	Logos href 11.
logos_width_11	integer	Logos width 11.
logos_height_11	integer	Logos height 11.
logos_alt_11	character	Logos alt 11.
logos_rel_full_11	character	Logos rel full 11.
logos_rel_secondary_logo_on_black_color	character	Logos rel secondary logo on black color.
logos_last_updated_11	character	Logos last updated 11.
logos_href_12	character	Logos href 12.
logos_width_12	integer	Logos width 12.
logos_height_12	integer	Logos height 12.
logos_alt_12	character	Logos alt 12.
logos_rel_full_12	character	Logos rel full 12.
logos_rel_secondary_logo_on_primary_color	character	Logos rel secondary logo on primary color.

logos_last_updated_12	character	Logos last updated 12.
logos_href_13	character	Logos href 13.
logos_width_13	integer	Logos width 13.
logos_height_13	integer	Logos height 13.
logos_alt_13	character	Logos alt 13.
logos_rel_full_13	character	Logos rel full 13.
logos_rel_secondary_logo_on_secondary_color	character	Logos rel secondary logo on secondary color.
logos_last_updated_13	character	Logos last updated 13.
logos_href_14	character	Logos href 14.
logos_width_14	integer	Logos width 14.
logos_height_14	integer	Logos height 14.
logos_alt_14	character	Logos alt 14.
logos_rel_full_14	character	Logos rel full 14.
logos_rel_secondary_logo_black	character	Logos rel secondary logo black.
logos_last_updated_14	character	Logos last updated 14.
logos_href_15	character	Logos href 15.
logos_width_15	integer	Logos width 15.
logos_height_15	integer	Logos height 15.
logos_alt_15	character	Logos alt 15.
logos_rel_full_15	character	Logos rel full 15.
logos_rel_secondary_logo_white	character	Logos rel secondary logo white.
logos_last_updated_15	character	Logos last updated 15.
game_id	integer	Unique ESPN game/event identifier.
order	integer	Order.
home_away	character	Venue label for the team ('home' or 'away').
winner	logical	Winner.
nickname	character	Team nickname.
draft_display_text	character	Draft display text.
draft_round	integer	Draft round.
draft_year	integer	Draft year.
draft_selection	integer	Draft selection.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_situation(), espn_mlb_game_team_lead

espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
try(espn_mlb_game_rosters(game_id = 401283399))
```

`espn_mlb_game_situation`

Get ESPN MLB Event Situation (Live)

Description

Returns the live game situation for one MLB event: timeouts remaining, team fouls, fouls to give, bonus state, and a `$ref` to the last play. During a live game this reflects current state; after the game ends the values are frozen.

Usage

```
espn_mlb_game_situation(event_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`...`	Additional arguments; currently unused.

Value

A single-row tibble with timeouts + fouls for both teams.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
home_timeouts_current	integer	Home timeouts current.
home_timeouts_remaining	integer	Home timeouts remaining.
away_timeouts_current	integer	Away timeouts current.
away_timeouts_remaining	integer	Away timeouts remaining.
home_team_fouls	integer	Home team fouls.
home_team_fouls_current	integer	Home team fouls current.
home_fouls_to_give	integer	Home fouls to give.
home_bonus_state	character	Home bonus state.
away_team_fouls	integer	Away team fouls.
away_team_fouls_current	integer	Away team fouls current.
away_fouls_to_give	integer	Away fouls to give.
away_bonus_state	character	Away bonus state.
last_play_ref	character	Last play ref.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_team_leade espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(),

espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_situation(event_id = 401283399)
```

`espn_mlb_game_team_leaders`

Get ESPN MLB Event Competitor Leaders (Top Performers)

Description

Returns the per-team statistical leaders for one MLB event in long format: one row per (category x athlete rank). Categories typically include batting average, home runs, RBIs, and MLB rating.

Usage

```
espn_mlb_game_team_leaders(event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`team_id`	ESPN team identifier.
`...`	Additional arguments; currently unused.

Value

A long tibble with one row per (category x rank).

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
category_name	character	Statistic category name.
category_display	character	Category display.
category_abbrev	character	Category abbrev.
rank	integer	Rank within the result set.
athlete_id	character	Unique ESPN athlete identifier.

display_value	character	Human-readable value.
value	numeric	Numeric value.
athlete_ref	character	Athlete ref.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_team_leaders(event_id = 401283399, team_id = 29)
```

`espn_mlb_game_team_linescores` **Get ESPN MLB Event Competitor Linescores (Per-Inning)**

Description

Returns the per-inning run breakdown for one team in one MLB event. One row per inning (regulation innings plus any extra innings).

Usage

```
espn_mlb_game_team_linescores(event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`team_id`	ESPN team identifier (the competitor whose linescore to fetch).
`...`	Additional arguments; currently unused.

Value

A tibble with one row per inning.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
period	integer	Inning number.
value	numeric	Numeric value.
display_value	character	Human-readable value.
source	character	Source.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: `espn_mlb`, `espn_mlb_athletes_index()`, `espn_mlb_award()`, `espn_mlb_betting()`, `espn_mlb_calendar()`, `espn_mlb_coach()`, `espn_mlb_coach_record()`, `espn_mlb_coach_season()`, `espn_mlb_coaches()`, `espn_mlb_conferences()`, `espn_mlb_draft()`, `espn_mlb_draft_athlete_detail()`, `espn_mlb_draft_athletes()`, `espn_mlb_draft_pick()`, `espn_mlb_draft_rounds()`, `espn_mlb_draft_status()`, `espn_mlb_franchise()`, `espn_mlb_franchises()`, `espn_mlb_freeagents()`, `espn_mlb_futures()`, `espn_mlb_game_all()`, `espn_mlb_game_broadcasts()`, `espn_mlb_game_endpoints`, `espn_mlb_game_info()`, `espn_mlb_game_odds()`, `espn_mlb_game_official_detail()`, `espn_mlb_game_officials()`, `espn_mlb_game_play()`, `espn_mlb_game_play_personnel()`, `espn_mlb_game_player_box()`,

espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(),
espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation()
espn_mlb_game_team_leaders(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(),
espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(),
espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(),
espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(),
espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(),
espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(),
espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis
espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(),
espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(),
espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(),
espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(),
espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(),
espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(),
espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint
espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(),
espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule()
espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(),
espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(),
espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(),
espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_team_linescores(event_id = 401283399, team_id = 29)
```

`espn_mlb_game_team_records` **Get ESPN MLB Event Competitor Records (At-Game Breakdown)**

Description

Returns team records as of the given MLB event: overall, home, away, conference, and division breakdowns where available. One row per record type.

Usage

```
espn_mlb_game_team_records(event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`team_id`	ESPN team identifier.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per record type.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
record_id	character	Record id.
name	character	Name.
abbreviation	character	Short abbreviation.
display_name	character	Display name.
short_display_name	character	Short display name.
type	character	Type.
summary	character	Record summary (e.g. 'W-L').
value	numeric	Numeric value.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(),

espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_team_records(event_id = 401283399, team_id = 29)
```

`espn_mlb_game_team_roster`

Get ESPN MLB Event Competitor Roster (Game-Day)

Description

Returns the game-day roster index for one team in one MLB event. Each row carries the athlete id and the core-v2 `$ref` URL — use the ref to dereference athlete-game splits or biographical data.

Usage

```
espn_mlb_game_team_roster(event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`team_id`	ESPN team identifier.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per active athlete.

Note: ESPN's core-v2 per-game competitor roster is not populated for MLB and typically returns an empty tibble; use espn_mlb_game_rosters() (site summary) for game-day rosters. When populated:

col_name	types	description
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
athlete_id	character	Unique ESPN athlete identifier.
athlete_display_name	character	Player display name.
position	character	Position abbreviation.
jersey	character	Jersey number.
starter	logical	TRUE if the player started the game.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_team_roster(event_id = 401283399, team_id = 29)
```

`espn_mlb_game_team_roster_entry`

Get ESPN MLB Event Competitor Roster Entry (Per-Athlete Game-Day Row)

Description

Returns a single-row tibble describing one athlete's game-day roster entry for one MLB event. Carries the **starter** flag, **didNotPlay** flag with reason, ejection flag, and the substitution slot if the athlete came in for another player. Pair with `espn_mlb_game_team_roster()` to enumerate the roster.

Usage

```
espn_mlb_game_team_roster_entry(event_id, team_id, athlete_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`team_id`	ESPN team identifier.
`athlete_id`	ESPN athlete identifier.
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
athlete_id	character	Unique ESPN athlete identifier.
player_id	character	Player id.
period	integer	Inning number.
active	logical	Active.
starter	logical	TRUE if a starter.
did_not_play	logical	Did not play.
reason	character	Reason.
ejected	logical	Ejected.
for_player_id	character	For player id.
jersey	character	Jersey number.
display_name	character	Display name.
athlete_ref	character	Athlete ref.
position_ref	character	Position ref.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_team_roster_entry(event_id = 401283399,
                                          team_id = 13,
                                          athlete_id = 33192)
```

`espn_mlb_game_team_score`

Get ESPN MLB Event Competitor Score (Single Row)

Description

Returns a one-row tibble with one team's final score for one MLB event: numeric `value`, display string, `winner` flag, and source metadata. Quick-lookup wrapper — use espn_mlb_game_team_linescores() for per-period detail.

Usage

```
espn_mlb_game_team_score(event_id, team_id, ...)
```

Arguments

event_id	ESPN event identifier.
team_id	ESPN team identifier.
...	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
value	numeric	Numeric value.
display_value	character	Human-readable value.
winner	logical	Winner.
source_id	character	Source id.
source_description	character	Source description.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(),

espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_team_score(event_id = 401283399, team_id = 29)
```

`espn_mlb_game_team_statistics`

Get ESPN MLB Event Competitor Team Statistics (Long Format)

Description

Returns full team-game statistics for one team in one MLB event in long format: one row per (category x stat). Covers offensive, defensive, and general categories with both raw values and display strings.

Usage

```
espn_mlb_game_team_statistics(event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`team_id`	ESPN team identifier.
`...`	Additional arguments; currently unused.

Value

A long tibble with one row per (category x stat).

col_name	types	description
league	character	League.
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
category_name	character	Statistic category name.

category_display	character	Category display.
stat_name	character	Statistic name.
stat_abbrev	character	Stat abbrev.
stat_display	character	Stat display.
value	numeric	Numeric value.
display_value	character	Human-readable value.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_game_team_statistics(event_id = 401283399, team_id = 29)
```

`espn_mlb_injuries` **Get ESPN MLB Injuries**

Description

Get ESPN MLB Injuries

Get ESPN MLB Injuries

Usage

```
espn_mlb_injuries(season = most_recent_mlb_season(), ...)
```

Arguments

`season`	Numeric or character season year (e.g. `2025`). The ESPN injury endpoint does not filter by season server-side; the value is attached as a constant column on the returned tibble for downstream joins. Defaults to `most_recent_mlb_season()`.
`...`	Currently unused; reserved for future argument threading.

Value

Returns a tibble of league-wide MLB injury records. Returns an empty tibble (zero rows) when no injuries are reported.

Injuries

col_name	types	description
team_id	character	Unique team identifier.
athlete_id	character	Unique athlete identifier (ESPN).
athlete_name	character	Athlete display name (ESPN).
position	character	Listed roster position (G, F, C, etc.).
status	character	Status label.
date	character	Date in YYYY-MM-DD format.
type	character	Record type / category.
side	character	Side label (e.g. 'home', 'away', or 'overUnder').
returns_at	character	
short_comment	character	
long_comment	character	Long-form play / event comment.
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contra, espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_injuries()
```

`espn_mlb_leaders` **Get ESPN MLB League Leaders**

Description

Get ESPN MLB League Leaders

Get ESPN MLB League Leaders

Usage

```
espn_mlb_leaders(season = most_recent_mlb_season(), season_type = 2, ...)
```

Arguments

season	Season year (numeric, e.g. 2025). Defaults to the most recent MLB season.
season_type	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(baseballr.proxy = ...)` – see `?baseballr` for details.

Value

A single `baseballr_data` tibble with one row per category-athlete pair.

col_name	types	description
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).
season_type	integer	Season type (1=pre-season, 2=regular season, 3=postseason, 4=off-season for ESPN).
category	character	Category label.
abbreviation	character	Short abbreviation.
athlete_id	character	Unique athlete identifier (ESPN).
athlete_name	character	Athlete display name (ESPN).
team_id	character	Unique team identifier.
team_abbrev	character	
value	numeric	Numeric or string value field.
rank	integer	Rank.
display_value	character	Human-readable display value.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_news(), espn_mlb_pbp(),

espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contra
espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(),
espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(),
espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis
espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(),
espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(),
espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(),
espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(),
espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(),
espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(),
espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint
espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(),
espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule()
espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(),
espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(),
espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(),
espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_leaders(season = 2024, season_type = 2)
```

---

espn_mlb_news **Get ESPN MLB News**

Description

Get ESPN MLB News

Get ESPN MLB News

Usage

```
espn_mlb_news(limit = 50)
```

Arguments

limit	integer. Maximum number of articles to return. Default 50.

Details

Retrieve ESPN MLB news. Uses `getOption("baseballr.proxy")` or `http_proxy`/`https_proxy` environment variables for proxy configuration (per-call proxy override is not supported for ESPN wrappers).

Value

Returns a tibble of news articles.

col_name	types	description
id	character	Id.
type	character	Record type / category.
headline	character	News headline.
description	character	Long-form description text.
published	character	Publication timestamp (ISO 8601).
premium	logical	
byline	character	News article byline / author.
link_web	character	Web link / URL.
league_id	character	ESPN league identifier.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contra, espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(),

espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_news(limit = 5)
```

`espn_mlb_pbp` **Get ESPN MLB PBP data**

Description

Get ESPN MLB PBP data

Usage

```
espn_mlb_pbp(game_id)
```

Arguments

`game_id`	Game ID

Value

A play-by-play data frame.

col_name	types	description
id	character	Play / record identifier.
sequence_number	character	Play sequence number within the game.
text	character	Text description of the play.
away_score	integer	Away team run total after the play.
home_score	integer	Home team run total after the play.
scoring_play	logical	TRUE if the play scored a run.
score_value	integer	Runs scored on the play.
wallclock	character	Wall-clock timestamp of the play (ISO 8601).
at_bat_id	character	Identifier of the at-bat the play belongs to.
summary_type	character	Play summary type.
outs	integer	Outs in the inning after the play.
type	character	Type.
bat_order	integer	Spot in the batting order (1-9; NA if not applicable).
at_bat_pitch_number	integer	Pitch number within the at-bat.
pitch_velocity	integer	Pitch velocity (mph).
trajectory	character	Batted-ball trajectory.
alternative_play	character	Alternative play.
type_id	integer	Type id.
type_text	character	Type text.

type_type	character	Type type.
type_alternative_text	character	Type alternative text.
type_abbreviation	character	Type abbreviation.
period_type	character	Period type ('inning').
period_number	integer	Inning number.
period_display_value	character	Inning display value (e.g. 'Top 1st').
team_id	integer	Unique ESPN team identifier.
pitch_count_balls	integer	Balls in the count when the pitch was thrown.
pitch_count_strikes	integer	Strikes in the count when the pitch was thrown.
result_count_balls	integer	Balls in the count after the pitch.
result_count_strikes	integer	Strikes in the count after the pitch.
bats_type	character	Bats type.
bats_abbreviation	character	Bats abbreviation.
bats_display_value	character	Bats display value.
pitch_coordinate_x	integer	Pitch location x-coordinate.
pitch_coordinate_y	integer	Pitch location y-coordinate.
pitch_type_id	character	Pitch type identifier.
pitch_type_text	character	Pitch type description (e.g. 'Four-seam FB').
pitch_type_abbreviation	character	Pitch type abbreviation.
hit_coordinate_x	integer	Batted-ball location x-coordinate.
hit_coordinate_y	integer	Batted-ball location y-coordinate.
alternative_type_id	character	Alternative type id.
alternative_type_text	character	Alternative type text.
alternative_type_abbreviation	character	Alternative type abbreviation.
alternative_type_alternative_text	character	Alternative type alternative text.
alternative_type_type	character	Alternative type type.
on_first_athlete_id	character	Athlete id of the runner on first base.
on_second_athlete_id	character	Athlete id of the runner on second base.
play_id	character	Play id.
athlete_id_1	integer	Primary participating athlete id (batter).
athlete_id_2	integer	Second participating athlete id (pitcher).
athlete_id_3	integer	Third participating athlete id (fielder).
home_team_id	integer	Home team id.
home_team_mascot	character	Home team mascot.
home_team_name	character	Home team name.
home_team_abbrev	character	Home team abbrev.
home_team_logo	character	Home team logo.
home_team_logo_dark	character	Home team logo dark.
home_team_full_name	character	Home team full name.
home_team_color	character	Home team color.
home_team_alternate_color	character	Home team alternate color.
home_team_score	integer	Home team score.
home_team_winner	logical	Home team winner.
home_team_record	character	Home team record.
away_team_id	integer	Away team id.
away_team_mascot	character	Away team mascot.
away_team_name	character	Away team name.
away_team_abbrev	character	Away team abbrev.

away_team_logo	character	Away team logo.
away_team_logo_dark	character	Away team logo dark.
away_team_full_name	character	Away team full name.
away_team_color	character	Away team color.
away_team_alternate_color	character	Away team alternate color.
away_team_score	integer	Away team score.
away_team_winner	logical	Away team winner.
away_team_record	character	Away team record.
game_id	integer	Unique ESPN game/event identifier.
season	integer	Season (4-digit year).
season_type	integer	ESPN season type (1=pre, 2=regular, 3=postseason, 4=off-season).
game_date	Date	Game date (YYYY-MM-DD).
game_date_time	POSIXct	Game start date/time (US/Eastern).

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contra, espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(),

espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
try(espn_mlb_pbp(game_id = 401071880))
```

---

espn_mlb_player_awards

Get ESPN MLB Athlete Awards

Description

Get ESPN MLB Athlete Awards

Get ESPN MLB Athlete Awards

Usage

```
espn_mlb_player_awards(athlete_id, ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
...	Additional arguments; currently unused.

Value

A single tibble. This endpoint is sparse; many athletes have no award data, in which case an empty tibble with canonical columns is returned.

col_name	types	description
season	character	Season identifier (4-digit year or 'YYYY-YY' string).
award_id	character	
name	character	Display name.
description	character	Long-form description text.
date	character	Date in YYYY-MM-DD format.
type	character	Record type / category.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_player_awards(athlete_id = "1966")
```

`espn_mlb_player_box` **Get ESPN MLB player box scores**

Description

Get ESPN MLB player box scores

Usage

```
espn_mlb_player_box(game_id)
```

Arguments

game_id	Game ID

Value

A player boxscore data frame

col_name	types	description
game_id	integer	Unique ESPN game/event identifier.
season	integer	Season (4-digit year).
season_type	integer	ESPN season type (1=pre, 2=regular, 3=postseason, 4=off-season).
game_date	Date	Game date (YYYY-MM-DD).
game_date_time	POSIXct	Game start date/time (US/Eastern).
stat_group	character	Statistic side this row reports: 'batting' or 'pitching'.
team_id	integer	Unique ESPN team identifier.
team_name	character	Team nickname (e.g. 'Yankees').
team_abbreviation	character	Short team abbreviation (e.g. 'NYY').
team_display_name	character	Full team display name (e.g. 'New York Yankees').
athlete_id	integer	Unique ESPN athlete identifier.
athlete_display_name	character	Athlete display name (full).
athlete_short_name	character	Athlete short display name.
athlete_position_name	character	Athlete fielding position (e.g. 'Shortstop', 'Pitcher').
athlete_position_abbreviation	character	Position abbreviation (e.g. 'SS', 'P').
starter	logical	TRUE if the player started the game.
bat_order	integer	Spot in the batting order (1-9; NA if not applicable).
active	logical	TRUE if the row represents an active record.
h_ab	character	Hits-for-At-bats line (e.g. '2-4').
ab	character	At-bats.
r	character	Runs scored.
h	character	Hits.
rbi	character	Runs batted in.
hr	character	Home runs.
bb	character	Bases on balls (walks).
k	character	Strikeouts.
number_p	character	Pitches seen / thrown.
avg	character	Batting average.
obp	character	On-base percentage.
slg	character	Slugging percentage.
ip	character	Innings pitched.
er	character	Earned runs.
pc_st	character	Pitch count - strikes (e.g. '95-58').
era	character	Earned run average.
pc	character	Pitch count.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
try(espn_mlb_player_box(game_id = 401071880))
```

`espn_mlb_player_career_stats`

Get ESPN MLB Athlete Career Stats (Long Format)

Description

Returns career stats for an MLB athlete in long format. Default `stat_type = 0L` fetches the standard "All Splits" / regular-season view. Pass a vector like `c(0L, 1L, 2L)` to attempt multiple types and bind them via a `stat_type_id` column; variants that 404 for that athlete are silently skipped. Stat

types: 0 = regular season (default endpoint), 1 = postseason, 2 = career aggregate. Coverage of types 1 and 2 is sparse — many athletes only have type 0 populated.

Usage

```
espn_mlb_player_career_stats(athlete_id, stat_type = 0L, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier.
`stat_type`	Integer or integer vector of stat-type codes. Default `0L` fetches the standard "All Splits" / regular-season view. Pass a vector like `c(0L, 1L, 2L)` to bind multiple types via a `stat_type_id` column; non-existent variants are silently skipped.
`...`	Additional arguments; currently unused.

Details

Get ESPN MLB Athlete Career Stats (Long Format)

Value

A long tibble (one row per stat_type × split × category × stat).

col_name	types	description
league	character	League slug.
athlete_id	character	ESPN athlete id.
stat_type_id	character	Stat-type code (0 = reg, 1 = post, 2 = career).
split_id	character	Split id.
split_name	character	Split name (typically "All Splits").
split_type	character	Split type code.
category_name	character	Category key (e.g. "defensive").
category_display	character	Category display name.
category_short	character	Category short display.
category_abbrev	character	Category abbreviation.
stat_name	character	Stat key.
stat_abbrev	character	Stat abbreviation.
stat_display	character	Stat display name.
stat_short	character	Stat short display.
description	character	Stat description.
value	numeric	Stat value.
display_value	character	Display-formatted value.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
# Aaron Judge — regular + postseason combined
espn_mlb_player_career_stats(athlete_id = 33192)
# Just career aggregate
espn_mlb_player_career_stats(athlete_id = 33192, stat_type = 2L)
```

`espn_mlb_player_contract`

Get ESPN MLB Athlete Contract (Single Season)

Description

Returns the full contract record for one MLB athlete in one season, including salary, cap-rule flags, option type, Bird status, and trade protections. Backed by `sports.core.api.espn.com/v2/sports/baseball/leagues/ml`

Usage

```
espn_mlb_player_contract(athlete_id, season = most_recent_mlb_season(), ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent MLB season.
...	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
athlete_id	character	ESPN athlete identifier.
season	integer	Contract season year.
bird_status	integer	Bird-rights tier (0 = Non, 1 = Early, 2 = Full).
salary	numeric	Total cap-counting salary for the season ($).
salary_remaining	numeric	Remaining salary owed.
years_remaining	integer	Years left on the contract.
incoming_trade_value	numeric	Trade value if receiving this contract ($).
outgoing_trade_value	numeric	Trade value if sending out this contract ($).
option_type	integer	Option type code (e.g. team / player option).
minimum_salary_exception	logical	Signed under the minimum-salary exception.
trade_restriction	logical	Whether a trade restriction is active.
unsigned_foreign_pick	logical	Unsigned-foreign-pick flag.
active	logical	Whether the contract is currently active.
base_year_compensation_active	logical	Base-year-compensation rule active.
poison_pill_provision_active	logical	Poison-pill provision active.
trade_kicker_active	logical	Trade kicker active.
trade_kicker_percentage	numeric	Trade kicker percentage of salary.
trade_kicker_value	numeric	Trade kicker dollar value.
trade_kicker_trade_value	numeric	Trade kicker post-trade dollar value.
season_ref	character	`$ref` to the season resource.
team_ref	character	`$ref` to the team-in-season resource.
team_id	character	ESPN team id parsed from `team_ref`.
league	character	League slug (`"mlb"`).

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: `espn_mlb`, `espn_mlb_athletes_index()`, `espn_mlb_award()`, `espn_mlb_betting()`, `espn_mlb_calendar()`, `espn_mlb_coach()`, `espn_mlb_coach_record()`, `espn_mlb_coach_season()`, `espn_mlb_coaches()`, `espn_mlb_conferences()`, `espn_mlb_draft()`, `espn_mlb_draft_athlete_detail()`,

espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
# Aaron Judge 2025 contract
espn_mlb_player_contract(athlete_id = 33192, season = 2025)
```

`espn_mlb_player_contracts`

Get ESPN MLB Athlete Contracts Index

Description

Returns the index of contract seasons recorded for an MLB athlete from `sports.core.api.espn.com/v2/sports/baseball`. Each row is one contract year — pass the season to `espn_mlb_player_contract()` for the full contract record.

Usage

```
espn_mlb_player_contracts(athlete_id, ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
...	Additional arguments; currently unused.

Value

A tibble with one row per contract year.

col_name	types	description
athlete_id	character	ESPN athlete identifier.
season	integer	Contract season year.
ref	character	Full $ref URL for the contract detail.
league	character	League slug ("mlb").

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(),

espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
# Aaron Judge — athlete id 1966
espn_mlb_player_contracts(athlete_id = 33192)
```

---

espn_mlb_player_endpoints

ESPN MLB Player / Athlete Endpoint Overview

Description

- espn_mlb_athletes_index(): Paginated index of MLB athletes.
- espn_mlb_player_info(): Athlete bio / identity.
- espn_mlb_player_overview(): Athlete overview (stats, next game, news).
- espn_mlb_player_gamelog(): Game-by-game log for a season.
- espn_mlb_player_splits(): Statistical splits.
- espn_mlb_player_stats(), espn_mlb_player_stats_v3(): Season statistics.
- espn_mlb_player_career_stats(), espn_mlb_player_seasons(): Career / season history.
- espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_statisticslog(): Event / statistics logs.
- espn_mlb_player_contract(), espn_mlb_player_contracts(): Contract data.
- espn_mlb_player_awards(): Athlete awards.
- espn_mlb_draft_athletes(), espn_mlb_draft_athlete_detail(): Draft prospects.

Details

ESPN MLB Players:

Athlete-level ESPN endpoints across sports.core.api.espn.com and site.web.api.espn.com: identity, overviews, game logs, splits, season / career statistics, contracts, and awards.

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(),

espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(),
espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(),
espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(),
espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation()
espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(),
espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(),
espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(),
espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(),
espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_eventlog(),
espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(),
espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis
espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(),
espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(),
espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(),
espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(),
espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(),
espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(),
espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint
espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(),
espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule()
espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(),
espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(),
espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(),
espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

`espn_mlb_player_eventlog`

Get ESPN MLB Athlete Eventlog

Description

Get ESPN MLB Athlete Eventlog

Get ESPN MLB Athlete Eventlog

Usage

```
espn_mlb_player_eventlog(athlete_id, season = most_recent_mlb_season(), ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`season`	Season year (numeric). Defaults to the most recent MLB season.
`...`	Additional arguments; currently unused.

Value

A single tibble. Per-event `statistics.$ref` URLs from the ESPN core-v2 API are returned as the character column `statistics_ref` and are NOT resolved. Similarly, `event_ref`, `competition_ref`, and `team_ref` are returned as character columns.

col_name	types	description
event_ref	character	Reference link to the originating event.
competition_ref	character	
team_ref	character	
statistics_ref	character	

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_player_eventlog(athlete_id = "1966", season = 2024)
```

`espn_mlb_player_eventlog_v2`

Get ESPN MLB Athlete Per-Season Event Log (core-v2)

Description

Returns one row per (event x team) for an MLB athlete's appearances in a given season. Distinct from `espn_mlb_player_eventlog()` which wraps the web-common-v3 gamelog endpoint returning stats per game; this core-v2 variant returns refs + `played` flag and is era-correct.

Usage

```
espn_mlb_player_eventlog_v2(athlete_id, season = most_recent_mlb_season(), ...)
```

Arguments

`athlete_id`	ESPN athlete identifier.
`season`	Season year. Defaults to most recent MLB season.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per event appearance. See package source for column schema.

col_name	types	description
league	character	League.
athlete_id	character	Unique ESPN athlete identifier.
season	integer	Season (4-digit year).
event_id	character	Unique ESPN event/game identifier.
team_id	character	Unique ESPN team identifier.
played	logical	Played.
event_ref	character	Event ref.
competition_ref	character	Competition ref.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview, espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_player_eventlog_v2(athlete_id = 33192, season = 2025)
```

---

espn_mlb_player_gamelog

Get ESPN MLB Athlete Gamelog

Description

Get ESPN MLB Athlete Gamelog

Get ESPN MLB Athlete Gamelog

Usage

```
espn_mlb_player_gamelog(athlete_id, season = most_recent_mlb_season(), ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent MLB season.
...	Additional arguments; currently unused.

Value

A single tibble with one row per game. Column names reflect the stat labels returned by ESPN and will vary by season and player.

col_name	types	description
id	character	Identifier.
at_vs	character	At vs.
game_date	character	Game date (YYYY-MM-DD).
score	character	Score.
home_team_id	character	Unique ESPN team identifier.
away_team_id	character	Unique ESPN team identifier.
home_team_score	character	Home team score.
away_team_score	character	Away team score.
game_result	character	Game result (W/L).
league_name	character	League name.
league_abbreviation	character	League abbreviation.
league_short_name	character	League short name.
event_note	character	Event note.
team_id	character	Unique ESPN team identifier.
team_uid	character	ESPN universal team identifier (UID).
team_abbreviation	character	Short team abbreviation (e.g. 'NYY').
team_logo	character	Team logo.
team_is_all_star	character	Team is all star.
opponent_id	character	Opponent team identifier.
opponent_uid	character	ESPN UID.
opponent_display_name	character	Display name.
opponent_abbreviation	character	Opponent abbreviation.
opponent_logo	character	Opponent logo.
event_id	character	Unique ESPN event/game identifier.
week	character	Week.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_player_gamelog(athlete_id = "1966", season = 2024)
```

---

espn_mlb_player_info Get ESPN MLB Athlete Info

Description

Get ESPN MLB Athlete Info

Get ESPN MLB Athlete Info

Usage

```
espn_mlb_player_info(athlete_id, ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use options(baseballr.proxy = ...) – see ?baseballr for details.

Value

A named list of data frames: Bio, Team, Position, Status, College, Draft.

Bio

col_name	types	description
id	character	Id.
full_name	character	Player's full name.
display_name	character	Display name.
jersey	character	Jersey number worn by the player.
age	character	Player age (in years).
date_of_birth	character	Date of birth (YYYY-MM-DD).
headshot_href	character	Headshot image URL.

Team

col_name	types	description
id	character	Id.
abbreviation	character	Short abbreviation.
display_name	character	Display name.

Position

col_name	types	description
id	character	Id.
name	character	Display name.
abbreviation	character	Short abbreviation.

Status

col_name	types	description
id	character	Id.
name	character	Display name.
type	character	Record type / category.

College

col_name	types	description
id	character	Id.
name	character	Display name.
mascot	character	Team mascot.

Draft

col_name	types	description
year	character	4-digit year.
round	character	Tournament / playoff round.
selection	character	

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statis, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint

espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_player_info(athlete_id = "1966")
```

`espn_mlb_player_overview`

Get ESPN MLB Athlete Overview

Description

Get ESPN MLB Athlete Overview

Get ESPN MLB Athlete Overview

Usage

```
espn_mlb_player_overview(athlete_id, season = most_recent_mlb_season(), ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`season`	Season year (numeric). Defaults to the most recent MLB season.
`...`	Additional arguments; currently unused.

Value

A named list of data frames: `Statistics`, `NextGame`, `Last5Games`, `Headlines`, `FantasyOutlook`.

Statistics

col_name	types	description
(varies)	character	

NextGame

col_name	types	description
id	character	Id.
date	character	Date in YYYY-MM-DD format.
name	character	Display name.

short_name	character	Short display name.

Last5Games

col_name	types	description
(varies)	character	

Headlines

col_name	types	description
headline	character	News headline.
description	character	Long-form description text.
published	character	Publication timestamp (ISO 8601).

FantasyOutlook

col_name	types	description
(varies)	character	

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statistics, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(),

espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_player_overview(athlete_id = "1966", season = 2024)
```

`espn_mlb_player_seasons`

Get ESPN MLB Athlete Career Seasons

Description

Returns the list of seasons an MLB athlete appeared in. Useful for bounding follow-up calls to per-season endpoints.

Usage

```
espn_mlb_player_seasons(athlete_id, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`...`	Additional arguments; currently unused.

Value

A tibble with one row per career season.

col_name	types	description
league	character	League slug.
athlete_id	character	ESPN athlete id.
season	integer	Season year.
ref	character	`$ref` URL to the season detail.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_splits(), espn_mlb_player_statistic, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
# Aaron Judge (33192): 23 career seasons
espn_mlb_player_seasons(athlete_id = 33192)
```

---

espn_mlb_player_splits

Get ESPN MLB Athlete Splits

Description

Get ESPN MLB Athlete Splits

Get ESPN MLB Athlete Splits

Usage

```
espn_mlb_player_splits(athlete_id, season = most_recent_mlb_season(), ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent MLB season.
...	Additional arguments; currently unused.

Value

A single long-format tibble. When data are present, columns include at minimum `category` and `split_name`, plus per-stat columns driven by ESPN labels.

col_name	types	description
name	character	Name.
display_name	character	Display name.
splits	list	Splits.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_statisti, espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(),

espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_player_splits(athlete_id = "1966", season = 2024)
```

`espn_mlb_player_statisticslog`

Get ESPN MLB Athlete Statisticslog

Description

Get ESPN MLB Athlete Statisticslog

Get ESPN MLB Athlete Statisticslog

Usage

```
espn_mlb_player_statisticslog(
  athlete_id,
  season = most_recent_mlb_season(),
  ...
)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`season`	Season year (numeric). Defaults to the most recent MLB season.
`...`	Additional arguments; currently unused.

Value

A single tibble. When resolved, each row corresponds to one statistical entry in the core-v2 statistics log, with `event_ref` and `statistics_ref` character columns pointing to resolvable ESPN endpoints.

col_name	types	description
event_ref	character	Reference link to the originating event.
statistics_ref	character	

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_player_statisticslog(athlete_id = "1966", season = 2024)
```

`espn_mlb_player_stats` **Get ESPN MLB player stats data**

Description

Get ESPN MLB player stats data

Usage

```
espn_mlb_player_stats(athlete_id, year, season_type = "regular", total = FALSE)
```

Arguments

`athlete_id`	Athlete ID
`year`	Year
`season_type`	(character, default: regular): Season type - regular or postseason
`total`	(boolean, default: FALSE): Totals

Value

Returns a tibble with the player stats data

col_name	types	description
athlete_id	integer	Unique ESPN athlete identifier.
athlete_uid	character	Athlete uid.
athlete_guid	character	Athlete guid.
athlete_type	character	Athlete type.
sdr	integer	Sdr.
first_name	character	First name.
last_name	character	Last name.
full_name	character	Full name.
display_name	character	Display name.
nickname	character	Team nickname.
short_name	character	Short display name.
weight	numeric	Weight.
display_weight	character	Display weight.
height	numeric	Height.
display_height	character	Display height.
age	integer	Age.
date_of_birth	character	Date of birth.
debut_year	integer	Debut year.
slug	character	Slug.
headshot_href	character	Headshot href.
headshot_alt	character	Headshot alt.
jersey	character	Jersey.
position_id	integer	Position id.

position_name	character	Position name.
position_display_name	character	Position display name.
position_abbreviation	character	Position abbreviation.
position_leaf	logical	Position leaf.
positions_x_ref	character	Positions x ref.
positions_id	character	Positions id.
positions_name	character	Positions name.
positions_display_name	character	Positions display name.
positions_abbreviation	character	Positions abbreviation.
positions_leaf	logical	Positions leaf.
positions_x_ref_1	character	Positions x ref 1.
positions_x_ref_2	character	Positions x ref 2.
positions_x_ref_3	character	Positions x ref 3.
positions_id_1	character	Positions id 1.
positions_name_1	character	Positions name 1.
positions_display_name_1	character	Positions display name 1.
positions_abbreviation_1	character	Positions abbreviation 1.
positions_leaf_1	logical	Positions leaf 1.
positions_x_ref_4	character	Positions x ref 4.
positions_x_ref_5	character	Positions x ref 5.
positions_x_ref_6	character	Positions x ref 6.
positions_id_2	character	Positions id 2.
positions_name_2	character	Positions name 2.
positions_display_name_2	character	Positions display name 2.
positions_abbreviation_2	character	Positions abbreviation 2.
positions_leaf_2	logical	Positions leaf 2.
positions_x_ref_7	character	Positions x ref 7.
positions_x_ref_8	character	Positions x ref 8.
positions_x_ref_9	character	Positions x ref 9.
positions_id_3	character	Positions id 3.
positions_name_3	character	Positions name 3.
positions_display_name_3	character	Positions display name 3.
positions_abbreviation_3	character	Positions abbreviation 3.
positions_leaf_3	logical	Positions leaf 3.
positions_x_ref_10	character	Positions x ref 10.
positions_x_ref_11	character	Positions x ref 11.
linked	logical	Linked.
...and 216 further ESPN stat columns (full batting / pitching / fielding stat set).		

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: `espn_mlb`, `espn_mlb_athletes_index()`, `espn_mlb_award()`, `espn_mlb_betting()`, `espn_mlb_calendar()`, `espn_mlb_coach()`, `espn_mlb_coach_record()`, `espn_mlb_coach_season()`, `espn_mlb_coaches()`, `espn_mlb_conferences()`, `espn_mlb_draft()`, `espn_mlb_draft_athlete_detail()`,

espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
try(espn_mlb_player_stats(athlete_id = 33192, year = 2022))
```

---

espn_mlb_player_stats_v3

Get ESPN MLB Athlete Stats

Description

Get ESPN MLB Athlete Stats

Get ESPN MLB Athlete Stats

Usage

```
espn_mlb_player_stats_v3(athlete_id, season = most_recent_mlb_season(), ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent MLB season.
...	Additional arguments; currently unused.

Value

A named list of per-category tibbles. Default category names are General, Offensive, Defensive, Rebounding, Shooting, Misc. Actual names are driven by the ESPN response; additional categories may appear. Each tibble has columns depending on the category returned by ESPN.

Note: ESPN's web-v3 athlete-statistics feed is sparsely populated for MLB and frequently returns an empty tibble; use espn_mlb_player_stats() or espn_mlb_player_splits() for season statistics. When populated:

col_name	types	description
athlete_id	character	Unique ESPN athlete identifier.
season	integer	Season (4-digit year).
category	character	Statistic category (e.g. 'batting', 'pitching').
stat_name	character	Statistic name.
abbreviation	character	Statistic abbreviation.
value	numeric	Numeric statistic value.
display_value	character	Human-readable statistic value.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_position(), espn_mlb_positions(),

espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_player_stats_v3(athlete_id = "1966", season = 2024)
```

---

espn_mlb_position — Get ESPN MLB Position Detail

Description

Returns metadata for a single MLB position. Useful for dereferencing position `$ref` URLs embedded in athlete records, and for navigating parent/leaf relationships in the position taxonomy.

Usage

```
espn_mlb_position(position_id, ...)
```

Arguments

position_id	ESPN position identifier (character or numeric).
...	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
position_id	character	Unique position identifier.
name	character	Name.
display_name	character	Display name.
abbreviation	character	Short abbreviation.
leaf	logical	TRUE if a leaf position.
parent_ref	character	Parent ref.
league	character	League.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_position(position_id = 1)
```

`espn_mlb_positions` **Get ESPN MLB Positions Index**

Description

Returns the MLB position dictionary index. One row per position with its id and the canonical `$ref` URL — pass an id to `espn_mlb_position()` for full details (display name, abbreviation, leaf flag, parent link).

Usage

```
espn_mlb_positions(...)
```

Arguments

...	Additional arguments; currently unused.

Value

A tibble with one row per position.

col_name	types	description
position_id	character	Unique position identifier.
ref	character	Ref.
league	character	League.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: `espn_mlb`, `espn_mlb_athletes_index()`, `espn_mlb_award()`, `espn_mlb_betting()`, `espn_mlb_calendar()`, `espn_mlb_coach()`, `espn_mlb_coach_record()`, `espn_mlb_coach_season()`, `espn_mlb_coaches()`, `espn_mlb_conferences()`, `espn_mlb_draft()`, `espn_mlb_draft_athlete_detail()`, `espn_mlb_draft_athletes()`, `espn_mlb_draft_pick()`, `espn_mlb_draft_rounds()`, `espn_mlb_draft_status()`, `espn_mlb_franchise()`, `espn_mlb_franchises()`, `espn_mlb_freeagents()`, `espn_mlb_futures()`, `espn_mlb_game_all()`, `espn_mlb_game_broadcasts()`, `espn_mlb_game_endpoints`, `espn_mlb_game_info()`, `espn_mlb_game_odds()`, `espn_mlb_game_official_detail()`, `espn_mlb_game_officials()`, `espn_mlb_game_play()`, `espn_mlb_game_play_personnel()`, `espn_mlb_game_player_box()`, `espn_mlb_game_powerindex()`, `espn_mlb_game_predictor()`, `espn_mlb_game_probabilities()`, `espn_mlb_game_probables()`, `espn_mlb_game_propbets()`, `espn_mlb_game_rosters()`, `espn_mlb_game_situation()`, `espn_mlb_game_team_leaders()`, `espn_mlb_game_team_linescores()`, `espn_mlb_game_team_records()`, `espn_mlb_game_team_roster()`, `espn_mlb_game_team_roster_entry()`, `espn_mlb_game_team_score()`, `espn_mlb_game_team_statistics()`, `espn_mlb_injuries()`, `espn_mlb_leaders()`, `espn_mlb_news()`, `espn_mlb_pbp()`, `espn_mlb_player_awards()`, `espn_mlb_player_box()`, `espn_mlb_player_career_stats()`,

espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits() espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leade espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_positions()
```

---

espn_mlb_powerindex Get ESPN MLB Season Power Index (Long Format)

Description

Returns ESPN's power-index and related per-team metrics for one MLB season, in long format: one row per (team x stat). Auto-paginates through all teams. Backed by `sports.core.api.espn.com/v2/sports/baseball/le` Note: ESPN's power-index feed is sparsely populated for MLB and frequently returns zero items.

Usage

```
espn_mlb_powerindex(
  season = most_recent_mlb_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

season	Season year (numeric). Defaults to the most recent MLB season.
season_type	Integer (1=preseason, 2=regular (default), 3=postseason).
...	Additional arguments; currently unused.

Value

A long tibble with one row per (team x stat).

col_name	types	description
league	character	League slug ("mlb").
season	integer	Season year.
season_type	integer	1=preseason, 2=regular, 3=postseason.
team_id	character	ESPN team id (parsed from team_ref).
stat_name	character	Internal ESPN stat key.
abbreviation	character	Short stat abbreviation.
display_name	character	Human-readable stat name.
description	character	Stat description.
value	numeric	Stat value.
display_value	character	Display-formatted value.
last_updated	character	Last-updated timestamp.
team_ref	character	$ref to the team-in-season resource.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(),

espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_powerindex(season = 2025)
```

`espn_mlb_scoreboard` **Get ESPN MLB schedule for a specific year**

Description

Get ESPN MLB schedule for a specific year

Usage

```
espn_mlb_scoreboard(season)
```

Arguments

season	Either numeric or character (YYYYMMDD)

Value

Returns a tibble with scoreboard data

col_name	types	description
matchup	character	Full game matchup name.
matchup_short	character	Short matchup name.
season	integer	Season (4-digit year).
season_type	integer	ESPN season type (1=pre, 2=regular, 3=postseason, 4=off-season).
season_slug	character	Season slug.
game_id	integer	Unique ESPN game/event identifier.
game_uid	character	ESPN game UID.
game_date	Date	Game date (YYYY-MM-DD).
attendance	integer	Game attendance.
play_by_play_available	logical	TRUE if play-by-play is available.
was_suspended	logical	Was suspended.
notes	logical	Notes.
status_name	character	Game status (e.g. 'STATUS_FINAL').
broadcast_market	character	Broadcast market ('national'/'home'/'away').
broadcast_name	character	Broadcast network name.

batting_leader_value	numeric	Team batting: batting leader value.
batting_leader_stat	character	Team batting: batting leader stat.
batting_leader_name	character	Team batting: batting leader name.
batting_leader_shortname	character	Team batting: batting leader shortname.
batting_leader_headshot	character	Team batting: batting leader headshot.
batting_leader_team_id	character	Team batting: batting leader team id.
batting_leader_pos	character	Team batting: batting leader pos.
home_run_leader_value	logical	Home run leader value.
home_run_leader_stat	logical	Home run leader stat.
home_run_leader_name	logical	Home run leader name.
home_run_leader_shortname	logical	Home run leader shortname.
home_run_leader_headshot	logical	Home run leader headshot.
home_run_leader_team_id	logical	Home run leader team id.
home_run_leader_pos	logical	Home run leader pos.
rbi_leader_value	logical	Rbi leader value.
rbi_leader_stat	logical	Rbi leader stat.
rbi_leader_name	logical	Rbi leader name.
rbi_leader_shortname	logical	Rbi leader shortname.
rbi_leader_headshot	logical	Rbi leader headshot.
rbi_leader_team_id	logical	Rbi leader team id.
rbi_leader_pos	logical	Rbi leader pos.
start_date	character	Start date.
broadcast	character	Broadcast network.
highlights	logical	Highlights.
game_date_time	POSIXct	Game start date/time (US/Eastern).
home_team_name	character	Home team name.
home_team_logo	character	Home team logo.
home_team_abb	character	Home team abb.
home_team_id	integer	Home team id.
home_team_location	character	Home team location.
home_team_full_name	character	Home team full name.
home_team_color	character	Home team color.
home_score	integer	Home team run total after the play.
home_win	integer	Home win.
home_record	character	Home record.
away_team_name	character	Away team name.
away_team_logo	character	Away team logo.
away_team_abb	character	Away team abb.
away_team_id	integer	Away team id.
away_team_location	character	Away team location.
away_team_full_name	character	Away team full name.
away_team_color	character	Away team color.
away_score	integer	Away team run total after the play.
away_win	integer	Away win.
away_record	character	Away record.

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
# Get schedule from date 2022-11-17 (returns 1000 results, max allowable.)

try(espn_mlb_scoreboard(season = 20230423))
```

---

espn_mlb_season_awards

Get ESPN MLB Season Awards Index

Description

Returns the list of award IDs given out in an MLB season from `sports.core.api.espn.com/v2/sports/baseball/league`. The index only contains IDs and `$ref` URLs — pass an ID to `espn_mlb_award()` for the award name, description, and winners.

Usage

```
espn_mlb_season_awards(season = most_recent_mlb_season(), ...)
```

Arguments

`season`	Season year (numeric). Defaults to the most recent MLB season.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per award.

col_name	types	description
season	integer	Season year.
award_id	character	ESPN award identifier.
ref	character	Full `$ref` URL for the award detail.
league	character	League slug (`"mlb"`).

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: `espn_mlb`, `espn_mlb_athletes_index()`, `espn_mlb_award()`, `espn_mlb_betting()`, `espn_mlb_calendar()`, `espn_mlb_coach()`, `espn_mlb_coach_record()`, `espn_mlb_coach_season()`, `espn_mlb_coaches()`, `espn_mlb_conferences()`, `espn_mlb_draft()`, `espn_mlb_draft_athlete_detail()`, `espn_mlb_draft_athletes()`, `espn_mlb_draft_pick()`, `espn_mlb_draft_rounds()`, `espn_mlb_draft_status()`, `espn_mlb_franchise()`, `espn_mlb_franchises()`, `espn_mlb_freeagents()`, `espn_mlb_futures()`, `espn_mlb_game_all()`, `espn_mlb_game_broadcasts()`, `espn_mlb_game_endpoints`, `espn_mlb_game_info()`, `espn_mlb_game_odds()`, `espn_mlb_game_official_detail()`, `espn_mlb_game_officials()`, `espn_mlb_game_play()`, `espn_mlb_game_play_personnel()`, `espn_mlb_game_player_box()`, `espn_mlb_game_powerindex()`, `espn_mlb_game_predictor()`, `espn_mlb_game_probabilities()`, `espn_mlb_game_probables()`, `espn_mlb_game_propbets()`, `espn_mlb_game_rosters()`, `espn_mlb_game_situation()`, `espn_mlb_game_team_leaders()`, `espn_mlb_game_team_linescores()`, `espn_mlb_game_team_records()`, `espn_mlb_game_team_roster()`, `espn_mlb_game_team_roster_entry()`, `espn_mlb_game_team_score()`, `espn_mlb_game_team_statistics()`, `espn_mlb_injuries()`, `espn_mlb_leaders()`, `espn_mlb_news()`, `espn_mlb_pbp()`, `espn_mlb_player_awards()`, `espn_mlb_player_box()`, `espn_mlb_player_career_stats()`, `espn_mlb_player_contract()`, `espn_mlb_player_contracts()`, `espn_mlb_player_endpoints`, `espn_mlb_player_eventlog()`, `espn_mlb_player_eventlog_v2()`, `espn_mlb_player_gamelog()`, `espn_mlb_player_info()`, `espn_mlb_player_overview()`, `espn_mlb_player_seasons()`, `espn_mlb_player_splits()`, `espn_mlb_player_statisticslog()`, `espn_mlb_player_stats()`, `espn_mlb_player_stats_v3()`,

espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_season_awards(season = 2024)
```

---

espn_mlb_season_draft Get ESPN MLB Season Draft (Top-Level Metadata)

Description

Returns a single-row tibble with top-level draft-year metadata: year, number of rounds, display name, plus $refs for the deeper sub-resources (status, athletes, rounds) already wrapped by espn_mlb_draft_status(), espn_mlb_draft_athletes(), and espn_mlb_draft_rounds().

Usage

```
espn_mlb_season_draft(season = most_recent_mlb_season(), ...)
```

Arguments

season	Season year (numeric). Defaults to the most recent MLB season.
...	Additional arguments; currently unused.

Value

A single-row tibble.

Note: ESPN does not currently populate the MLB draft feed, so this typically returns an empty/metadata-only tibble. When populated:

col_name	types	description
season	integer	Draft season (4-digit year).
display_name	character	Draft display name.
status	character	Draft status (e.g. 'pre', 'complete').

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_group(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_season_draft(season = 2024)
```

`espn_mlb_season_group` **Get ESPN MLB Season Group Detail**

Description

Returns metadata for one group (conference or division) in one (MLB season x season-type), plus `$ref` URLs to its parent group, children groups, member teams, and standings.

Usage

```
espn_mlb_season_group(
  group_id,
  season = most_recent_mlb_season(),
  season_type = 2L,
  ...
)
```

Arguments

`group_id`	ESPN group identifier.
`season`	Season year. Defaults to most recent MLB season.
`season_type`	Season-type id (2 = regular (default)).
`...`	Additional arguments; currently unused.

Details

Get ESPN MLB Season Group Detail

Value

A single-row tibble.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
group_id	character	ESPN group id.
uid	character	ESPN UID string.
name	character	Full name (e.g. "Eastern Conference").
abbreviation	character	Short code (e.g. "EAST").
short_name	character	Short name.
midsize_name	character	Mid-size display name.
is_conference	logical	Whether this group is a conference.
slug	character	URL slug.
parent_ref	character	`$ref` to parent group (if any).
children_ref	character	`$ref` to child-groups endpoint.

teams_ref	character	$ref to teams-in-group endpoint.
standings_ref	character	$ref to standings endpoint.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group_children(), espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_season_group(group_id = 5, season = 2025)
```

`espn_mlb_season_group_children`

Get ESPN MLB Season Group Children Index

Description

Returns the list of child groups (e.g. divisions within a conference) for one (MLB season x season-type x parent-group).

Usage

```
espn_mlb_season_group_children(
  group_id,
  season = most_recent_mlb_season(),
  season_type = 2L,
  ...
)
```

Arguments

`group_id`	Parent group identifier.
`season`	Season year. Defaults to most recent MLB season.
`season_type`	Season-type id (2 = regular (default)).
`...`	Additional arguments; currently unused.

Details

Get ESPN MLB Season Group Children Index

Value

A tibble with one row per child group.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
parent_group_id	character	Parent group id (queried).
child_group_id	character	Child group id.
ref	character	`$ref` to child group detail.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_teams, espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_season_group_children(group_id = 5, season = 2025)
```

`espn_mlb_season_group_teams`

Get ESPN MLB Season Group Teams Index

Description

Returns the list of team IDs that belong to one group (conference or division) for one (MLB season x season-type).

Usage

```
espn_mlb_season_group_teams(
  group_id,
  season = most_recent_mlb_season(),
  season_type = 2L,
  ...
)
```

Arguments

group_id	ESPN group identifier.
season	Season year. Defaults to most recent MLB season.
season_type	Season-type id (2 = regular (default)).
...	Additional arguments; currently unused.

Details

Get ESPN MLB Season Group Teams Index

Value

A tibble with one row per team in the group.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
group_id	character	ESPN group id.
team_id	character	ESPN team id.
ref	character	$ref URL to the team-in-season entry.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation()

espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_season_group_teams(group_id = 5, season = 2025)
```

`espn_mlb_season_groups`

Get ESPN MLB Season Groups Index

Description

Returns the list of group IDs (conferences / divisions) for one (MLB season x season-type) via core-v2 `/seasons/{season}/types/{season_type}/groups`.

Usage

```
espn_mlb_season_groups(
  season = most_recent_mlb_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

`season`	Season year. Defaults to most recent MLB season.
`season_type`	Season-type id (2 = regular (default)).
`...`	Additional arguments; currently unused.

Value

A tibble with one row per group.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
group_id	character	ESPN group id.
ref	character	`$ref` URL for the group detail.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_info(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_season_groups(season = 2025)
```

`espn_mlb_season_info` **Get ESPN MLB Season Info**

Description

Get ESPN MLB Season Info

Get ESPN MLB Season Info

Usage

```
espn_mlb_season_info(season = most_recent_mlb_season(), ...)
```

Arguments

`season`	Season year (numeric, e.g. 2025). Defaults to the most recent MLB season.
`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(baseballr.proxy = ...)` – see `?baseballr` for details.

Value

A named list of `baseballr_data` tibbles: `Info`, `Types`, `Athletes`, `Coaches`, `Teams`, `Awards`. `$ref` URL components are returned as character columns and are NOT auto-resolved – use targeted endpoint functions for details.

Info

col_name	types	description
year	integer	4-digit year.
start_date	character	Start date (YYYY-MM-DD).
end_date	character	End date (YYYY-MM-DD).
display_name	character	Display name.
type_id	character	Type identifier (numeric).
type_name	character	

Types / Athletes / Coaches / Teams / Awards

col_name	types	description
count	integer	Count of count.
ref	character	

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_leaders(), espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_season_info(season = 2025)
```

---

espn_mlb_season_leaders

Get ESPN MLB Season Leaders (Long Format)

Description

Returns the per-category leaderboard for one (MLB season x season-type), in long format. Each row is one (category x rank) entry, e.g. "Points Per Game x rank 1 x Aaron Judge".

Usage

```
espn_mlb_season_leaders(
  season = most_recent_mlb_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

`season`	Season year. Defaults to most recent MLB season.
`season_type`	Season-type id (2 = regular (default), 3 = postseason).
`...`	Additional arguments; currently unused.

Details

Get ESPN MLB Season Leaders (Long Format)

Value

A long tibble with one row per (category x leader).

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
category_name	character	Internal category key (e.g. "pointsPerGame").
category_display	character	Human-readable category name.
category_short	character	Short display name.
category_abbrev	character	Stat abbreviation (e.g. "PTS").
rank	integer	Rank within the category (1 = best).
athlete_id	character	ESPN athlete id.
team_id	character	ESPN team id.
display_value	character	Display-formatted value.
value	numeric	Numeric leader value.
rel	character	Comma-joined `rel` tags from ESPN.
athlete_ref	character	`$ref` URL to the leader's athlete.
team_ref	character	`$ref` URL to the leader's team.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_ranking, espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_season_leaders(season = 2025)
```

`espn_mlb_season_ranking`

Get ESPN MLB Season Ranking Detail

Description

Returns the per-week snapshot index for one ranking source (e.g. AP Top 25). Each row is one weekly snapshot; the `ref` URL resolves to the actual ranked teams for that (season-type x week) and will be wrapped by a forthcoming `espn_mlb_week_ranking()`.

Usage

```
espn_mlb_season_ranking(ranking_id, season = most_recent_mlb_season(), ...)
```

Arguments

ranking_id	ESPN ranking identifier (character or numeric).
season	Season year. Defaults to most recent MLB season.
...	Additional arguments; currently unused.

Details

Get ESPN MLB Season Ranking Detail

Value

A tibble with one row per weekly snapshot.

col_name	types	description
league	character	League slug.
season	integer	Season year.
ranking_id	character	ESPN ranking id.
name	character	Ranking name (e.g. "AP Top 25").
short_name	character	Short name (e.g. "AP Poll").
type	character	Ranking type code (e.g. "ap").
season_type	integer	Season-type id of this snapshot.
week	integer	Week number of this snapshot.
ref	character	$ref URL for the per-week ranking detail.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(),

espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_season_ranking(ranking_id = 1, season = 2025)
```

`espn_mlb_season_rankings`

Get ESPN MLB Season Rankings Index

Description

Returns the index of season-level rankings recorded for one MLB season. MLB typically returns zero rankings (ranking polls are a college concept); the wrapper is provided for completeness. (College-basketball / football ranking equivalents live in the hoopR / wehoop / cfbfastR packages.)

Usage

```
espn_mlb_season_rankings(season = most_recent_mlb_season(), ...)
```

Arguments

`season`	Season year. Defaults to most recent MLB season.
`...`	Additional arguments; currently unused.

Details

Get ESPN MLB Season Rankings Index

Value

A tibble with one row per ranking source.

col_name	types	description
league	character	League slug.
season	integer	Season year.
ranking_id	character	ESPN ranking id.
ref	character	`$ref` URL for the ranking detail.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_season_rankings(season = 2025)
```

`espn_mlb_season_type` **Get ESPN MLB Season-Type Detail**

Description

Returns metadata for one season-type within an MLB season: name, abbreviation, start / end dates, and whether it carries groups, standings, or playoff legs.

Usage

```
espn_mlb_season_type(season_type = 2L, season = most_recent_mlb_season(), ...)
```

Arguments

`season_type`	Season-type id (1 = preseason, 2 = regular (default), 3 = postseason, 4 = off-season).
`season`	Season year. Defaults to most recent MLB season.
`...`	Additional arguments; currently unused.

Details

Get ESPN MLB Season-Type Detail

Value

A single-row tibble.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
type	integer	Numeric type code.
name	character	Display name (e.g. "Regular Season").
abbreviation	character	Short code (e.g. "reg").
year	integer	Year stamp.
start_date	character	ISO 8601 start date.
end_date	character	ISO 8601 end date.
has_groups	logical	Whether groups exist for this type.
has_standings	logical	Whether standings exist.
has_legs	logical	Whether playoff legs exist.
slug	character	URL slug.
groups_ref	character	`$ref` to the groups endpoint.

weeks_ref	character	$ref to the weeks endpoint.
leaders_ref	character	$ref to the leaders endpoint.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_season_type(season_type = 2, season = 2025)
```

`espn_mlb_season_types` **Get ESPN MLB Season Types Index**

Description

Returns the index of season-type IDs that exist for one MLB season (typically 1 = preseason, 2 = regular, 3 = postseason, 4 = off-season). Pass an ID to `espn_mlb_season_type()` for the start/end dates and whether that type carries groups, standings, or legs.

Usage

```
espn_mlb_season_types(season = most_recent_mlb_season(), ...)
```

Arguments

`season`	Season year (numeric). Defaults to the most recent MLB season.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per season type.

col_name	types	description
league	character	League slug (`"mlb"`).
season	integer	Season year.
season_type	integer	Season-type id (1/2/3/4).
ref	character	`$ref` URL for the type detail.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: `espn_mlb`, `espn_mlb_athletes_index()`, `espn_mlb_award()`, `espn_mlb_betting()`, `espn_mlb_calendar()`, `espn_mlb_coach()`, `espn_mlb_coach_record()`, `espn_mlb_coach_season()`, `espn_mlb_coaches()`, `espn_mlb_conferences()`, `espn_mlb_draft()`, `espn_mlb_draft_athlete_detail()`, `espn_mlb_draft_athletes()`, `espn_mlb_draft_pick()`, `espn_mlb_draft_rounds()`, `espn_mlb_draft_status()`, `espn_mlb_franchise()`, `espn_mlb_franchises()`, `espn_mlb_freeagents()`, `espn_mlb_futures()`, `espn_mlb_game_all()`, `espn_mlb_game_broadcasts()`, `espn_mlb_game_endpoints`, `espn_mlb_game_info()`, `espn_mlb_game_odds()`, `espn_mlb_game_official_detail()`, `espn_mlb_game_officials()`, `espn_mlb_game_play()`, `espn_mlb_game_play_personnel()`, `espn_mlb_game_player_box()`, `espn_mlb_game_powerindex()`, `espn_mlb_game_predictor()`, `espn_mlb_game_probabilities()`, `espn_mlb_game_probables()`, `espn_mlb_game_propbets()`, `espn_mlb_game_rosters()`, `espn_mlb_game_situation()`, `espn_mlb_game_team_leaders()`, `espn_mlb_game_team_linescores()`, `espn_mlb_game_team_records()`, `espn_mlb_game_team_roster()`, `espn_mlb_game_team_roster_entry()`, `espn_mlb_game_team_score()`,

espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_season_types(season = 2025)
```

---

espn_mlb_season_week Get ESPN MLB Season-Week Detail

Description

Returns metadata for one week (number, start / end dates, text label, and `$ref` to the per-week rankings endpoint).

Usage

```
espn_mlb_season_week(
  week,
  season = most_recent_mlb_season(),
  season_type = 2L,
  ...
)
```

Arguments

week	Week number.
season	Season year. Defaults to most recent MLB season.
season_type	Season-type id (2 = regular (default)).
...	Additional arguments; currently unused.

Details

Get ESPN MLB Season-Week Detail

Value

A single-row tibble.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
week	integer	Week number.
text	character	Display label (e.g. "Week 5").
start_date	character	ISO 8601 week start.
end_date	character	ISO 8601 week end.
rankings_ref	character	`$ref` to the per-week rankings endpoint.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(),

espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule()
espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(),
espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(),
espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(),
espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_season_week(week = 5, season = 2025)
```

---

espn_mlb_season_weeks Get ESPN MLB Season Weeks Index

Description

Returns the list of week IDs for one (MLB season x season-type). MLB uses a week structure inherited from ESPN's schema, but week-level rankings are populated only for college sports, not MLB.

Usage

```
espn_mlb_season_weeks(
  season = most_recent_mlb_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

season	Season year. Defaults to most recent MLB season.
season_type	Season-type id (2 = regular (default), 3 = postseason).
...	Additional arguments; currently unused.

Value

A tibble with one row per week.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
week	integer	Week number (1-based).
ref	character	$ref URL for the week detail.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_season_weeks(season = 2025)
```

`espn_mlb_seasons` **Get ESPN MLB Seasons**

Description

Get ESPN MLB Seasons

Get ESPN MLB Seasons

Usage

```
espn_mlb_seasons(...)
```

Arguments

...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(baseballr.proxy = ...)` – see `?baseballr` for details.

Value

A single `baseballr_data` tibble with one row per season.

col_name	types	description
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).
start_date	character	Start date (YYYY-MM-DD).
end_date	character	End date (YYYY-MM-DD).
display_name	character	Display name.
season_type_count	integer	

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(),

espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_seasons()
```

`espn_mlb_standings` **Get ESPN MLB's Standings**

Description

Get ESPN MLB's Standings

Usage

```
espn_mlb_standings(year)
```

Arguments

`year`	Either numeric or character (YYYY)

Value

A standings data frame

col_name	types	description
team_id	integer	Unique ESPN team identifier.
team	character	Team.
otlosses	character	Otlosses.
otwins	character	Otwins.
avgpointsagainst	numeric	Avgpointsagainst.
avgpointsfor	numeric	Avgpointsfor.
clincher	numeric	Clincher.
differential	numeric	Differential.
divisionwinpercent	numeric	Divisionwinpercent.
gamesbehind	numeric	Gamesbehind.
gamesplayed	character	Gamesplayed.
leaguewinpercent	numeric	Leaguewinpercent.
losses	numeric	Losses.
playoffseed	numeric	Playoffseed.

pointdifferential	character	Pointdifferential.
points	character	Points.
pointsagainst	character	Pointsagainst.
pointsfor	character	Pointsfor.
streak	numeric	Streak.
ties	character	Ties.
winpercent	numeric	Winpercent.
wins	numeric	Wins.
divisiongamesbehind	character	Divisiongamesbehind.
divisionpercent	character	Divisionpercent.
divisiontied	character	Divisiontied.
homelosses	character	Homelosses.
hometies	character	Hometies.
homewins	character	Homewins.
magicnumberdivision	character	Magicnumberdivision.
magicnumberwildcard	character	Magicnumberwildcard.
playoffpercent	character	Playoffpercent.
roadlosses	character	Roadlosses.
roadties	character	Roadties.
roadwins	character	Roadwins.
wildcardpercent	character	Wildcardpercent.
total	character	Total.
home	character	Home.
road	character	Road.
intradivision	character	Intradivision.
intraleague	character	Intraleague.
lasttengames	character	Lasttengames.

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(),

espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_chilc espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
try(espn_mlb_standings(year = 2021))
```

`espn_mlb_team` **Get ESPN MLB Team Detail**

Description

Get ESPN MLB Team Detail

Get ESPN MLB Team Detail

Usage

```
espn_mlb_team(team_id, season = most_recent_mlb_season(), ...)
```

Arguments

`team_id`	ESPN team identifier (character or numeric).
`season`	Season year (numeric, e.g. 2025). Defaults to the most recent MLB season.
`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(baseballr.proxy = ...)` – see `?baseballr` for details.

Value

A named list of data frames: `Info`, `Record`, `NextEvent`, `StandingSummary`, `Coaches`.

Info

col_name	types	description
id	character	Id.
uid	character	ESPN UID string (universal identifier).

slug	character	URL-safe identifier.
abbreviation	character	Short abbreviation.
display_name	character	Display name.
short_display_name	character	Short display name.
name	character	Display name.
nickname	character	Team or athlete nickname.
location	character	Location.
color	character	Primary color (hex without leading '#').
alternate_color	character	Alternate color (hex without leading '#').
logo	character	Team or league logo URL.

Record

col_name	types	description
type	character	Record type / category.
summary	character	
stats	list	

NextEvent

col_name	types	description
id	character	Id.
date	character	Date in YYYY-MM-DD format.
name	character	Display name.
short_name	character	Short display name.

StandingSummary

col_name	types	description
standing_summary	character	

Coaches

col_name	types	description
id	character	Id.
first_name	character	Player's first name.
last_name	character	Player's last name.
experience	integer	Years of professional experience.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoint, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_team(team_id = "13", season = 2025)
```

---

espn_mlb_team_box Get ESPN MLB team box scores

Description

Get ESPN MLB team box scores

Usage

```
espn_mlb_team_box(game_id)
```

Arguments

game_id	Game ID

Value

A team boxscore data frame

col_name	types	description
game_id	integer	Unique ESPN game/event identi
season	integer	Season (4-digit year).
season_type	integer	ESPN season type (1=pre, 2=reg
game_date	Date	Game date (YYYY-MM-DD).
game_date_time	POSIXct	Game start date/time (US/Easter
team_id	integer	Unique ESPN team identifier.
team_uid	character	ESPN universal team identifier (
team_slug	character	URL-safe team identifier.
team_location	character	Team city / location.
team_name	character	Team nickname (e.g. 'Yankees')
team_abbreviation	character	Short team abbreviation (e.g. 'N
team_display_name	character	Full team display name (e.g. 'Ne
team_short_display_name	character	Short team display name.
team_color	character	Team primary color (hex, no lead
team_alternate_color	character	Team alternate color (hex).
team_logo	character	Team logo image URL.
batting_games_played	character	Team batting: batting games play
batting_team_games_played	character	Team batting: batting team game
batting_hit_by_pitch	character	Team batting: batting hit by pitcl
batting_ground_balls	character	Team batting: batting ground bal
batting_strikeouts	character	Team batting: batting strikeouts.
batting_rb_is	character	Team batting: batting rb is.
batting_sac_hits	character	Team batting: batting sac hits.
batting_hits	character	Team batting: batting hits.
batting_stolen_bases	character	Team batting: batting stolen base
batting_walks	character	Team batting: batting walks.
batting_catcher_interference	character	Team batting: batting catcher int
batting_runs	character	Team batting: batting runs.
batting_gid_ps	character	Team batting: batting gid ps.
batting_sac_flies	character	Team batting: batting sac flies.
batting_at_bats	character	Team batting: batting at bats.
batting_home_runs	character	Team batting: batting home runs
batting_grand_slam_home_runs	character	Team batting: batting grand slam
batting_runners_left_on_base	character	Team batting: batting runners lef
batting_triples	character	Team batting: batting triples.
batting_game_winning_rb_is	character	Team batting: batting game winn
batting_intentional_walks	character	Team batting: batting intentional
batting_doubles	character	Team batting: batting doubles.
batting_fly_balls	character	Team batting: batting fly balls.
batting_caught_stealing	character	Team batting: batting caught stea

batting_pitches	character	Team batting: batting pitches.
batting_games_started	character	Team batting: batting games star
batting_pinch_at_bats	character	Team batting: batting pinch at ba
batting_pinch_hits	character	Team batting: batting pinch hits.
batting_player_rating	character	Team batting: batting player rati
batting_is_qualified	character	Team batting: batting is qualifie
batting_is_qualified_steals	character	Team batting: batting is qualifie
batting_total_bases	character	Team batting: batting total bases
batting_plate_appearances	character	Team batting: batting plate appe
batting_projected_home_runs	character	Team batting: batting projected h
batting_extra_base_hits	character	Team batting: batting extra base
batting_runs_created	character	Team batting: batting runs create
batting_avg	character	Team batting: batting average.
batting_pinch_avg	character	Team batting: batting pinch avg.
batting_slug_avg	character	Team batting: batting slug avg.
batting_secondary_avg	character	Team batting: batting secondary
batting_on_base_pct	character	Team batting: batting on base pc
batting_ops	character	Team batting: batting ops.
batting_ground_to_fly_ratio	character	Team batting: batting ground to f
batting_runs_created_per27outs	character	Team batting: batting runs create
batting_batter_rating	character	Team batting: batting batter ratin
batting_at_bats_per_home_run	character	Team batting: batting at bats per
batting_stolen_base_pct	character	Team batting: batting stolen base
batting_pitches_per_plate_appearance	character	Team batting: batting pitches per
batting_isolated_power	character	Team batting: batting isolated po
batting_walk_to_strikeout_ratio	character	Team batting: batting walk to str
batting_walks_per_plate_appearance	character	Team batting: batting walks per p
batting_secondary_avg_minus_ba	character	Team batting: batting secondary
batting_runs_produced	character	Team batting: batting runs produ
batting_runs_ratio	character	Team batting: batting runs ratio.

...and 128 further ESPN stat columns (full batting / pitching / fielding stat set).

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation()

espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
try(espn_mlb_team_box(game_id = 401071880))
```

`espn_mlb_team_current_roster`

Get ESPN MLB current team roster

Description

Get ESPN MLB current team roster

Usage

```
espn_mlb_team_current_roster(team_id)
```

Arguments

`team_id`	Either numeric or character (YYYY)

Value

A teams data frame

col_name	types	description
team_id	integer	Unique ESPN team identifier.
team_uid	character	ESPN universal team identifier (UID).
team_slug	character	URL-safe team identifier.
team_location	character	Team city / location.
team_name	character	Team nickname (e.g. 'Yankees').
team_abbreviation	character	Short team abbreviation (e.g. 'NYY').
team_display_name	character	Full team display name (e.g. 'New York Yankees').
team_short_name	character	Team short name.
team_color	character	Team primary color (hex, no leading '#').
team_alternate_color	character	Team alternate color (hex).
team_is_active	logical	Team is active.
franchise..ref	character	Franchise..ref.
franchise.id	character	Franchise.id.
franchise.uid	character	Franchise.uid.
franchise.slug	character	Franchise.slug.
franchise.location	character	Franchise.location.
franchise.name	character	Franchise.name.
franchise.abbreviation	character	Franchise.abbreviation.
franchise.displayName	character	Franchise.displayName.
franchise.shortDisplayName	character	Franchise.shortDisplayName.
franchise.color	character	Franchise.color.
franchise.isActive	logical	Franchise.isActive.
franchise.venue..ref	character	Franchise.venue..ref.
franchise.venue.id	character	Franchise.venue.id.
franchise.venue.fullName	character	Franchise.venue.fullName.
franchise.venue.shortName	character	Franchise.venue.shortName.
franchise.venue.address.city	character	Franchise.venue.address.city.
franchise.venue.address.state	character	Franchise.venue.address.state.
franchise.venue.address.zipCode	character	Franchise.venue.address.zipCode.
franchise.venue.grass	logical	Franchise.venue.grass.
franchise.venue.indoor	logical	Franchise.venue.indoor.
franchise.venue.images.href	character	Franchise.venue.images.href.
franchise.venue.images.width	integer	Franchise.venue.images.width.
franchise.venue.images.height	integer	Franchise.venue.images.height.
franchise.venue.images.alt	character	Franchise.venue.images.alt.
franchise.venue.images.rel	list	Franchise.venue.images.rel.
franchise..ref.1	character	Franchise..ref.1.
franchise..ref.2	character	Franchise..ref.2.
standingSummary	character	StandingSummary.
logo	character	Logo image URL.
logo_dark	character	Dark-mode logo image URL.
group_id	integer	Group id.
parent_group_id	integer	Parent group id.
group_is_conference	logical	Group is conference.

conference_id	integer	Conference id.
athlete_id	integer	Unique ESPN athlete identifier.
athlete_uid	character	Athlete uid.
athlete_guid	character	Athlete guid.
athlete_type	character	Athlete type.
athlete_first_name	character	Athlete first name.
athlete_last_name	character	Athlete last name.
athlete_full_name	character	Athlete full name.
athlete_display_name	character	Athlete display name (full).
athlete_short_name	character	Athlete short display name.
athlete_weight	integer	Athlete weight.
athlete_display_weight	character	Athlete display weight.
athlete_height	integer	Athlete height.
athlete_display_height	character	Athlete display height.
athlete_age	integer	Athlete age.
athlete_date_of_birth	character	Athlete date of birth.
athlete_slug	character	Athlete slug.
athlete_jersey	character	Athlete jersey.
athlete_linked	logical	Athlete linked.
athlete_active	logical	Athlete active.
athlete_positions	list	Athlete positions.
athlete_hot_zones	list	Athlete hot zones.
athlete_debut_year	integer	Athlete debut year.
athlete_nickname	character	Athlete nickname.
athlete_middle_name	character	Athlete middle name.
athlete_citizenship	character	Athlete citizenship.
athlete_alternate_ids_sdr	character	Athlete alternate ids sdr.
athlete_birth_place_city	character	Athlete birth place city.
athlete_birth_place_state	character	Athlete birth place state.
athlete_birth_place_country	character	Athlete birth place country.
athlete_position_id	character	Athlete position id.
athlete_position_name	character	Athlete fielding position (e.g. 'Shortstop', 'Pitcher').
athlete_position_display_name	character	Athlete position display name.
athlete_position_abbreviation	character	Position abbreviation (e.g. 'SS', 'P').
athlete_position_leaf	logical	Athlete position leaf.
athlete_experience_years	integer	Athlete experience years.
athlete_debut_year_2	integer	Athlete debut year 2.
athlete_status_id	character	Athlete status id.
athlete_status_name	character	Athlete status name.
athlete_status_type	character	Athlete status type.
athlete_status_abbreviation	character	Athlete status abbreviation.
athlete_bats_type	character	Athlete bats type.
athlete_bats_abbreviation	character	Athlete bats abbreviation.
athlete_bats_display_value	character	Athlete bats display value.
athlete_throws_type	character	Athlete throws type.
athlete_throws_abbreviation	character	Athlete throws abbreviation.
athlete_throws_display_value	character	Athlete throws display value.
athlete_headshot_href	character	Athlete headshot href.

athlete_draft_display_text	character	Athlete draft display text.
athlete_draft_round	integer	Athlete draft round.
athlete_draft_year	integer	Athlete draft year.
athlete_draft_selection	integer	Athlete draft selection.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
try(espn_mlb_team_current_roster(team_id = 13))
```

`espn_mlb_team_depthchart`

Get ESPN MLB Team Depth Chart (Long Format)

Description

Returns the team's depth chart in long format, one row per (position × rank × athlete). MLB-only at ESPN's core-v2.

Usage

```
espn_mlb_team_depthchart(team_id, season = most_recent_mlb_season(), ...)
```

Arguments

`team_id`	ESPN team identifier.
`season`	Season year. Defaults to most recent MLB season.
`...`	Additional arguments; currently unused.

Details

Get ESPN MLB Team Depth Chart (Long Format)

Value

A long tibble with one row per athlete depth entry.

col_name	types	description
league	character	League slug.
team_id	character	ESPN team id.
season	integer	Season year.
depthchart_id	character	Depth chart id (typically "1").
depthchart_name	character	Depth chart name.
position	character	Position code (`pg`/`sg`/`sf`/`pf`/`c`).
rank	integer	Depth rank (1 = starter).
athlete_id	character	ESPN athlete id.
athlete_ref	character	`$ref` URL to athlete-in-season.
position_ref	character	`$ref` URL to position resource.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_team_depthchart(team_id = 13, season = 2025)
```

`espn_mlb_team_endpoints`

ESPN MLB Team Endpoint Overview

Description

- `espn_mlb_teams()`, `espn_mlb_team()`: Team list and single-team detail.
- `espn_mlb_team_roster()`, `espn_mlb_team_current_roster()`: Team rosters.
- `espn_mlb_team_schedule()`: Team schedule.

- `espn_mlb_team_stats()`, `espn_mlb_team_season_statistics()`: Team statistics.
- `espn_mlb_team_record()`, `espn_mlb_team_record_detail()`: Team records.
- `espn_mlb_team_leaders()`: Team statistical leaders.
- `espn_mlb_team_injuries()`, `espn_mlb_team_news()`: Team injuries and news.
- `espn_mlb_team_depthchart()`: Team depth chart.
- `espn_mlb_standings()`: League standings.
- `espn_mlb_leaders()`: League-wide statistical leaders.

Details

ESPN MLB Teams:

Team- and league-level ESPN endpoints: team lists and detail, rosters, schedules, statistics, records, leaders, injuries, news, and standings.

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

`espn_mlb_team_injuries` **Get ESPN MLB Team Injuries**

Description

Get ESPN MLB Team Injuries

Get ESPN MLB Team Injuries

Usage

```
espn_mlb_team_injuries(team_id, ...)
```

Arguments

`team_id`	ESPN team identifier (character or numeric; passed as-is). Use `espn_mlb_teams()` to look up team IDs. Example: `"17"` (Las Vegas Aces).
`...`	Currently unused; reserved for future argument threading.

Value

Returns a tibble of injury records for the specified MLB team. Returns an empty tibble (zero rows) when the team has no reported injuries.

Injuries

col_name	types	description
team_id	character	Unique team identifier.
athlete_id	character	Unique athlete identifier (ESPN).
athlete_name	character	Athlete display name (ESPN).
position	character	Listed roster position (G, F, C, etc.).
status	character	Status label.
date	character	Date in YYYY-MM-DD format.
type	character	Record type / category.
side	character	Side label (e.g. 'home', 'away', or 'overUnder').
returns_at	character	
short_comment	character	
long_comment	character	Long-form play / event comment.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_team_injuries(team_id = "13")
```

---

espn_mlb_team_leaders Get ESPN MLB Team Leaders

Description

Get ESPN MLB Team Leaders

Get ESPN MLB Team Leaders

Usage

```
espn_mlb_team_leaders(team_id, season = most_recent_mlb_season(), ...)
```

Arguments

team_id	ESPN team identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent MLB season.
...	Additional arguments; currently unused.

Value

A single long-format tibble (one row per category-rank-athlete).

col_name	types	description
team_id	character	Unique team identifier.
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).
category	character	Category label.
display_name	character	Display name.
athlete_id	character	Unique athlete identifier (ESPN).
athlete_name	character	Athlete display name (ESPN).
value	numeric	Numeric or string value field.
rank	integer	Rank.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(),

espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_chilc espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leade espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule() espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_team_leaders(team_id = "13", season = 2025)
```

`espn_mlb_team_news` **Get ESPN MLB Team News**

Description

Get ESPN MLB Team News

Get ESPN MLB Team News

Usage

```
espn_mlb_team_news(team_id, limit = 25)
```

Arguments

`team_id`	character or integer. ESPN team ID (e.g. 17 for New York Yankees).
`limit`	integer. Maximum number of articles to return. Default 25.

Details

Retrieve ESPN MLB news for a specific team. Uses `getOption("baseballr.proxy")` or `http_proxy`/`https_proxy` environment variables for proxy configuration (per-call proxy override is not supported for ESPN wrappers).

Value

Returns a tibble of team news articles.

col_name	types	description
id	character	Id.
type	character	Record type / category.
headline	character	News headline.
description	character	Long-form description text.
published	character	Publication timestamp (ISO 8601).
premium	logical	
byline	character	News article byline / author.
link_web	character	Web link / URL.
league_id	character	ESPN league identifier.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_odds_records, espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(),

espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_team_news(team_id = "13", limit = 5)
```

`espn_mlb_team_odds_records`

Get ESPN MLB Team Odds-Records (Long Format)

Description

Returns the long-format odds-records breakdown for a team in one season. Each row is one (category × stat) — typical categories include Money Line Overall, Money Line Home, Money Line Road, Against The Spread Overall, Over/Under, etc. ESPN's coverage of this endpoint is sparse; many (team × season-type) combinations return 404, in which case the wrapper returns an empty tibble.

Usage

```
espn_mlb_team_odds_records(
  team_id,
  season = most_recent_mlb_season(),
  season_type = 0L,
  ...
)
```

Arguments

`team_id`	ESPN team identifier.
`season`	Season year. Defaults to most recent MLB season.
`season_type`	Season-type id. ESPN populates odds-records mostly under `season_type = 0` (all-types aggregate), so that is the default.
`...`	Additional arguments; currently unused.

Value

A long tibble with one row per (category × stat).

col_name	types	description
league	character	League slug.
team_id	character	ESPN team identifier.
season	integer	Season year.

season_type	integer	Season-type id.
category_type	character	Category type code (e.g. "moneyLineOverall").
category_abbrev	character	Category abbreviation (e.g. "ML").
category_short	character	Short display.
category_display	character	Full category name.
stat_type	character	Stat type code (e.g. "win", "loss").
stat_abbrev	character	Stat abbreviation (e.g. "W", "L").
stat_display	character	Stat display name.
value	numeric	Numeric stat value.
display_value	character	Display-formatted value.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_team_odds_records(team_id = 13, season = 2026)
```

`espn_mlb_team_record` **Get ESPN MLB Team Record (Per Season Type)**

Description

Returns the long-format record breakdown for an MLB team in one season and season-type. Each row is one record type (Overall, Home, Road, vs Conference, vs Division, etc.). Backed by `sports.core.api.espn.com/v2/sports/baseball/leagues/mlb/seasons/{season}/types/{season_type}/teams/`

Usage

```
espn_mlb_team_record(
  team_id,
  season = most_recent_mlb_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

`team_id`	ESPN team identifier.
`season`	Season year (numeric). Defaults to most recent MLB season.
`season_type`	Integer (2 = regular season default; 3 = postseason).
`...`	Additional arguments; currently unused.

Value

A tibble with one row per record category.

col_name	types	description
league	character	League slug (`"mlb"`).
team_id	character	ESPN team identifier.
season	integer	Season year.
season_type	integer	Season type (1/2/3).
record_id	character	Record sub-id.
name	character	Internal record name (e.g. "overall").
abbreviation	character	Abbreviation (e.g. "Total").
display_name	character	Display name (e.g. "Overall").
short_display_name	character	Short display (e.g. "OVER").
description	character	Description (e.g. "Overall Record").
type	character	Record type code (`total`, `home`, ...).
summary	character	W-L summary (e.g. "50-32").

display_value	character	Same as summary in most cases.
value	numeric	Win percentage (0-1).

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_team_record(team_id = 13, season = 2025)
```

`espn_mlb_team_record_detail`

Get ESPN MLB Team Record Detail (Long Format)

Description

Returns one team's record detail in long format: one row per stat in the record's `stats[]` array. Use `espn_mlb_team_record()` to enumerate available `record_id` values per team-season (overall / home / away / conference + per-opponent breakdowns).

Usage

```
espn_mlb_team_record_detail(team_id, season, record_id, season_type = 2L, ...)
```

Arguments

`team_id`	ESPN team identifier.
`season`	Season year (numeric).
`record_id`	Record identifier (from `espn_mlb_team_record()` index).
`season_type`	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
`...`	Additional arguments; currently unused.

Value

A long tibble.

col_name	types	description
league	character	League.
team_id	character	Unique ESPN team identifier.
season	integer	Season (4-digit year).
season_type	integer	ESPN season type (1=pre, 2=regular, 3=post).
record_id	character	Record id.
record_name	character	Record name.
record_abbrev	character	Record abbrev.
record_display	character	Record display.
record_type	character	Record type id.
record_summary	character	Record summary.
stat_name	character	Statistic name.
stat_abbrev	character	Stat abbrev.
stat_display	character	Stat display.
value	numeric	Numeric value.
stat_display_value	character	Statistic display value.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_team_record_detail(team_id = 13, season = 2024, record_id = 0)
```

`espn_mlb_team_roster` **Get ESPN MLB Team Roster**

Description

Get ESPN MLB Team Roster

Get ESPN MLB Team Roster

Usage

```
espn_mlb_team_roster(team_id, season = most_recent_mlb_season(), ...)
```

Arguments

team_id	ESPN team identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent MLB season.
...	Additional arguments; currently unused.

Value

A single tibble with one row per athlete.

col_name	types	description
athlete_id	character	Unique athlete identifier (ESPN).
full_name	character	Player's full name.
jersey	character	Jersey number worn by the player.
position_abbrev	character	
position_name	character	Listed roster position (e.g. 'Pitcher', 'Shortstop', 'Catcher').
height	character	Player height (string e.g. '6-2' or inches).
weight	character	Player weight in pounds.
age	character	Player age (in years).
birth_date	character	Date of birth (YYYY-MM-DD).
birth_place	character	Place of birth.
headshot	character	Headshot image URL.
link_web	character	Web link / URL.
status	character	Status label.
team_id	character	Unique team identifier.
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(),

espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_team_roster(team_id = "13", season = 2025)
```

---

espn_mlb_team_schedule

Get ESPN MLB Team Schedule

Description

Get ESPN MLB Team Schedule

Get ESPN MLB Team Schedule

Usage

```
espn_mlb_team_schedule(
  team_id,
  season = most_recent_mlb_season(),
  season_type = 2,
  ...
)
```

Arguments

team_id	ESPN team identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent MLB season.
season_type	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
...	Additional arguments; currently unused.

Value

A single tibble with one row per event.

col_name	types	description
event_id	character	Unique event / game identifier (ESPN).
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).
season_type	integer	Season type (1=pre-season, 2=regular season, 3=postseason, 4=off-season for ESPN).
week	integer	Week number within the season.
date	character	Date in YYYY-MM-DD format.
name	character	Display name.
short_name	character	Short display name.
opponent_id	character	Unique identifier for opponent.
opponent_abbrev	character	Abbreviation for opponent.
home_away	character	Game venue label ('home' or 'away').
neutral_site	logical	Neutral site.
conference_competition	logical	Conference competition.
venue_id	character	Unique venue identifier.
venue_name	character	Venue name.
venue_city	character	Venue city.
venue_state	character	Venue state / region.
broadcast	character	Broadcast information string.
result	character	Result.
team_score	character	Team's score / final score.
opponent_score	character	Opponent score.
winner	logical	Winner.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(),

espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_team_schedule(team_id = "13", season = 2025)
```

`espn_mlb_team_season_profile`

Get ESPN MLB Team-in-Season Profile

Description

Era-correct team identity for an MLB franchise in a specific season, plus the available `$ref` URLs for deeper resources (record, statistics, leaders, coaches, etc.). Backed by the core-v2 endpoint `sports.core.api.espn.com/v2/sports/baseball/leagues/mlb/seasons/{season}/teams/{team_id}`.

Historical depth goes back to **1947** (MLB founding). Older seasons return fewer `$ref` keys; missing refs become `NA`.

Usage

```
espn_mlb_team_season_profile(team_id, season = most_recent_mlb_season(), ...)
```

Arguments

team_id	ESPN team identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent MLB season.
...	Additional arguments; currently unused.

Value

A single-row tibble with team identity scalars and _ref URL columns. Selected columns:

col_name	types	description
id	character	ESPN team identifier.
guid	character	Stable cross-league team GUID.
uid	character	ESPN UID string.
slug	character	URL-safe identifier.
location	character	Team city/region (e.g. "Los Angeles").
name	character	Team name (e.g. "Yankees").
abbreviation	character	Short abbreviation (e.g. "LAL").
display_name	character	Full display name.
short_display_name	character	Short display name.
color	character	Primary color (hex, no leading '#').
alternate_color	character	Alternate color (hex, no leading '#').
is_active	logical	Whether the team was active in this season.
season	integer	Season year.
logo	character	Primary logo URL.
logo_dark	character	Dark-mode logo URL.
record_ref	character	$ref to team record resource (if present).
statistics_ref	character	$ref to team statistics resource (if present).
leaders_ref	character	$ref to team leaders resource (if present).
coaches_ref	character	$ref to team coaches resource (if present).
depth_charts_ref	character	$ref to depth chart resource (MLB-only).
events_ref	character	$ref to team events resource (if present).
transactions_ref	character	$ref to team transactions resource (if present).
franchise_ref	character	$ref to franchise resource.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(),

espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_roster(), espn_mlb_team_season_s, espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_team_season_profile(team_id = "13", season = 2025)
```

`espn_mlb_team_season_roster`

Get ESPN MLB Team Roster (Per-Season, core-v2)

Description

Returns the per-season team roster as a tibble of athlete IDs from `seasons/{y}/teams/{id}/athletes`. Distinct from `espn_mlb_team_roster()` which targets a site-v2 endpoint optimized for the current season; this core-v2 variant is era-correct and available back to ESPN's earliest season for each league.

Usage

```
espn_mlb_team_season_roster(team_id, season = most_recent_mlb_season(), ...)
```

Arguments

`team_id`	ESPN team identifier.
`season`	Season year. Defaults to most recent MLB season.
`...`	Additional arguments; currently unused.

Details

Get ESPN MLB Team Roster (Per-Season, core-v2)

Value

A tibble with one row per athlete on the season roster.

col_name	types	description
league	character	League slug.
team_id	character	ESPN team id.
season	integer	Season year.
athlete_id	character	ESPN athlete id.
ref	character	`$ref` URL to athlete-in-season detail.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(),

espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_team_season_roster(team_id = 13, season = 2025)
```

`espn_mlb_team_season_statistics`

Get ESPN MLB Team Season Statistics (Long Format with Rank)

Description

Returns the full team-season-type statistics sheet for one MLB team in long format: one row per (category x stat). Each row carries the team's league rank for that stat where ESPN provides it (`rank` + `rank_display_value`). Complements `espn_mlb_team_record()` (W-L only) with the full stat package.

Usage

```
espn_mlb_team_season_statistics(
  team_id,
  season = most_recent_mlb_season(),
  season_type = 2L,
  ...
)
```

Arguments

`team_id`	ESPN team identifier.
`season`	Season year (numeric). Defaults to the most recent MLB season.
`season_type`	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
`...`	Additional arguments; currently unused.

Value

A long tibble with one row per (category x stat).

col_name	types	description
league	character	League.
season	integer	Season (4-digit year).
season_type	integer	ESPN season type (1=pre, 2=regular, 3=post).
team_id	character	Unique ESPN team identifier.
category_name	character	Statistic category name.

category_display	character	Category display.
stat_name	character	Statistic name.
stat_abbrev	character	Stat abbrev.
stat_display	character	Stat display.
value	numeric	Numeric value.
display_value	character	Human-readable value.
rank	integer	Rank within the result set.
rank_display_value	character	Rank display value.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_team_season_statistics(team_id = 13, season = 2024)
```

`espn_mlb_team_stats` **Get ESPN MLB team stats data**

Description

Get ESPN MLB team stats data

Usage

```
espn_mlb_team_stats(team_id, year, season_type = "regular", total = FALSE)
```

Arguments

`team_id`	Team ID
`year`	Year
`season_type`	(character, default: regular): Season type - regular or postseason
`total`	(boolean, default: FALSE): Totals

Value

Returns a tibble with the team stats data

col_name	types	description
team_id	integer	Unique ESPN team identifier.
team_guid	character	ESPN team GUID.
team_uid	character	ESPN universal team identifier (
team_sdr	character	Team sdr.
team_slug	character	URL-safe team identifier.
team_location	character	Team city / location.
team_name	character	Team nickname (e.g. 'Yankees')
team_abbreviation	character	Short team abbreviation (e.g. 'N
team_display_name	character	Full team display name (e.g. 'Ne
team_short_display_name	character	Short team display name.
team_color	character	Team primary color (hex, no lead
team_alternate_color	character	Team alternate color (hex).
team_is_active	logical	Team is active.
is_all_star	logical	Is all star.
logo_href	character	Logo href.
logo_dark_href	character	Logo dark href.
logos_href_2	character	Logos href 2.
logos_href_3	character	Logos href 3.
logos_href_4	character	Logos href 4.

logos_width_4	integer	Logos width 4.
logos_height_4	integer	Logos height 4.
logos_alt_4	character	Logos alt 4.
logos_rel_full_4	character	Logos rel full 4.
logos_rel_primary_logo_on_white_color	character	Logos rel primary logo on white
logos_last_updated_4	character	Logos last updated 4.
logos_href_5	character	Logos href 5.
logos_width_5	integer	Logos width 5.
logos_height_5	integer	Logos height 5.
logos_alt_5	character	Logos alt 5.
logos_rel_full_5	character	Logos rel full 5.
logos_rel_primary_logo_on_black_color	character	Logos rel primary logo on black
logos_last_updated_5	character	Logos last updated 5.
logos_href_6	character	Logos href 6.
logos_width_6	integer	Logos width 6.
logos_height_6	integer	Logos height 6.
logos_alt_6	character	Logos alt 6.
logos_rel_full_6	character	Logos rel full 6.
logos_rel_primary_logo_on_primary_color	character	Logos rel primary logo on prima
logos_last_updated_6	character	Logos last updated 6.
logos_href_7	character	Logos href 7.
logos_width_7	integer	Logos width 7.
logos_height_7	integer	Logos height 7.
logos_alt_7	character	Logos alt 7.
logos_rel_full_7	character	Logos rel full 7.
logos_rel_primary_logo_on_secondary_color	character	Logos rel primary logo on secon
logos_last_updated_7	character	Logos last updated 7.
logos_href_8	character	Logos href 8.
logos_width_8	integer	Logos width 8.
logos_height_8	integer	Logos height 8.
logos_alt_8	character	Logos alt 8.
logos_rel_full_8	character	Logos rel full 8.
logos_rel_primary_logo_black	character	Logos rel primary logo black.
logos_last_updated_8	character	Logos last updated 8.
logos_href_9	character	Logos href 9.
logos_width_9	integer	Logos width 9.
logos_height_9	integer	Logos height 9.
logos_alt_9	character	Logos alt 9.
logos_rel_full_9	character	Logos rel full 9.
logos_rel_primary_logo_white	character	Logos rel primary logo white.
logos_last_updated_9	character	Logos last updated 9.

...and 212 further ESPN stat columns (full batting / pitching / fielding stat set).

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
try(espn_mlb_team_stats(team_id = 13, year = 2020))
```

`espn_mlb_teams` **Get ESPN MLB team names and IDs**

Description

Get ESPN MLB team names and IDs

Usage

```
espn_mlb_teams()
```

Value

A teams data frame

col_name	types	description
abbreviation	character	Short abbreviation.
alternate_color	character	Alternate color (hex).
color	character	Primary color (hex).
display_name	character	Display name.
team_id	integer	Unique ESPN team identifier.
team	character	Team.
logo	character	Logo image URL.
logo_dark	character	Dark-mode logo image URL.
logos_href_3	character	Logos href 3.
logos_href_4	character	Logos href 4.
logos_href_5	character	Logos href 5.
logos_href_6	character	Logos href 6.
logos_href_7	character	Logos href 7.
logos_href_8	character	Logos href 8.
logos_href_9	character	Logos href 9.
logos_href_10	character	Logos href 10.
logos_href_11	character	Logos href 11.
logos_href_12	character	Logos href 12.
logos_href_13	character	Logos href 13.
logos_href_14	character	Logos href 14.
logos_href_15	character	Logos href 15.
logos_href_16	character	Logos href 16.
mascot	character	Team mascot.
nickname	character	Team nickname.
short_name	character	Short display name.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(),

espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
try(espn_mlb_teams())
```

---

espn_mlb_tournament Get ESPN MLB Tournament Detail

Description

Returns metadata for a single tournament plus the `$ref` URL for the tournament's seasons list. Use `espn_mlb_tournament_seasons()` to resolve the seasons.

Usage

```
espn_mlb_tournament(tournament_id, ...)
```

Arguments

`tournament_id`	ESPN tournament identifier.
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
tournament_id	character	ESPN tournament identifier.
display_name	character	Human-readable tournament name.
seasons_ref	character	`$ref` to the seasons-list endpoint.
league	character	League slug (`"mlb"`).

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_tournament(tournament_id = 1)
```

`espn_mlb_tournament_season`

Get ESPN MLB Tournament Season Detail

Description

Returns single-row detail for one (tournament, season) pair: id, display name, number of rounds, and `$refs` to the season + bracketology resources. Use `espn_mlb_tournament_seasons()` to enumerate valid (tournament_id, season) pairs.

Usage

```
espn_mlb_tournament_season(tournament_id, season, ...)
```

Arguments

`tournament_id`	ESPN tournament identifier.
`season`	Season year (numeric).
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

Note: MLB has no tournament structure at ESPN, so this returns an empty tibble (the wrapper exists for cross-sport API symmetry). When populated (other sports), the columns are:

col_name	types	description
tournament_id	character	Unique ESPN tournament identifier.
season	integer	Season (4-digit year).
name	character	Tournament name.
display_name	character	Tournament display name.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_tournament_season(tournament_id = 1, season = 2024)
```

`espn_mlb_tournament_seasons`

Get ESPN MLB Tournament Seasons List

Description

Returns the seasons in which a given MLB tournament was held.

Usage

```
espn_mlb_tournament_seasons(tournament_id, ...)
```

Arguments

tournament_id	ESPN tournament identifier.
...	Additional arguments; currently unused.

Value

A tibble with one row per season.

col_name	types	description
league	character	League slug ("mlb").
tournament_id	character	ESPN tournament identifier.
season	integer	Season year.
ref	character	Full $ref URL for that season.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(),

espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_tournament_seasons(tournament_id = 1)
```

---

espn_mlb_tournaments Get ESPN MLB Tournaments Index

Description

Returns the index of MLB-branded tournaments tracked by ESPN (e.g. the in-season tournament). Each row is one tournament with its ID and the `$ref` URL.

Usage

```
espn_mlb_tournaments(...)
```

Arguments

...	Additional arguments; currently unused.

Value

A tibble with one row per tournament.

col_name	types	description
tournament_id	character	ESPN tournament identifier.
ref	character	Full `$ref` URL for the detail.
league	character	League slug (`"mlb"`).

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_tournaments()
```

`espn_mlb_transactions` **Get ESPN MLB Transactions**

Description

Get ESPN MLB Transactions

Get ESPN MLB Transactions

Usage

```
espn_mlb_transactions(season = most_recent_mlb_season(), limit = 100, ...)
```

Arguments

season	Season year (numeric, e.g. 2025). Defaults to the most recent MLB season.
limit	Maximum number of transactions to return (integer). Default 100.
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use options(baseballr.proxy = ...).

Details

Calls the ESPN site-v2 endpoint https://site.api.espn.com/apis/site/v2/sports/baseball/mlb/transactions?s
Releases have a NULL to_team_id; those are stored as NA. Returns an empty tibble rather than erroring when no transactions are available.

Value

A baseballr_data tibble with one row per transaction:

col_name	types	description
transaction_id	character	
date	character	Date in YYYY-MM-DD format.
type	character	Record type / category.
description	character	Long-form description text.
team_id	character	Unique team identifier.
athlete_id	character	Unique athlete identifier (ESPN).
athlete_name	character	Athlete display name (ESPN).
from_team_id	character	
to_team_id	character	

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation()

espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_transactions(season = 2025, limit = 10)
```

`espn_mlb_venues` **Get ESPN MLB Venues**

Description

Get ESPN MLB Venues

Get ESPN MLB Venues

Usage

```
espn_mlb_venues(...)
```

Arguments

`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(baseballr.proxy = ...)` – see `?baseballr` for details.

Value

A single `baseballr_data` tibble with one row per venue.

col_name	types	description
venue_id	character	Unique venue identifier.
name	character	Display name.
full_name	character	Player's full name.
address_city	character	
address_state	character	
capacity	integer	
indoor	logical	
grass	logical	
images_url	character	

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(),

espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_week_ranking(), espn_mlb_week_rankings(), espn_mlb_wp()

Examples

```
espn_mlb_venues()
```

---

espn_mlb_week_ranking Get ESPN MLB Per-Week Ranking Detail

Description

Returns the long-format ranked teams for one (season x season-type x week x ranking-source). MLB typically returns an empty tibble.

Usage

```
espn_mlb_week_ranking(
  ranking_id,
  week,
  season = most_recent_mlb_season(),
  season_type = 2L,
  ...
)
```

Arguments

ranking_id	Ranking source id (1 = AP, 2 = Coaches, etc.).
week	Week number.
season	Season year. Defaults to most recent MLB season.
season_type	Season-type id (2 = regular (default)).
...	Additional arguments; currently unused.

Details

Get ESPN MLB Per-Week Ranking Detail

Value

A tibble with one row per ranked team (typically 25).

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
week	integer	Week number.
ranking_id	character	ESPN ranking id.
name	character	Ranking name (e.g. "AP Top 25").
short_name	character	Short name.
type	character	Ranking type code.
headline	character	Full headline.
date	character	Date of the ranking.
current	integer	Current rank.
previous	integer	Previous-week rank.
points	numeric	Voting points.
first_place_votes	integer	First-place vote count.
trend	character	Trend indicator (e.g. "+3", "-2", "-").
record_summary	character	Team's record at time of poll (e.g. "20-2").
team_id	character	ESPN team id.
team_ref	character	`$ref` to the team-in-season resource.
last_updated	character	Last-updated timestamp.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits()

espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(),
espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(),
espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_chil
espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leade
espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(),
espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(),
espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(),
espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(),
espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(),
espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(),
espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(),
espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(),
espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_rankings(),
espn_mlb_wp()

Examples

```
espn_mlb_week_ranking(ranking_id = 1, week = 5, season = 2025)
```

`espn_mlb_week_rankings`

Get ESPN MLB Per-Week Rankings Index

Description

Returns the index of ranking sources available for one (MLB season x season-type x week). MLB does not publish weekly rankings, so this typically returns an empty tibble; the wrapper is provided for completeness with the ESPN schema.

Usage

```
espn_mlb_week_rankings(
  week,
  season = most_recent_mlb_season(),
  season_type = 2L,
  ...
)
```

Arguments

`week`	Week number.
`season`	Season year. Defaults to most recent MLB season.
`season_type`	Season-type id (2 = regular (default)).
`...`	Additional arguments; currently unused.

Details

Get ESPN MLB Per-Week Rankings Index

Value

A tibble with one row per ranking source.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
week	integer	Week number.
ranking_id	character	ESPN ranking id.
ref	character	`$ref` URL for the ranked-teams detail.

Author(s)

Saiem Gilani

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(), espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(),

espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_wp()

Examples

```
espn_mlb_week_rankings(week = 5, season = 2025)
```

---

espn_mlb_wp **Get MLB win probability chart data from ESPN**

Description

Get MLB win probability chart data from ESPN

Usage

```
espn_mlb_wp(game_id)
```

Arguments

game_id	(*Integer* required): Game ID filter for querying a single game

Value

espn_mlb_wp() - A baseballr_data tibble, one row per win-probability play:

col_name	types	description
game_id	numeric	Unique ESPN game/event identifier.
play_id	character	Unique play identifier within the game.
home_win_percentage	numeric	Home team win probability (0-1 decimal).
away_win_percentage	numeric	Away team win probability (0-1 decimal).
tie_percentage	numeric	Tie probability (0-1 decimal; extra-innings tie state).
sequence_number	character	Sequence number of the play within the game.
text	character	Text description of the play.
away_score	integer	Away team run total after the play.
home_score	integer	Home team run total after the play.
scoring_play	logical	TRUE if the play scored a run.
score_value	integer	Runs scored on the play.
wallclock	character	Wall-clock timestamp of the play (ISO 8601).
at_bat_id	character	Identifier of the at-bat the play belongs to.
summary_type	character	Play summary type.
outs	integer	Outs in the inning after the play.
participants	list	List of athlete participants in the play.
type_id	character	Play type identifier.
type_text	character	Play type description.

type_type	character	Play type category.
period_type	character	Period type ('inning').
period_number	integer	Inning number.
period_display_value	character	Inning display value (e.g. 'Top 1st').
team_id	character	Batting team identifier.
pitch_count_balls	integer	Balls in the count when the pitch was thrown.
pitch_count_strikes	integer	Strikes in the count when the pitch was thrown.
result_count_balls	integer	Balls in the count after the pitch.
result_count_strikes	integer	Strikes in the count after the pitch.
bat_order	integer	Batting order spot of the batter.
type_alternative_text	character	Alternative play type text.
bats_type	character	Batter handedness type.
bats_abbreviation	character	Batter handedness (L/R/S).
bats_display_value	character	Batter handedness display value.
at_bat_pitch_number	integer	Pitch number within the at-bat.
pitch_velocity	integer	Pitch velocity (mph).
trajectory	character	Batted-ball trajectory.
type_abbreviation	character	Play type abbreviation.
pitch_coordinate_x	integer	Pitch location x-coordinate.
pitch_coordinate_y	integer	Pitch location y-coordinate.
pitch_type_id	character	Pitch type identifier.
pitch_type_text	character	Pitch type description.
pitch_type_abbreviation	character	Pitch type abbreviation.
hit_coordinate_x	integer	Batted-ball location x-coordinate.
hit_coordinate_y	integer	Batted-ball location y-coordinate.
alternative_play	character	Alternative play flag.
alternative_type_id	character	Alternative play type id.
alternative_type_text	character	Alternative play type text.
alternative_type_abbreviation	character	Alternative play type abbreviation.
alternative_type_alternative_text	character	Alternative play alternative text.
alternative_type_type	character	Alternative play type category.
on_first_athlete_id	character	Athlete id of the runner on first base.
on_second_athlete_id	character	Athlete id of the runner on second base.
on_third_athlete_id	character	Athlete id of the runner on third base.

See Also

Other ESPN MLB Functions: espn_mlb, espn_mlb_athletes_index(), espn_mlb_award(), espn_mlb_betting(), espn_mlb_calendar(), espn_mlb_coach(), espn_mlb_coach_record(), espn_mlb_coach_season(), espn_mlb_coaches(), espn_mlb_conferences(), espn_mlb_draft(), espn_mlb_draft_athlete_detail(), espn_mlb_draft_athletes(), espn_mlb_draft_pick(), espn_mlb_draft_rounds(), espn_mlb_draft_status(), espn_mlb_franchise(), espn_mlb_franchises(), espn_mlb_freeagents(), espn_mlb_futures(), espn_mlb_game_all(), espn_mlb_game_broadcasts(), espn_mlb_game_endpoints, espn_mlb_game_info(), espn_mlb_game_odds(), espn_mlb_game_official_detail(), espn_mlb_game_officials(), espn_mlb_game_play(), espn_mlb_game_play_personnel(), espn_mlb_game_player_box(), espn_mlb_game_powerindex(), espn_mlb_game_predictor(), espn_mlb_game_probabilities(), espn_mlb_game_probables(), espn_mlb_game_propbets(), espn_mlb_game_rosters(), espn_mlb_game_situation(), espn_mlb_game_team_leaders(), espn_mlb_game_team_linescores(), espn_mlb_game_team_records(),

espn_mlb_game_team_roster(), espn_mlb_game_team_roster_entry(), espn_mlb_game_team_score(), espn_mlb_game_team_statistics(), espn_mlb_injuries(), espn_mlb_leaders(), espn_mlb_news(), espn_mlb_pbp(), espn_mlb_player_awards(), espn_mlb_player_box(), espn_mlb_player_career_stats(), espn_mlb_player_contract(), espn_mlb_player_contracts(), espn_mlb_player_endpoints, espn_mlb_player_eventlog(), espn_mlb_player_eventlog_v2(), espn_mlb_player_gamelog(), espn_mlb_player_info(), espn_mlb_player_overview(), espn_mlb_player_seasons(), espn_mlb_player_splits(), espn_mlb_player_statisticslog(), espn_mlb_player_stats(), espn_mlb_player_stats_v3(), espn_mlb_position(), espn_mlb_positions(), espn_mlb_powerindex(), espn_mlb_scoreboard(), espn_mlb_season_awards(), espn_mlb_season_draft(), espn_mlb_season_group(), espn_mlb_season_group_child, espn_mlb_season_group_teams(), espn_mlb_season_groups(), espn_mlb_season_info(), espn_mlb_season_leader, espn_mlb_season_ranking(), espn_mlb_season_rankings(), espn_mlb_season_type(), espn_mlb_season_types(), espn_mlb_season_week(), espn_mlb_season_weeks(), espn_mlb_seasons(), espn_mlb_standings(), espn_mlb_team(), espn_mlb_team_box(), espn_mlb_team_current_roster(), espn_mlb_team_depthchart(), espn_mlb_team_endpoints, espn_mlb_team_injuries(), espn_mlb_team_leaders(), espn_mlb_team_news(), espn_mlb_team_odds_records(), espn_mlb_team_record(), espn_mlb_team_record_detail(), espn_mlb_team_roster(), espn_mlb_team_schedule(), espn_mlb_team_season_profile(), espn_mlb_team_season_roster(), espn_mlb_team_season_statistics(), espn_mlb_team_stats(), espn_mlb_teams(), espn_mlb_tournament(), espn_mlb_tournament_season(), espn_mlb_tournament_seasons(), espn_mlb_tournaments(), espn_mlb_transactions(), espn_mlb_venues(), espn_mlb_week_ranking(), espn_mlb_week_rankings()

Examples

```
espn_mlb_wp(game_id = 401283399)
```

`fangraphs` **FanGraphs Functions Overview**

Description

- `fg_pitcher_game_logs()`: Scrape Pitcher Game Logs from FanGraphs.
- `fg_batter_game_logs()`: Scrape Batter Game Logs from FanGraphs.
- `fg_milb_pitcher_game_logs()`: Scrape MiLB game logs for pitchers from Fangraphs, combining 'standard' and 'advanced' tabs.
- `fg_milb_batter_game_logs()`: Scrape MiLB game logs for batters from Fangraphs, combining 'standard' and 'advanced' tabs.
- `fg_batter_leaders()`: Scrape Batter Leaderboards from FanGraphs.
- `fg_pitcher_leaders()`: Scrape Pitcher Leaderboards from FanGraphs.
- `fg_fielder_leaders()`: Scrape Fielder Leaderboards from FanGraphs.
- `fg_team_batter()`: Scrape Team Batter Leaderboards from FanGraphs.
- `fg_team_pitcher()`: Scrape Team Pitcher Leaderboards from FanGraphs.
- `fg_team_fielder()`: Scrape Team Fielder Leaderboards from FanGraphs.

- fg_guts(): Scrape FanGraphs.com Guts!.
- fg_park(): Scrape Park Factors from FanGraphs.com.
- fg_park_hand(): Scrape Park Factors by handedness from FanGraphs.com.

Details

Scrape Pitcher Game Logs from FanGraphs:

```
fg_pitcher_game_logs(playerid = 104, year = 2006)
```

Scrape Batter Game Logs from FanGraphs:

```
fg_batter_game_logs(playerid = 6184, year = 2017)
```

Scrape MiLB game logs for pitchers from Fangraphs:

```
fg_milb_pitcher_game_logs(playerid = "sa3004210", year=2017)
```

Scrape MiLB game logs for batters from Fangraphs:

```
fg_milb_batter_game_logs(playerid = "sa917940", year=2018)
```

Scrape Batter Leaderboards from FanGraphs:

```
fg_batter_leaders(startseason = 2015, endseason = 2015, qual = 400)
```

Scrape Pitcher Leaderboards from FanGraphs:

```
fg_pitcher_leaders(startseason = 2015, endseason = 2015, qual = 150)
```

Scrape Fielder Leaderboards from FanGraphs:

```
fg_fielder_leaders(startseason = 2015, endseason = 2015, qual = 150)
```

Scrape Team Batter Leaderboards from FanGraphs:

```
fg_team_batter(startseason = 2015, endseason = 2015, qual = 400)
```

Scrape Team Pitcher Leaderboards from FanGraphs:

```
fg_team_pitcher(startseason = 2015, endseason = 2015, qual = 150)
```

Scrape Team Fielder Leaderboards from FanGraphs:

```
fg_team_fielder(startseason = 2015, endseason = 2015, qual = 150)
```

Scrape FanGraphs.com Guts!:

```
fg_guts()
```

Scrape Park Factors from FanGraphs.com:

```
fg_park(2013)
```

Scrape Park Factors by handedness from FanGraphs.com:

```
fg_park_hand(2013)
```

`fg_bat_leaders` **(legacy) Scrape Batter Leaderboards from FanGraphs**

Description

(legacy) Scrape Batter Leaderboards from FanGraphs

(legacy) Scrape Batter Leaderboards from FanGraphs

Usage

```
fg_bat_leaders(
  age = "",
  pos = "all",
  stats = "bat",
  lg = "all",
  qual = "0",
  startseason = "2023",
  endseason = "2023",
  startdate = "",
  enddate = "",
  month = "0",
  hand = "",
  team = "0",
  pageitems = "10000",
  pagenum = "1",
  ind = "0",
  rost = "0",
  players = "",
  type = "8",
  postseason = "",
  sortdir = "default",
  sortstat = "WAR"
)

fg_bat_leaders(
  age = "",
  pos = "all",
  stats = "bat",
  lg = "all",
  qual = "0",
  startseason = "2023",
  endseason = "2023",
  startdate = "",
  enddate = "",
  month = "0",
  hand = "",
```

```
  team = "0",
  pageitems = "10000",
  pagenum = "1",
  ind = "0",
  rost = "0",
  players = "",
  type = "8",
  postseason = "",
  sortdir = "default",
  sortstat = "WAR"
)
```

Arguments

age	(integer) Age of players
pos	(character) Position of players, defaults to "all". To exclude pitchers, use "np".
stats	(character) Statistic to return. Defaults to "bat".
lg	(character) League to return. Defaults to "all". Options are "al", "nl", or "all".
qual	(character) Whether you want only batters/pitchers that qualified in a given season, or the minimum number of plate appearances for inclusion. If you only want qualified hitters, use qual. If a minimum number of plate appearaces/innings pitched, use the number desired. Defaults to "y".
startseason	(character) Season for which you want to scrape the data.
endseason	(character) Last season for which you want data.
startdate	(character) Start date for which you want data.
enddate	(character) End date for which you want data.
month	(character) Month for which you want data. Defaults to "0" (full season). Special values: "13" (vs LHP split), "14" (vs RHP split), "1000" (custom date range). When `startdate`/`enddate` are supplied and `month` is left at its default, it is set to "1000" automatically so the date filters take effect.
hand	(character) Handedness of batter. Options are "L", "R", or "B". Empty string returns all.
team	(character) Teams for which you want data, comma separated.
pageitems	(character) Number of items per page.
pagenum	(character) Page number.
ind	(character) Whether or not to break the seasons out individual, or roll them up together. 1 = split seasons, 0 = aggregate seasons.
rost	(character) Whether or not to include players on the roster. 1 = include, 0 = exclude.
players	(character) Whether or not to include players on the roster. 1 = include only active roster players, 0 = exclude.
type	(character) Defaults to 8, which is the standard leaderboard. The values for the leaderboards appear to go to from type = 0 to 48+, which correspond to links on the leaderboard page.

postseason	(logical) Whether or not to include postseason data. TRUE = include postseason, FALSE = exclude postseason.
sortdir	(character) Sort direction. Options are "asc" or "desc" or "default".
sortstat	(character) Sort by stat. Default is "WAR".

Value

A data frame of batter data.

A data frame of batter data.

`fg_batter_game_logs` **Scrape Batter Game Logs from FanGraphs**

Description

This function allows you to scrape game logs by year for a batter from FanGraphs.com.

Usage

```
fg_batter_game_logs(playerid, year)
```

Arguments

playerid	This is the playerid used by FanGraphs for a given player
year	The season for which game logs should be returned (use the YYYY format)

Value

A data frame of batter game logs, one row per game, with the following columns:

col_name	types	description
PlayerName	character	Player name.
playerid	integer	FanGraphs player ID.
Date	character	Calendar date of the game (YYYY-MM-DD).
Team	character	Team the player appeared for.
Opp	character	Opponent team; leading @ indicates a road game.
season	integer	Season year.
Age	integer	Player age during the season.
BatOrder	character	Spot in the batting order.
Pos	character	Fielding position played.
G	numeric	Games (1 per row).
AB	numeric	At-bats.
PA	numeric	Plate appearances.
H	numeric	Hits.
1B	numeric	Singles.
2B	numeric	Doubles.

3B	numeric	Triples.
HR	numeric	Home runs.
R	numeric	Runs scored.
RBI	numeric	Runs batted in.
BB	numeric	Walks (bases on balls).
IBB	numeric	Intentional walks.
SO	numeric	Strikeouts.
HBP	numeric	Times hit by pitch.
SF	numeric	Sacrifice flies.
SH	numeric	Sacrifice hits (bunts).
GDP	numeric	Grounded into double plays.
SB	numeric	Stolen bases.
CS	numeric	Times caught stealing.
AVG	numeric	Batting average.
GB	numeric	Ground balls.
FB	numeric	Fly balls.
LD	numeric	Line drives.
IFFB	numeric	Infield fly balls.
Pitches	numeric	Pitches seen.
Balls	numeric	Balls.
Strikes	numeric	Strikes.
IFH	numeric	Infield hits.
BU	numeric	Bunts.
BUH	numeric	Bunt hits.
BB%	numeric	Walk rate.
K%	numeric	Strikeout rate.
BB/K	numeric	Walk-to-strikeout ratio.
OBP	numeric	On-base percentage.
SLG	numeric	Slugging percentage.
OPS	numeric	On-base plus slugging.
ISO	numeric	Isolated power.
BABIP	numeric	Batting average on balls in play.
GB/FB	numeric	Ground-ball to fly-ball ratio.
LD%	numeric	Line-drive rate.
GB%	numeric	Ground-ball rate.
FB%	numeric	Fly-ball rate.
IFFB%	numeric	Infield-fly-ball rate.
HR/FB	numeric	Home-run-per-fly-ball rate.
IFH%	numeric	Infield-hit rate.
BUH%	numeric	Bunt-hit rate.
wOBA	numeric	Weighted on-base average.
wRAA	numeric	Weighted runs above average.
wRC	numeric	Weighted runs created.
Spd	numeric	Bill James Speed Score.
wRC+	numeric	Weighted runs created plus (100 = average).
wBSR	numeric	Weighted base running runs.
WPA	numeric	Win probability added.
-WPA	numeric	Negative win probability added.

+WPA	numeric	Positive win probability added.
RE24	numeric	Run expectancy based on 24 base-out states.
REW	numeric	Run expectancy wins.
pLI	numeric	Average leverage index.
PH	numeric	Pinch-hit appearances.
WPA/LI	numeric	Context-neutral win probability added.
Clutch	numeric	Clutch performance score.
FB%1	numeric	Fastball usage rate.
FBv	numeric	Average four-seam fastball velocity (mph).
SL%	numeric	slider usage rate.
SLv	numeric	Average slider velocity (mph).
CT%	numeric	cutter usage rate.
CTv	numeric	Average cutter velocity (mph).
CB%	numeric	curveball usage rate.
CBv	numeric	Average curveball velocity (mph).
CH%	numeric	changeup usage rate.
CHv	numeric	Average changeup velocity (mph).
SF%	numeric	split-finger fastball usage rate.
SFv	numeric	Average split-finger fastball velocity (mph).
XX%	numeric	unknown/other pitch usage rate.
wFB	numeric	Total runs above average on the fastball.
wSL	numeric	Total runs above average on the slider.
wCT	numeric	Total runs above average on the cutter.
wCB	numeric	Total runs above average on the curveball.
wCH	numeric	Total runs above average on the changeup.
wSF	numeric	Total runs above average on the split-finger fastball.
wFB/C	numeric	Runs above average per 100 fastballs.
wSL/C	numeric	Runs above average per 100 sliders.
wCT/C	numeric	Runs above average per 100 cutters.
wCB/C	numeric	Runs above average per 100 curveballs.
wCH/C	numeric	Runs above average per 100 changeups.
wSF/C	numeric	Runs above average per 100 split-finger fastballs.
O-Swing%	numeric	Swing rate on pitches outside the zone.
Z-Swing%	numeric	Swing rate on pitches in the zone.
Swing%	numeric	Overall swing rate.
O-Contact%	numeric	Contact rate on pitches outside the zone.
Z-Contact%	numeric	Contact rate on pitches in the zone.
Contact%	numeric	Overall contact rate.
Zone%	numeric	Rate of pitches in the strike zone.
F-Strike%	numeric	First-pitch strike rate.
SwStr%	numeric	Swinging-strike rate.
Pull	numeric	Pulled batted balls.
Cent	numeric	Batted balls hit up the middle.
Oppo	numeric	Opposite-field batted balls.
Soft	numeric	Soft-hit batted balls.
Med	numeric	Medium-hit batted balls.
Hard	numeric	Hard-hit batted balls.
bipCount	numeric	Balls in play.

Pull%	numeric	Pulled batted-ball rate.
Cent%	numeric	Up-the-middle batted-ball rate.
Oppo%	numeric	Opposite-field batted-ball rate.
Soft%	numeric	Soft-contact rate.
Med%	numeric	Medium-contact rate.
Hard%	numeric	Hard-contact rate.
xwOBA	numeric	Expected weighted on-base average.
xAVG	numeric	Expected batting average.
xSLG	numeric	Expected slugging percentage.
pfxFA%	numeric	PITCHf/x four-seam fastball usage rate.
pfxFC%	numeric	PITCHf/x cutter usage rate.
pfxFS%	numeric	PITCHf/x splitter usage rate.
pfxFO%	numeric	PITCHf/x forkball usage rate.
pfxSI%	numeric	PITCHf/x sinker usage rate.
pfxSL%	numeric	PITCHf/x slider usage rate.
pfxCU%	numeric	PITCHf/x curveball usage rate.
pfxKC%	numeric	PITCHf/x knuckle curve usage rate.
pfxCH%	numeric	PITCHf/x changeup usage rate.
pfxSLO%	numeric	PITCHf/x slurve usage rate.
pfxST%	numeric	PITCHf/x sweeper usage rate.
pfxCUO%	numeric	PITCHf/x other curve usage rate.
pfxCV%	numeric	PITCHf/x curve usage rate.
pfxvFA	numeric	PITCHf/x average four-seam fastball velocity (mph).
pfxvFC	numeric	PITCHf/x average cutter velocity (mph).
pfxvFS	numeric	PITCHf/x average splitter velocity (mph).
pfxvFO	numeric	PITCHf/x average forkball velocity (mph).
pfxvSI	numeric	PITCHf/x average sinker velocity (mph).
pfxvSL	numeric	PITCHf/x average slider velocity (mph).
pfxvCU	numeric	PITCHf/x average curveball velocity (mph).
pfxvKC	numeric	PITCHf/x average knuckle curve velocity (mph).
pfxvCH	numeric	PITCHf/x average changeup velocity (mph).
pfxvSLO	numeric	PITCHf/x average slurve velocity (mph).
pfxvST	numeric	PITCHf/x average sweeper velocity (mph).
pfxvCUO	numeric	PITCHf/x average other curve velocity (mph).
pfxvCV	numeric	PITCHf/x average curve velocity (mph).
pfxFA-X	numeric	PITCHf/x horizontal movement of the four-seam fastball (inches).
pfxFC-X	numeric	PITCHf/x horizontal movement of the cutter (inches).
pfxFS-X	numeric	PITCHf/x horizontal movement of the splitter (inches).
pfxFO-X	numeric	PITCHf/x horizontal movement of the forkball (inches).
pfxSI-X	numeric	PITCHf/x horizontal movement of the sinker (inches).
pfxSL-X	numeric	PITCHf/x horizontal movement of the slider (inches).
pfxCU-X	numeric	PITCHf/x horizontal movement of the curveball (inches).
pfxKC-X	numeric	PITCHf/x horizontal movement of the knuckle curve (inches).
pfxCH-X	numeric	PITCHf/x horizontal movement of the changeup (inches).
pfxSLO-X	numeric	PITCHf/x horizontal movement of the slurve (inches).
pfxST-X	numeric	PITCHf/x horizontal movement of the sweeper (inches).
pfxCUO-X	numeric	PITCHf/x horizontal movement of the other curve (inches).
pfxCV-X	numeric	PITCHf/x horizontal movement of the curve (inches).

pfxFA-Z	numeric	PITCHf/x vertical movement of the four-seam fastball (inches).
pfxFC-Z	numeric	PITCHf/x vertical movement of the cutter (inches).
pfxFS-Z	numeric	PITCHf/x vertical movement of the splitter (inches).
pfxFO-Z	numeric	PITCHf/x vertical movement of the forkball (inches).
pfxSI-Z	numeric	PITCHf/x vertical movement of the sinker (inches).
pfxSL-Z	numeric	PITCHf/x vertical movement of the slider (inches).
pfxCU-Z	numeric	PITCHf/x vertical movement of the curveball (inches).
pfxKC-Z	numeric	PITCHf/x vertical movement of the knuckle curve (inches).
pfxCH-Z	numeric	PITCHf/x vertical movement of the changeup (inches).
pfxSLO-Z	numeric	PITCHf/x vertical movement of the slurve (inches).
pfxST-Z	numeric	PITCHf/x vertical movement of the sweeper (inches).
pfxCUO-Z	numeric	PITCHf/x vertical movement of the other curve (inches).
pfxCV-Z	numeric	PITCHf/x vertical movement of the curve (inches).
pfxwFA	numeric	PITCHf/x total runs above average on the four-seam fastball.
pfxwFC	numeric	PITCHf/x total runs above average on the cutter.
pfxwFS	numeric	PITCHf/x total runs above average on the splitter.
pfxwFO	numeric	PITCHf/x total runs above average on the forkball.
pfxwSI	numeric	PITCHf/x total runs above average on the sinker.
pfxwSL	numeric	PITCHf/x total runs above average on the slider.
pfxwCU	numeric	PITCHf/x total runs above average on the curveball.
pfxwKC	numeric	PITCHf/x total runs above average on the knuckle curve.
pfxwCH	numeric	PITCHf/x total runs above average on the changeup.
pfxwSLO	numeric	PITCHf/x total runs above average on the slurve.
pfxwST	numeric	PITCHf/x total runs above average on the sweeper.
pfxwCUO	numeric	PITCHf/x total runs above average on the other curve.
pfxwCV	numeric	PITCHf/x total runs above average on the curve.
pfxwFA/C	numeric	PITCHf/x runs above average per 100 four-seam fastballs.
pfxwFC/C	numeric	PITCHf/x runs above average per 100 cutters.
pfxwFS/C	numeric	PITCHf/x runs above average per 100 splitters.
pfxwFO/C	numeric	PITCHf/x runs above average per 100 forkballs.
pfxwSI/C	numeric	PITCHf/x runs above average per 100 sinkers.
pfxwSL/C	numeric	PITCHf/x runs above average per 100 sliders.
pfxwCU/C	numeric	PITCHf/x runs above average per 100 curveballs.
pfxwKC/C	numeric	PITCHf/x runs above average per 100 knuckle curves.
pfxwCH/C	numeric	PITCHf/x runs above average per 100 changeups.
pfxwSLO/C	numeric	PITCHf/x runs above average per 100 slurves.
pfxwST/C	numeric	PITCHf/x runs above average per 100 sweepers.
pfxwCUO/C	numeric	PITCHf/x runs above average per 100 other curves.
pfxwCV/C	numeric	PITCHf/x runs above average per 100 curves.
pfxaaFA	numeric	PITCHf/x average spin/active component on the four-seam fastball.
pfxaaFC	numeric	PITCHf/x average spin/active component on the cutter.
pfxaaFS	numeric	PITCHf/x average spin/active component on the splitter.
pfxaaFO	numeric	PITCHf/x average spin/active component on the forkball.
pfxaaSI	numeric	PITCHf/x average spin/active component on the sinker.
pfxaaSL	numeric	PITCHf/x average spin/active component on the slider.
pfxaaCU	numeric	PITCHf/x average spin/active component on the curveball.
pfxaaKC	numeric	PITCHf/x average spin/active component on the knuckle curve.
pfxaaCH	numeric	PITCHf/x average spin/active component on the changeup.

pfxaaSLO	numeric	PITCHf/x average spin/active component on the slurve.
pfxaaST	numeric	PITCHf/x average spin/active component on the sweeper.
pfxaaCUO	numeric	PITCHf/x average spin/active component on the other curve.
pfxaaCV	numeric	PITCHf/x average spin/active component on the curve.
pfxspFA	numeric	PITCHf/x average spin rate on the four-seam fastball (rpm).
pfxspFC	numeric	PITCHf/x average spin rate on the cutter (rpm).
pfxspFS	numeric	PITCHf/x average spin rate on the splitter (rpm).
pfxspFO	numeric	PITCHf/x average spin rate on the forkball (rpm).
pfxspSI	numeric	PITCHf/x average spin rate on the sinker (rpm).
pfxspSL	numeric	PITCHf/x average spin rate on the slider (rpm).
pfxspCU	numeric	PITCHf/x average spin rate on the curveball (rpm).
pfxspKC	numeric	PITCHf/x average spin rate on the knuckle curve (rpm).
pfxspCH	numeric	PITCHf/x average spin rate on the changeup (rpm).
pfxspSLO	numeric	PITCHf/x average spin rate on the slurve (rpm).
pfxspST	numeric	PITCHf/x average spin rate on the sweeper (rpm).
pfxspCUO	numeric	PITCHf/x average spin rate on the other curve (rpm).
pfxspCV	numeric	PITCHf/x average spin rate on the curve (rpm).
pfxO-Swing%	numeric	PITCHf/x Swing rate on pitches outside the zone.
pfxZ-Swing%	numeric	PITCHf/x Swing rate on pitches in the zone.
pfxSwing%	numeric	PITCHf/x Overall swing rate.
pfxO-Contact%	numeric	PITCHf/x Contact rate on pitches outside the zone.
pfxZ-Contact%	numeric	PITCHf/x Contact rate on pitches in the zone.
pfxContact%	numeric	PITCHf/x Overall contact rate.
pfxZone%	numeric	PITCHf/x Rate of pitches in the strike zone.
pfxPace	numeric	PITCHf/x Average seconds between pitches.
AvgBatSpeed	numeric	Average bat speed (mph).
FastSwing%	numeric	Rate of fast swings.
SwingLength	numeric	Average swing length (feet).
SquaredUpContact%	numeric	Squared-up rate per contact.
SquaredUpSwing%	numeric	Squared-up rate per swing.
BlastContact%	numeric	Blast rate per contact.
BlastSwing%	numeric	Blast rate per swing.
Swords	numeric	Swords (especially ugly swinging strikeouts).
CompetitiveSwings	numeric	Competitive swings.
Tilt	numeric	Average swing tilt (degrees).
AttackAngle	numeric	Average attack angle (degrees).
AttackDirection	numeric	Average attack direction (degrees).
IdealAttackAngle%	numeric	Rate of swings in the ideal attack-angle range.
DepthInBox	numeric	Average depth in the batter's box (inches).
DistanceOffPlate	numeric	Average distance off the plate (inches).
scH-Swing%	numeric	Statcast heart-zone swing rate.
scH-Contact%	numeric	Statcast heart-zone contact rate.
scH-Zone%	numeric	Statcast heart-zone zone rate.
scS-Swing%	numeric	Statcast shadow-zone swing rate.
scS-Contact%	numeric	Statcast shadow-zone contact rate.
scS-Zone%	numeric	Statcast shadow-zone zone rate.
scC-Swing%	numeric	Statcast chase-zone swing rate.
scC-Contact%	numeric	Statcast chase-zone contact rate.

scC-Zone%	numeric	Statcast chase-zone zone rate.
scW-Swing%	numeric	Statcast waste-zone swing rate.
scW-Contact%	numeric	Statcast waste-zone contact rate.
scW-Zone%	numeric	Statcast waste-zone zone rate.
scSI-Swing%	numeric	Statcast in-zone strike-zone swing rate.
scSI-Contact%	numeric	Statcast in-zone strike-zone contact rate.
scSI-Zone%	numeric	Statcast in-zone strike-zone zone rate.
scSO-Swing%	numeric	Statcast out-of-zone strike-zone swing rate.
scSO-Contact%	numeric	Statcast out-of-zone strike-zone contact rate.
scSO-Zone%	numeric	Statcast out-of-zone strike-zone zone rate.
scO-Swing%	numeric	Statcast out-of-zone-zone swing rate.
scO-Contact%	numeric	Statcast out-of-zone-zone contact rate.
scO-Zone%	numeric	Statcast out-of-zone-zone zone rate.
scZ-Swing%	numeric	Statcast in-zone-zone swing rate.
scZ-Contact%	numeric	Statcast in-zone-zone contact rate.
scZ-Zone%	numeric	Statcast in-zone-zone zone rate.
piCH%	numeric	PITCHInfo changeup usage rate.
piCS%	numeric	PITCHInfo slow curve usage rate.
piCU%	numeric	PITCHInfo curveball usage rate.
piFA%	numeric	PITCHInfo four-seam fastball usage rate.
piFC%	numeric	PITCHInfo cutter usage rate.
piFS%	numeric	PITCHInfo splitter usage rate.
piSI%	numeric	PITCHInfo sinker usage rate.
piSL%	numeric	PITCHInfo slider usage rate.
piXX%	numeric	PITCHInfo unknown/other pitch usage rate.
pivCH	numeric	PITCHInfo average changeup velocity (mph).
pivCS	numeric	PITCHInfo average slow curve velocity (mph).
pivCU	numeric	PITCHInfo average curveball velocity (mph).
pivFA	numeric	PITCHInfo average four-seam fastball velocity (mph).
pivFC	numeric	PITCHInfo average cutter velocity (mph).
pivFS	numeric	PITCHInfo average splitter velocity (mph).
pivSI	numeric	PITCHInfo average sinker velocity (mph).
pivSL	numeric	PITCHInfo average slider velocity (mph).
pivXX	numeric	PITCHInfo average unknown/other pitch velocity (mph).
piCH-X	numeric	PITCHInfo horizontal movement of the changeup (inches).
piCS-X	numeric	PITCHInfo horizontal movement of the slow curve (inches).
piCU-X	numeric	PITCHInfo horizontal movement of the curveball (inches).
piFA-X	numeric	PITCHInfo horizontal movement of the four-seam fastball (inches).
piFC-X	numeric	PITCHInfo horizontal movement of the cutter (inches).
piFS-X	numeric	PITCHInfo horizontal movement of the splitter (inches).
piSI-X	numeric	PITCHInfo horizontal movement of the sinker (inches).
piSL-X	numeric	PITCHInfo horizontal movement of the slider (inches).
piXX-X	numeric	PITCHInfo horizontal movement of the unknown/other pitch (inches).
piCH-Z	numeric	PITCHInfo vertical movement of the changeup (inches).
piCS-Z	numeric	PITCHInfo vertical movement of the slow curve (inches).
piCU-Z	numeric	PITCHInfo vertical movement of the curveball (inches).
piFA-Z	numeric	PITCHInfo vertical movement of the four-seam fastball (inches).
piFC-Z	numeric	PITCHInfo vertical movement of the cutter (inches).

piFS-Z	numeric	PITCHInfo vertical movement of the splitter (inches).
piSI-Z	numeric	PITCHInfo vertical movement of the sinker (inches).
piSL-Z	numeric	PITCHInfo vertical movement of the slider (inches).
piXX-Z	numeric	PITCHInfo vertical movement of the unknown/other pitch (inches).
piwCH	numeric	PITCHInfo total runs above average on the changeup.
piwCS	numeric	PITCHInfo total runs above average on the slow curve.
piwCU	numeric	PITCHInfo total runs above average on the curveball.
piwFA	numeric	PITCHInfo total runs above average on the four-seam fastball.
piwFC	numeric	PITCHInfo total runs above average on the cutter.
piwFS	numeric	PITCHInfo total runs above average on the splitter.
piwSI	numeric	PITCHInfo total runs above average on the sinker.
piwSL	numeric	PITCHInfo total runs above average on the slider.
piwXX	numeric	PITCHInfo total runs above average on the unknown/other pitch.
piwCH/C	numeric	PITCHInfo runs above average per 100 changeups.
piwCS/C	numeric	PITCHInfo runs above average per 100 slow curves.
piwCU/C	numeric	PITCHInfo runs above average per 100 curveballs.
piwFA/C	numeric	PITCHInfo runs above average per 100 four-seam fastballs.
piwFC/C	numeric	PITCHInfo runs above average per 100 cutters.
piwFS/C	numeric	PITCHInfo runs above average per 100 splitters.
piwSI/C	numeric	PITCHInfo runs above average per 100 sinkers.
piwSL/C	numeric	PITCHInfo runs above average per 100 sliders.
piwXX/C	numeric	PITCHInfo runs above average per 100 unknown/other pitchs.
piO-Swing%	numeric	PITCHInfo Swing rate on pitches outside the zone.
piZ-Swing%	numeric	PITCHInfo Swing rate on pitches in the zone.
piSwing%	numeric	PITCHInfo Overall swing rate.
piO-Contact%	numeric	PITCHInfo Contact rate on pitches outside the zone.
piZ-Contact%	numeric	PITCHInfo Contact rate on pitches in the zone.
piContact%	numeric	PITCHInfo Overall contact rate.
piZone%	numeric	PITCHInfo Rate of pitches in the strike zone.
Events	numeric	Batted-ball events with Statcast data.
EV	numeric	Average exit velocity (mph).
LA	numeric	Average launch angle (degrees).
Barrels	numeric	Barreled batted balls.
Barrel%	numeric	Barrel rate (per batted-ball event).
maxEV	numeric	Maximum exit velocity (mph).
HardHit	numeric	Hard-hit batted balls (95+ mph).
HardHit%	numeric	Hard-hit rate (95+ mph).
gamedate	character	Game date as parsed from the source feed.
dh	integer	Doubleheader game indicator (0 = single game).

Examples

```
try(fg_batter_game_logs(playerid = 19755, year = 2023))
```

`fg_batter_leaders` **Scrape Batter Leaderboards from FanGraphs**

Description

This function allows you to scrape all leaderboard statistics (basic and advanced) from FanGraphs.com.

Usage

```
fg_batter_leaders(
  age = "",
  pos = "all",
  stats = "bat",
  lg = "all",
  qual = "0",
  startseason = "2023",
  endseason = "2023",
  startdate = "",
  enddate = "",
  month = "0",
  hand = "",
  team = "0",
  pageitems = "10000",
  pagenum = "1",
  ind = "0",
  rost = "0",
  players = "",
  type = "8",
  postseason = "",
  sortdir = "default",
  sortstat = "WAR"
)
```

Arguments

age	(integer) Age of players
pos	(character) Position of players, defaults to "all". To exclude pitchers, use "np".
stats	(character) Statistic to return. Defaults to "bat".
lg	(character) League to return. Defaults to "all". Options are "al", "nl", or "all".
qual	(character) Whether you want only batters/pitchers that qualified in a given season, or the minimum number of plate appearances for inclusion. If you only want qualified hitters, use qual. If a minimum number of plate appearaces/innings pitched, use the number desired. Defaults to "y".
startseason	(character) Season for which you want to scrape the data.
endseason	(character) Last season for which you want data.

`startdate`	(character) Start date for which you want data.
`enddate`	(character) End date for which you want data.
`month`	(character) Month for which you want data. Defaults to "0" (full season). Special values: "13" (vs LHP split), "14" (vs RHP split), "1000" (custom date range). When `startdate`/`enddate` are supplied and `month` is left at its default, it is set to "1000" automatically so the date filters take effect.
`hand`	(character) Handedness of batter. Options are "L", "R", or "B". Empty string returns all.
`team`	(character) Teams for which you want data, comma separated.
`pageitems`	(character) Number of items per page.
`pagenum`	(character) Page number.
`ind`	(character) Whether or not to break the seasons out individual, or roll them up together. 1 = split seasons, 0 = aggregate seasons.
`rost`	(character) Whether or not to include players on the roster. 1 = include, 0 = exclude.
`players`	(character) Whether or not to include players on the roster. 1 = include only active roster players, 0 = exclude.
`type`	(character) Defaults to 8, which is the standard leaderboard. The values for the leaderboards appear to go to from type = 0 to 48+, which correspond to links on the leaderboard page.
`postseason`	(logical) Whether or not to include postseason data. TRUE = include postseason, FALSE = exclude postseason.
`sortdir`	(character) Sort direction. Options are "asc" or "desc" or "default".
`sortstat`	(character) Sort by stat. Default is "WAR".

Value

A data frame of batter data.

col_name	types	description
Season	integer	Season (YYYY).
team_name	character	Team name.
Bats	character	Batting handedness (L/R/S).
xMLBAMID	integer	MLBAM player ID.
PlayerNameRoute	character	Player name URL slug used by FanGraphs.
PlayerName	character	Player name.
playerid	integer	FanGraphs player ID.
Age	integer	Player age.
AgeRng	character	Player age range across the span.
SeasonMin	integer	First season in the queried span.
SeasonMax	integer	Last season in the queried span.
G	integer	Games played.
AB	integer	At-bats.
PA	integer	Plate appearances.
H	integer	Hits.

1B	integer	Singles.
2B	integer	Doubles.
3B	integer	Triples.
HR	integer	Home runs.
R	integer	Runs scored.
RBI	integer	Runs batted in.
BB	integer	Walks (bases on balls).
IBB	integer	Intentional walks.
SO	integer	Strikeouts.
HBP	integer	Hit by pitch.
SF	integer	Sacrifice flies.
SH	integer	Sacrifice hits (bunts).
GDP	integer	Grounded into double plays.
SB	integer	Stolen bases.
CS	integer	Caught stealing.
AVG	numeric	Batting average (or opponent average for pitchers).
GB	integer	Ground balls.
FB	integer	Fly balls.
LD	integer	Line drives.
IFFB	integer	Infield fly balls.
Pitches	integer	Total pitches seen or thrown.
Balls	integer	Total balls.
Strikes	integer	Total strikes.
IFH	integer	Infield hits.
BU	integer	Bunts.
BUH	integer	Bunt hits.
BB_pct	numeric	Walk rate.
K_pct	numeric	Strikeout rate.
BB_K	numeric	Walk-to-strikeout ratio.
OBP	numeric	On-base percentage.
SLG	numeric	Slugging percentage.
OPS	numeric	On-base plus slugging.
ISO	numeric	Isolated power.
BABIP	numeric	Batting average on balls in play.
GB_FB	numeric	Ground-ball to fly-ball ratio.
LD_pct	numeric	Line-drive percentage.
GB_pct	numeric	Ground-ball percentage.
FB_pct	numeric	Fly-ball percentage.
IFFB_pct	numeric	Infield-fly-ball percentage.
HR_FB	numeric	Home-run-per-fly-ball rate.
IFH_pct	numeric	Infield-hit percentage.
BUH_pct	numeric	Bunt-hit percentage.
TTO_pct	numeric	Three-true-outcomes percentage (BB, K, HR).
wOBA	numeric	Weighted On-Base Average.
wRAA	numeric	Weighted Runs Above Average.
wRC	numeric	Weighted Runs Created.
Batting	numeric	Batting runs above average.
Fielding	numeric	Fielding runs above average.

Replacement	numeric	Replacement-level runs.
Positional	numeric	Positional adjustment runs.
wLeague	numeric	League adjustment runs.
Defense	numeric	Total defensive value (runs above average).
Offense	numeric	Total offensive value (runs above average).
RAR	numeric	Runs Above Replacement.
WAR	numeric	Wins Above Replacement.
WAROld	numeric	Wins Above Replacement (legacy formulation).
Dollars	numeric	Estimated market value of production.
BaseRunning	numeric	Base-running runs above average.
Spd	numeric	Speed Score.
wRC_plus	numeric	Weighted Runs Created Plus (park/league-adjusted, 100 = average).
wBsR	numeric	Weighted Base Running runs.
WPA	numeric	Win Probability Added.
WPA_minus	numeric	Negative Win Probability Added.
WPA_plus	numeric	Positive Win Probability Added.
RE24	numeric	Run Expectancy based on the 24 base-out states.
REW	numeric	Run Expectancy Wins.
pLI	numeric	Average Leverage Index.
PH	integer	Pinch-hit appearances.
WPA_LI	numeric	Situational Win Probability Added (WPA divided by Leverage Index).
Clutch	numeric	Clutch performance relative to context-neutral performance.
FB_pct1	numeric	Overall fastball percentage (pitch usage).
FBv	numeric	Average fastball velocity.
SL_pct	numeric	Slider percentage (pitch usage).
SLv	numeric	Average slider velocity.
CT_pct	numeric	Cutter percentage (pitch usage).
CTv	numeric	Average cutter velocity.
CB_pct	numeric	Curveball percentage (pitch usage).
CBv	numeric	Average curveball velocity.
CH_pct	numeric	Changeup percentage (pitch usage).
CHv	numeric	Average changeup velocity.
SF_pct	numeric	Splitter percentage (pitch usage).
SFv	numeric	Average splitter velocity.
XX_pct	numeric	Unidentified-pitch percentage (pitch usage).
wFB	numeric	Fastball pitch-type linear weight runs.
wSL	numeric	Slider pitch-type linear weight runs.
wCT	numeric	Cutter pitch-type linear weight runs.
wCB	numeric	Curveball pitch-type linear weight runs.
wCH	numeric	Changeup pitch-type linear weight runs.
wSF	numeric	Splitter pitch-type linear weight runs.
wFB_C	numeric	Fastball linear weight runs per 100 pitches.
wSL_C	numeric	Slider linear weight runs per 100 pitches.
wCT_C	numeric	Cutter linear weight runs per 100 pitches.
wCB_C	numeric	Curveball linear weight runs per 100 pitches.
wCH_C	numeric	Changeup linear weight runs per 100 pitches.
wSF_C	numeric	Splitter linear weight runs per 100 pitches.
O-Swing_pct	numeric	Swing percentage on pitches outside the zone (chase rate).

Z-Swing_pct	numeric	Swing percentage on pitches inside the zone.
Swing_pct	numeric	Overall swing percentage.
O-Contact_pct	numeric	Contact percentage on pitches outside the zone.
Z-Contact_pct	numeric	Contact percentage on pitches inside the zone.
Contact_pct	numeric	Overall contact percentage.
Zone_pct	numeric	Percentage of pitches in the strike zone.
F-Strike_pct	numeric	First-pitch strike percentage.
SwStr_pct	numeric	Swinging-strike percentage.
CStr_pct	numeric	Called-strike percentage.
C+SwStr_pct	numeric	Combined called- plus swinging-strike percentage.
Pull	integer	Balls in play hit to the pull field.
Cent	integer	Balls in play hit up the middle.
Oppo	integer	Balls in play hit to the opposite field.
Soft	integer	Soft-contact balls in play.
Med	integer	Medium-contact balls in play.
Hard	integer	Hard-contact balls in play.
bipCount	integer	Count of balls in play with contact-quality data.
Pull_pct	numeric	Pull-field percentage.
Cent_pct	numeric	Up-the-middle percentage.
Oppo_pct	numeric	Opposite-field percentage.
Soft_pct	numeric	Soft-contact percentage.
Med_pct	numeric	Medium-contact percentage.
Hard_pct	numeric	Hard-contact percentage.
UBR	numeric	Ultimate Base Running runs.
GDPRuns	numeric	Runs from grounded-into-double-play avoidance.
AVG+	numeric	Park/league-adjusted batting average (100 = average).
BB_pct+	numeric	Park/league-adjusted walk rate (100 = average).
K_pct+	numeric	Park/league-adjusted strikeout rate (100 = average).
OBP+	numeric	Park/league-adjusted on-base percentage (100 = average).
SLG+	numeric	Park/league-adjusted slugging percentage (100 = average).
ISO+	numeric	Park/league-adjusted isolated power (100 = average).
BABIP+	numeric	Park/league-adjusted BABIP (100 = average).
LD_pct+	numeric	Park/league-adjusted line-drive rate (100 = average).
GB_pct+	numeric	Park/league-adjusted ground-ball rate (100 = average).
FB_pct+	numeric	Park/league-adjusted fly-ball rate (100 = average).
HRFB_pct+	numeric	Park/league-adjusted home-run-per-fly-ball rate (100 = average).
Pull_pct+	numeric	Park/league-adjusted pull rate (100 = average).
Cent_pct+	numeric	Park/league-adjusted up-the-middle rate (100 = average).
Oppo_pct+	numeric	Park/league-adjusted opposite-field rate (100 = average).
Soft_pct+	numeric	Park/league-adjusted soft-contact rate (100 = average).
Med_pct+	numeric	Park/league-adjusted medium-contact rate (100 = average).
Hard_pct+	numeric	Park/league-adjusted hard-contact rate (100 = average).
xwOBA	numeric	Expected Weighted On-Base Average (Statcast).
xAVG	numeric	Expected batting average (Statcast).
xSLG	numeric	Expected slugging percentage (Statcast).
XBR	numeric	Extra bases taken on the bases, runs above average.
PPTV	integer	Pitch-type pitch values (raw component).
CPTV	integer	Catcher pitch-type value (raw component).

BPTV	integer	Batter pitch-type value (raw component).
DSV	integer	Defensive stuff value (raw component).
DGV	integer	Defensive game value (raw component).
BTV	integer	Base-state team value (raw component).
rPPTV	numeric	Regressed pitch-type pitch values.
rBPTV	numeric	Regressed batter pitch-type value.
EBV	integer	Earned-base value (raw component).
ESV	integer	Earned-strike value (raw component).
rFTeamV	numeric	Regressed fielding team value.
rBTeamV	numeric	Regressed base-running team value.
rTV	numeric	Regressed total team value.
pfx_FA_pct	numeric	PITCHf/x four-seam fastballs usage percentage.
pfx_FC_pct	numeric	PITCHf/x cutters usage percentage.
pfx_FS_pct	numeric	PITCHf/x splitters usage percentage.
pfx_FO_pct	numeric	PITCHf/x forkballs/pitch-outs usage percentage.
pfx_SI_pct	numeric	PITCHf/x sinkers usage percentage.
pfx_SL_pct	numeric	PITCHf/x sliders usage percentage.
pfx_CU_pct	numeric	PITCHf/x curveballs usage percentage.
pfx_KC_pct	numeric	PITCHf/x knuckle-curves usage percentage.
pfx_EP_pct	numeric	PITCHf/x eephus pitches usage percentage.
pfx_CH_pct	numeric	PITCHf/x changeups usage percentage.
pfx_SC_pct	numeric	PITCHf/x screwballs usage percentage.
pfx_SLO_pct	numeric	PITCHf/x slurves usage percentage.
pfx_ST_pct	numeric	PITCHf/x sweepers usage percentage.
pfx_CUO_pct	numeric	PITCHf/x slurves usage percentage.
pfx_CV_pct	numeric	PITCHf/x slow curves usage percentage.
pfx_vFA	numeric	PITCHf/x average four-seam fastballs velocity.
pfx_vFC	numeric	PITCHf/x average cutters velocity.
pfx_vFS	numeric	PITCHf/x average splitters velocity.
pfx_vFO	numeric	PITCHf/x average forkballs/pitch-outs velocity.
pfx_vSI	numeric	PITCHf/x average sinkers velocity.
pfx_vSL	numeric	PITCHf/x average sliders velocity.
pfx_vCU	numeric	PITCHf/x average curveballs velocity.
pfx_vKC	numeric	PITCHf/x average knuckle-curves velocity.
pfx_vEP	numeric	PITCHf/x average eephus pitches velocity.
pfx_vCH	numeric	PITCHf/x average changeups velocity.
pfx_vSC	numeric	PITCHf/x average screwballs velocity.
pfx_vSLO	numeric	PITCHf/x average slurves velocity.
pfx_vST	numeric	PITCHf/x average sweepers velocity.
pfx_vCUO	numeric	PITCHf/x average slurves velocity.
pfx_vCV	numeric	PITCHf/x average slow curves velocity.
pfx_FA-X	numeric	PITCHf/x average horizontal movement on four-seam fastballs.
pfx_FC-X	numeric	PITCHf/x average horizontal movement on cutters.
pfx_FS-X	numeric	PITCHf/x average horizontal movement on splitters.
pfx_FO-X	numeric	PITCHf/x average horizontal movement on forkballs/pitch-outs.
pfx_SI-X	numeric	PITCHf/x average horizontal movement on sinkers.
pfx_SL-X	numeric	PITCHf/x average horizontal movement on sliders.
pfx_CU-X	numeric	PITCHf/x average horizontal movement on curveballs.

pfx_KC-X	numeric	PITCHf/x average horizontal movement on knuckle-curves.
pfx_EP-X	numeric	PITCHf/x average horizontal movement on eephus pitches.
pfx_CH-X	numeric	PITCHf/x average horizontal movement on changeups.
pfx_SC-X	numeric	PITCHf/x average horizontal movement on screwballs.
pfx_SLO-X	numeric	PITCHf/x average horizontal movement on slurves.
pfx_ST-X	numeric	PITCHf/x average horizontal movement on sweepers.
pfx_CUO-X	numeric	PITCHf/x average horizontal movement on slurves.
pfx_CV-X	numeric	PITCHf/x average horizontal movement on slow curves.
pfx_FA-Z	numeric	PITCHf/x average vertical movement on four-seam fastballs.
pfx_FC-Z	numeric	PITCHf/x average vertical movement on cutters.
pfx_FS-Z	numeric	PITCHf/x average vertical movement on splitters.
pfx_FO-Z	numeric	PITCHf/x average vertical movement on forkballs/pitch-outs.
pfx_SI-Z	numeric	PITCHf/x average vertical movement on sinkers.
pfx_SL-Z	numeric	PITCHf/x average vertical movement on sliders.
pfx_CU-Z	numeric	PITCHf/x average vertical movement on curveballs.
pfx_KC-Z	numeric	PITCHf/x average vertical movement on knuckle-curves.
pfx_EP-Z	numeric	PITCHf/x average vertical movement on eephus pitches.
pfx_CH-Z	numeric	PITCHf/x average vertical movement on changeups.
pfx_SC-Z	numeric	PITCHf/x average vertical movement on screwballs.
pfx_SLO-Z	numeric	PITCHf/x average vertical movement on slurves.
pfx_ST-Z	numeric	PITCHf/x average vertical movement on sweepers.
pfx_CUO-Z	numeric	PITCHf/x average vertical movement on slurves.
pfx_CV-Z	numeric	PITCHf/x average vertical movement on slow curves.
pfx_wFA	numeric	PITCHf/x four-seam fastballs linear weight runs.
pfx_wFC	numeric	PITCHf/x cutters linear weight runs.
pfx_wFS	numeric	PITCHf/x splitters linear weight runs.
pfx_wFO	numeric	PITCHf/x forkballs/pitch-outs linear weight runs.
pfx_wSI	numeric	PITCHf/x sinkers linear weight runs.
pfx_wSL	numeric	PITCHf/x sliders linear weight runs.
pfx_wCU	numeric	PITCHf/x curveballs linear weight runs.
pfx_wKC	numeric	PITCHf/x knuckle-curves linear weight runs.
pfx_wEP	numeric	PITCHf/x eephus pitches linear weight runs.
pfx_wCH	numeric	PITCHf/x changeups linear weight runs.
pfx_wSC	numeric	PITCHf/x screwballs linear weight runs.
pfx_wSLO	numeric	PITCHf/x slurves linear weight runs.
pfx_wST	numeric	PITCHf/x sweepers linear weight runs.
pfx_wCUO	numeric	PITCHf/x slurves linear weight runs.
pfx_wCV	numeric	PITCHf/x slow curves linear weight runs.
pfx_wFA_C	numeric	PITCHf/x four-seam fastballs linear weight runs per 100 pitches.
pfx_wFC_C	numeric	PITCHf/x cutters linear weight runs per 100 pitches.
pfx_wFS_C	numeric	PITCHf/x splitters linear weight runs per 100 pitches.
pfx_wFO_C	numeric	PITCHf/x forkballs/pitch-outs linear weight runs per 100 pitches.
pfx_wSI_C	numeric	PITCHf/x sinkers linear weight runs per 100 pitches.
pfx_wSL_C	numeric	PITCHf/x sliders linear weight runs per 100 pitches.
pfx_wCU_C	numeric	PITCHf/x curveballs linear weight runs per 100 pitches.
pfx_wKC_C	numeric	PITCHf/x knuckle-curves linear weight runs per 100 pitches.
pfx_wEP_C	numeric	PITCHf/x eephus pitches linear weight runs per 100 pitches.
pfx_wCH_C	numeric	PITCHf/x changeups linear weight runs per 100 pitches.

pfx_wSC_C	numeric	PITCHf/x screwballs linear weight runs per 100 pitches.
pfx_wSLO_C	numeric	PITCHf/x slurves linear weight runs per 100 pitches.
pfx_wST_C	numeric	PITCHf/x sweepers linear weight runs per 100 pitches.
pfx_wCUO_C	numeric	PITCHf/x slurves linear weight runs per 100 pitches.
pfx_wCV_C	numeric	PITCHf/x slow curves linear weight runs per 100 pitches.
pfx_aaFA	numeric	PITCHf/x average arsenal value on four-seam fastballs.
pfx_aaFC	numeric	PITCHf/x average arsenal value on cutters.
pfx_aaFS	numeric	PITCHf/x average arsenal value on splitters.
pfx_aaFO	numeric	PITCHf/x average arsenal value on forkballs/pitch-outs.
pfx_aaSI	numeric	PITCHf/x average arsenal value on sinkers.
pfx_aaSL	numeric	PITCHf/x average arsenal value on sliders.
pfx_aaCU	numeric	PITCHf/x average arsenal value on curveballs.
pfx_aaKC	numeric	PITCHf/x average arsenal value on knuckle-curves.
pfx_aaEP	numeric	PITCHf/x average arsenal value on eephus pitches.
pfx_aaCH	numeric	PITCHf/x average arsenal value on changeups.
pfx_aaSC	numeric	PITCHf/x average arsenal value on screwballs.
pfx_aaSLO	numeric	PITCHf/x average arsenal value on slurves.
pfx_aaST	numeric	PITCHf/x average arsenal value on sweepers.
pfx_aaCUO	numeric	PITCHf/x average arsenal value on slurves.
pfx_aaCV	numeric	PITCHf/x average arsenal value on slow curves.
pfx_spFA	numeric	PITCHf/x Stuff+ value on four-seam fastballs.
pfx_spFC	numeric	PITCHf/x Stuff+ value on cutters.
pfx_spFS	numeric	PITCHf/x Stuff+ value on splitters.
pfx_spFO	numeric	PITCHf/x Stuff+ value on forkballs/pitch-outs.
pfx_spSI	numeric	PITCHf/x Stuff+ value on sinkers.
pfx_spSL	numeric	PITCHf/x Stuff+ value on sliders.
pfx_spCU	numeric	PITCHf/x Stuff+ value on curveballs.
pfx_spKC	numeric	PITCHf/x Stuff+ value on knuckle-curves.
pfx_spEP	numeric	PITCHf/x Stuff+ value on eephus pitches.
pfx_spCH	numeric	PITCHf/x Stuff+ value on changeups.
pfx_spSC	numeric	PITCHf/x Stuff+ value on screwballs.
pfx_spSLO	numeric	PITCHf/x Stuff+ value on slurves.
pfx_spST	numeric	PITCHf/x Stuff+ value on sweepers.
pfx_spCUO	numeric	PITCHf/x Stuff+ value on slurves.
pfx_spCV	numeric	PITCHf/x Stuff+ value on slow curves.
pfx_O-Swing_pct	numeric	PITCHf/x swing percentage on pitches outside the zone.
pfx_Z-Swing_pct	numeric	PITCHf/x swing percentage on pitches inside the zone.
pfx_Swing_pct	numeric	PITCHf/x swing percentage.
pfx_O-Contact_pct	numeric	PITCHf/x contact percentage on pitches outside the zone.
pfx_Z-Contact_pct	numeric	PITCHf/x contact percentage on pitches inside the zone.
pfx_Contact_pct	numeric	PITCHf/x contact percentage.
pfx_Zone_pct	numeric	PITCHf/x percentage of pitches in the strike zone.
pfx_Pace	numeric	PITCHf/x pace (seconds between pitches).
AvgBatSpeed	numeric	Average bat speed (mph).
FastSwing_pct	numeric	Fast-swing percentage (75+ mph bat speed).
SwingLength	numeric	Average swing length (feet).
SquaredUpContact_pct	numeric	Squared-up percentage per batted-ball contact.
SquaredUpSwing_pct	numeric	Squared-up percentage per swing.

BlastContact_pct	numeric	Blast percentage per batted-ball contact.
BlastSwing_pct	numeric	Blast percentage per swing.
Swords	integer	Swords (awkward, defensive swinging strikes induced).
CompetitiveSwings	integer	Competitive swings tracked.
Tilt	numeric	Average swing tilt (degrees).
AttackAngle	numeric	Average attack angle (degrees).
AttackDirection	numeric	Average attack direction (degrees).
IdealAttackAngle_pct	numeric	Percentage of swings in the ideal attack-angle range.
DepthInBox	numeric	Average batter depth in the box (inches).
DistanceOffPlate	numeric	Average batter distance off the plate (inches).
scH-Swing_pct	numeric	Statcast swing percentage on hard-hit pitches.
scH-Contact_pct	numeric	Statcast contact percentage on hard-hit pitches.
scH-Zone_pct	numeric	Statcast in-zone percentage on hard-hit pitches.
scS-Swing_pct	numeric	Statcast swing percentage on slider pitches.
scS-Contact_pct	numeric	Statcast contact percentage on slider pitches.
scS-Zone_pct	numeric	Statcast in-zone percentage on slider pitches.
scC-Swing_pct	numeric	Statcast swing percentage on curveball pitches.
scC-Contact_pct	numeric	Statcast contact percentage on curveball pitches.
scC-Zone_pct	numeric	Statcast in-zone percentage on curveball pitches.
scW-Swing_pct	numeric	Statcast swing percentage on offspeed pitches.
scW-Contact_pct	numeric	Statcast contact percentage on offspeed pitches.
scW-Zone_pct	numeric	Statcast in-zone percentage on offspeed pitches.
scSI-Swing_pct	numeric	Statcast swing percentage on sinker pitches.
scSI-Contact_pct	numeric	Statcast contact percentage on sinker pitches.
scSI-Zone_pct	numeric	Statcast in-zone percentage on sinker pitches.
scSO-Swing_pct	numeric	Statcast swing percentage on softly-hit pitches.
scSO-Contact_pct	numeric	Statcast contact percentage on softly-hit pitches.
scSO-Zone_pct	numeric	Statcast in-zone percentage on softly-hit pitches.
scO-Swing_pct	numeric	Statcast swing percentage on out-of-zone pitches.
scO-Contact_pct	numeric	Statcast contact percentage on out-of-zone pitches.
scO-Zone_pct	numeric	Statcast in-zone percentage on out-of-zone pitches.
scZ-Swing_pct	numeric	Statcast swing percentage on in-zone pitches.
scZ-Contact_pct	numeric	Statcast contact percentage on in-zone pitches.
scZ-Zone_pct	numeric	Statcast in-zone percentage on in-zone pitches.
pi_CH_pct	numeric	PITCHInfo changeups usage percentage.
pi_CU_pct	numeric	PITCHInfo curveballs usage percentage.
pi_FA_pct	numeric	PITCHInfo four-seam fastballs usage percentage.
pi_FC_pct	numeric	PITCHInfo cutters usage percentage.
pi_FS_pct	numeric	PITCHInfo splitters usage percentage.
pi_SB_pct	numeric	PITCHInfo slow-balls usage percentage.
pi_SI_pct	numeric	PITCHInfo sinkers usage percentage.
pi_SL_pct	numeric	PITCHInfo sliders usage percentage.
pi_vCH	numeric	PITCHInfo average changeups velocity.
pi_vCU	numeric	PITCHInfo average curveballs velocity.
pi_vFA	numeric	PITCHInfo average four-seam fastballs velocity.
pi_vFC	numeric	PITCHInfo average cutters velocity.
pi_vFS	numeric	PITCHInfo average splitters velocity.
pi_vSB	numeric	PITCHInfo average slow-balls velocity.

pi_vSI	numeric	PITCHInfo average sinkers velocity.
pi_vSL	numeric	PITCHInfo average sliders velocity.
pi_CH-X	numeric	PITCHInfo average horizontal movement on changeups.
pi_CU-X	numeric	PITCHInfo average horizontal movement on curveballs.
pi_FA-X	numeric	PITCHInfo average horizontal movement on four-seam fastballs.
pi_FC-X	numeric	PITCHInfo average horizontal movement on cutters.
pi_FS-X	numeric	PITCHInfo average horizontal movement on splitters.
pi_SB-X	numeric	PITCHInfo average horizontal movement on slow-balls.
pi_SI-X	numeric	PITCHInfo average horizontal movement on sinkers.
pi_SL-X	numeric	PITCHInfo average horizontal movement on sliders.
pi_CH-Z	numeric	PITCHInfo average vertical movement on changeups.
pi_CU-Z	numeric	PITCHInfo average vertical movement on curveballs.
pi_FA-Z	numeric	PITCHInfo average vertical movement on four-seam fastballs.
pi_FC-Z	numeric	PITCHInfo average vertical movement on cutters.
pi_FS-Z	numeric	PITCHInfo average vertical movement on splitters.
pi_SB-Z	numeric	PITCHInfo average vertical movement on slow-balls.
pi_SI-Z	numeric	PITCHInfo average vertical movement on sinkers.
pi_SL-Z	numeric	PITCHInfo average vertical movement on sliders.
pi_wCH	numeric	PITCHInfo changeups linear weight runs.
pi_wCU	numeric	PITCHInfo curveballs linear weight runs.
pi_wFA	numeric	PITCHInfo four-seam fastballs linear weight runs.
pi_wFC	numeric	PITCHInfo cutters linear weight runs.
pi_wFS	numeric	PITCHInfo splitters linear weight runs.
pi_wSB	numeric	PITCHInfo slow-balls linear weight runs.
pi_wSI	numeric	PITCHInfo sinkers linear weight runs.
pi_wSL	numeric	PITCHInfo sliders linear weight runs.
pi_wCH_C	numeric	PITCHInfo changeups linear weight runs per 100 pitches.
pi_wCU_C	numeric	PITCHInfo curveballs linear weight runs per 100 pitches.
pi_wFA_C	numeric	PITCHInfo four-seam fastballs linear weight runs per 100 pitches.
pi_wFC_C	numeric	PITCHInfo cutters linear weight runs per 100 pitches.
pi_wFS_C	numeric	PITCHInfo splitters linear weight runs per 100 pitches.
pi_wSB_C	numeric	PITCHInfo slow-balls linear weight runs per 100 pitches.
pi_wSI_C	numeric	PITCHInfo sinkers linear weight runs per 100 pitches.
pi_wSL_C	numeric	PITCHInfo sliders linear weight runs per 100 pitches.
pi_O-Swing_pct	numeric	PITCHInfo swing percentage on pitches outside the zone.
pi_Z-Swing_pct	numeric	PITCHInfo swing percentage on pitches inside the zone.
pi_Swing_pct	numeric	PITCHInfo swing percentage.
pi_O-Contact_pct	numeric	PITCHInfo contact percentage on pitches outside the zone.
pi_Z-Contact_pct	numeric	PITCHInfo contact percentage on pitches inside the zone.
pi_Contact_pct	numeric	PITCHInfo contact percentage.
pi_Zone_pct	numeric	PITCHInfo percentage of pitches in the strike zone.
pi_Pace	numeric	PITCHInfo pace (seconds between pitches).
Events	integer	Batted-ball events with Statcast measurement.
EV	numeric	Average exit velocity (mph).
LA	numeric	Average launch angle (degrees).
Barrels	integer	Barreled batted balls.
Barrel_pct	numeric	Barrel percentage.
maxEV	numeric	Maximum exit velocity (mph).

HardHit	integer	Hard-hit batted balls (95+ mph).
HardHit_pct	numeric	Hard-hit percentage (95+ mph).
Q	numeric	Quality of contact / quality score.
TG	integer	Total games in the span.
TPA	integer	Total plate appearances in the span.
positionDB	character	Position code from the database.
position	character	Position played.
team_name_abb	character	Team name abbreviation.
teamid	integer	FanGraphs team ID.
playerTeamId	integer	FanGraphs player-team ID.
Pos	numeric	Primary position.
EV90	numeric	90th-percentile exit velocity (mph).
pi_XX_pct	numeric	PITCHInfo unidentified pitches usage percentage.
pi_vXX	numeric	PITCHInfo average unidentified pitches velocity.
pi_XX-X	numeric	PITCHInfo average horizontal movement on unidentified pitches.
pi_XX-Z	numeric	PITCHInfo average vertical movement on unidentified pitches.
pi_wXX	numeric	PITCHInfo unidentified pitches linear weight runs.
pi_wXX_C	numeric	PITCHInfo unidentified pitches linear weight runs per 100 pitches.
phLI	numeric	Average Leverage Index in pinch-hit appearances.
pi_CS_pct	numeric	PITCHInfo slow curves usage percentage.
pi_vCS	numeric	PITCHInfo average slow curves velocity.
pi_CS-X	numeric	PITCHInfo average horizontal movement on slow curves.
pi_CS-Z	numeric	PITCHInfo average vertical movement on slow curves.
pi_wCS	numeric	PITCHInfo slow curves linear weight runs.
pi_wCS_C	numeric	PITCHInfo slow curves linear weight runs per 100 pitches.
rBTV	numeric	Regressed base-state team value.
KN_pct	numeric	Knuckleball percentage (pitch usage).
KNv	numeric	Average knuckleball velocity.
wKN	numeric	Knuckleball pitch-type linear weight runs.
wKN_C	numeric	Knuckleball linear weight runs per 100 pitches.
pfx_KN_pct	numeric	PITCHf/x knuckleballs usage percentage.
pfx_vKN	numeric	PITCHf/x average knuckleballs velocity.
pfx_KN-X	numeric	PITCHf/x average horizontal movement on knuckleballs.
pfx_KN-Z	numeric	PITCHf/x average vertical movement on knuckleballs.
pfx_wKN	numeric	PITCHf/x knuckleballs linear weight runs.
pfx_wKN_C	numeric	PITCHf/x knuckleballs linear weight runs per 100 pitches.
pfx_aaKN	numeric	PITCHf/x average arsenal value on knuckleballs.
pfx_spKN	numeric	PITCHf/x Stuff+ value on knuckleballs.
pi_KN_pct	numeric	PITCHInfo knuckleballs usage percentage.
pi_vKN	numeric	PITCHInfo average knuckleballs velocity.
pi_KN-X	numeric	PITCHInfo average horizontal movement on knuckleballs.
pi_KN-Z	numeric	PITCHInfo average vertical movement on knuckleballs.
pi_wKN	numeric	PITCHInfo knuckleballs linear weight runs.
pi_wKN_C	numeric	PITCHInfo knuckleballs linear weight runs per 100 pitches.
rCPTV	numeric	Regressed catcher pitch-type value.
CFraming	numeric	Catcher framing runs.
rDGV	numeric	Regressed defensive game value.
rDSV	numeric	Regressed defensive stuff value.

Examples

```
try(fg_batter_leaders(startseason = 2023, endseason = 2023))
```

`fg_fielder_leaders` **Scrape Fielder Leaderboards from FanGraphs**

Description

This function allows you to scrape all leaderboard statistics (basic and advanced) from FanGraphs.com.

Usage

```
fg_fielder_leaders(
  age = "",
  pos = "all",
  stats = "fld",
  lg = "all",
  qual = "0",
  startseason = "2023",
  endseason = "2023",
  startdate = "",
  enddate = "",
  month = "0",
  hand = "",
  team = "0",
  pageitems = "10000",
  pagenum = "1",
  ind = "0",
  rost = "0",
  players = "",
  type = "1",
  postseason = "",
  sortdir = "default",
  sortstat = "Defense"
)
```

Arguments

`age`	(integer) Age of players
`pos`	(character) Position of players, defaults to "all". To exclude pitchers, use "np".
`stats`	(character) Statistic to return. Defaults to "bat".
`lg`	(character) League to return. Defaults to "all". Options are "al", "nl", or "all".

qual	(character) Whether you want only batters/pitchers that qualified in a given season, or the minimum number of plate appearances for inclusion. If you only want qualified hitters, use qual. If a minimum number of plate appearaces/innings pitched, use the number desired. Defaults to "y".
startseason	(character) Season for which you want to scrape the data.
endseason	(character) Last season for which you want data.
startdate	(character) Start date for which you want data.
enddate	(character) End date for which you want data.
month	(character) Month for which you want data. Defaults to "0" (full season). Special values: "13" (vs LHP split), "14" (vs RHP split), "1000" (custom date range). When startdate/enddate are supplied and month is left at its default, it is set to "1000" automatically so the date filters take effect.
hand	(character) Handedness of batter. Options are "L", "R", or "B". Empty string returns all.
team	(character) Teams for which you want data, comma separated.
pageitems	(character) Number of items per page.
pagenum	(character) Page number.
ind	(character) Whether or not to break the seasons out individual, or roll them up together. 1 = split seasons, 0 = aggregate seasons.
rost	(character) Whether or not to include players on the roster. 1 = include, 0 = exclude.
players	(character) Whether or not to include players on the roster. 1 = include only active roster players, 0 = exclude.
type	(character) Defaults to 8, which is the standard leaderboard. The values for the leaderboards appear to go to from type = 0 to 48+, which correspond to links on the leaderboard page.
postseason	(logical) Whether or not to include postseason data. TRUE = include postseason, FALSE = exclude postseason.
sortdir	(character) Sort direction. Options are "asc" or "desc" or "default".
sortstat	(character) Sort by stat. Default is "Defense".

Value

A data frame of fielder data.

col_name	types	description
Season	integer	Season (YYYY).
team_name	character	Team name.
xMLBAMID	integer	MLBAM player ID.
PlayerNameRoute	character	Player name URL slug used by FanGraphs.
PlayerName	character	Player name.
playerid	integer	FanGraphs player ID.
SeasonMin	integer	First season in the queried span.
SeasonMax	integer	Last season in the queried span.

Pos	character	Primary position.
Position	character	Position played.
G	integer	Games played.
GS	integer	Games started.
Inn	numeric	Innings played in the field.
PO	integer	Putouts.
A	integer	Assists.
E	integer	Errors.
FE	integer	Fielding errors.
TE	integer	Throwing errors.
DP	integer	Double plays.
DPS	integer	Double plays started.
DPT	integer	Double plays turned.
DPF	integer	Double plays finished.
SB	integer	Stolen bases.
CS	integer	Caught stealing.
PB	integer	Passed balls.
WP	integer	Wild pitches.
FP	numeric	Fielding percentage.
rSB	integer	Stolen-base runs (catcher arm).
rGFP	integer	Good-fielding-play runs.
rSZ	numeric	Strike-zone (framing) runs.
rCERA	integer	Catcher-ERA runs.
DRS	integer	Defensive Runs Saved.
Defense	numeric	Total defensive value (runs above average).
CStrikes	numeric	Catcher framing called strikes above average.
CFraming	numeric	Catcher framing runs.
dFRP	integer	Double-play component of Fielding Run Prevention.
bFRP	integer	Bunt component of Fielding Run Prevention.
tFRP	integer	Throwing component of Fielding Run Prevention.
fFRP	integer	Framing component of Fielding Run Prevention.
FRP	integer	Total Fielding Run Prevention.
Q	numeric	Quality of contact / quality score.
TInn	numeric	Total innings played in the field.
positionDB	character	Position code from the database.
teamid	integer	FanGraphs team ID.
team_name_abb	character	Team name abbreviation.
playerTeamId	integer	FanGraphs player-team ID.
rGDP	integer	Double-play runs.
rPM	integer	Plus/minus range runs.
BIZ	integer	Balls hit in defensive zone.
Plays	integer	Plays made in zone.
RZR	numeric	Revised Zone Rating.
OOZ	integer	Plays made out of zone.
DPR	numeric	Double-play runs (UZR component).
RngR	numeric	Range runs (UZR component).
ErrR	numeric	Error runs (UZR component).
UZR	numeric	Ultimate Zone Rating.

UZR_150	numeric	Ultimate Zone Rating per 150 defensive games.
OAA	integer	Outs Above Average (Statcast).
rFRP	integer	Range component of Fielding Run Prevention.
aFRP	integer	Arm component of Fielding Run Prevention.
rARM	integer	Outfield-arm runs.
ARM	numeric	Outfield-arm runs (UZR component).
Scp	integer	Scoops (first-base picks).

Examples

```
try(fg_fielder_leaders(startseason = 2023, endseason = 2023))
```

`fg_guts` **Scrape FanGraphs.com Guts!**

Description

Scrape historical FanGraphs Guts! table, wOBA, FIP coefficients and constants

Usage

```
fg_guts()
```

Value

Returns a tibble of seasonal constants from FanGraphs

col_name	types	description
season	integer	Season (YYYY).
lg_woba	numeric	League-average wOBA for the season.
woba_scale	numeric	wOBA scale factor (converts wOBA to runs).
wBB	numeric	Linear weight (runs) for an unintentional walk.
wHBP	numeric	Linear weight (runs) for a hit-by-pitch.
w1B	numeric	Linear weight (runs) for a single.
w2B	numeric	Linear weight (runs) for a double.
w3B	numeric	Linear weight (runs) for a triple.
wHR	numeric	Linear weight (runs) for a home run.
runSB	numeric	Run value of a stolen base.
runCS	numeric	Run value of a caught stealing.
lg_r_pa	numeric	League runs per plate appearance.
lg_r_w	numeric	League runs per win.
cFIP	numeric	FIP constant for the season.

Examples

```
try(fg_guts())
```

`fg_milb_batter_game_logs`

Scrape MiLB game logs for batters from FanGraphs

Description

This function allows you to scrape MiLB game logs for individual batters from FanGraphs.

Usage

```
fg_milb_batter_game_logs(playerid, year)
```

Arguments

`playerid`	The batter's minor league ID from FanGraphs.
`year`	The season for which game logs should be returned.

Value

Returns a tibble of Minor League batter game logs, one row per game, with the following columns:

col_name	types	description
Date	character	Calendar date of the game (YYYY-MM-DD).
Team	character	Minor league team the batter played for.
Level	character	Minor league classification level (e.g. (AA), (AAA)).
Opp	character	Opponent team; leading @ indicates a road game.
G	numeric	Games played (1 per row).
AB	numeric	At-bats.
PA	numeric	Plate appearances.
H	numeric	Hits.
1B	numeric	Singles.
2B	numeric	Doubles.
3B	numeric	Triples.
HR	numeric	Home runs.
R	numeric	Runs scored.
RBI	numeric	Runs batted in.
BB	numeric	Walks (bases on balls).
IBB	numeric	Intentional walks.
SO	numeric	Strikeouts.
HBP	numeric	Times hit by pitch.
SF	numeric	Sacrifice flies.
SH	numeric	Sacrifice hits (bunts).

GDP	numeric	Grounded into double plays.
SB	numeric	Stolen bases.
CS	numeric	Times caught stealing.
AVG	numeric	Batting average (H/AB).
BB%	numeric	Walk rate (BB per plate appearance).
K%	numeric	Strikeout rate (SO per plate appearance).
BB/K	numeric	Walk-to-strikeout ratio.
OBP	numeric	On-base percentage.
SLG	numeric	Slugging percentage.
OPS	numeric	On-base plus slugging.
ISO	numeric	Isolated power (SLG minus AVG).
Spd	numeric	Bill James Speed Score.
BABIP	numeric	Batting average on balls in play.
wRC	numeric	Weighted runs created.
wRAA	numeric	Weighted runs above average.
wOBA	numeric	Weighted on-base average.
wRC+	numeric	Weighted runs created plus (league/park adjusted, 100=avg).
wBsR	numeric	Weighted base running runs.
gamedate	character	Game date as parsed from the source feed.
dh	integer	Doubleheader game indicator (0 = single game).

Examples

```
try(fg_milb_batter_game_logs(playerid = "sa3019999", year=2023))
```

`fg_milb_pitcher_game_logs`

Scrape MiLB game logs for pitchers from FanGraphs

Description

This function allows you to scrape MiLB game logs for individual batters from FanGraphs.com.

Usage

```
fg_milb_pitcher_game_logs(playerid, year)
```

Arguments

`playerid`	The pitcher's minor league ID from FanGraphs.com.
`year`	The season for which game logs should be returned.

Value

Returns a tibble of Minor League pitcher game logs, one row per game, with the following columns:

col_name	types	description
Date	character	Calendar date of the game (YYYY-MM-DD).
Team	character	Minor league team the pitcher played for.
Level	character	Minor league classification level (e.g. (AA), (AAA)).
Opp	character	Opponent team; leading @ indicates a road game.
W	numeric	Wins.
L	numeric	Losses.
ERA	numeric	Earned run average (per 9 innings).
G	numeric	Games pitched (1 per row).
GS	numeric	Games started.
QS	numeric	Quality starts (6+ IP, 3 or fewer earned runs).
CG	numeric	Complete games.
ShO	numeric	Shutouts.
SV	numeric	Saves.
IP	numeric	Innings pitched.
TBF	numeric	Total batters faced.
H	numeric	Hits allowed.
R	numeric	Runs allowed.
ER	numeric	Earned runs allowed.
HR	numeric	Home runs allowed.
BB	numeric	Walks allowed.
IBB	numeric	Intentional walks allowed.
HBP	numeric	Batters hit by pitch.
WP	numeric	Wild pitches.
BK	numeric	Balks.
SO	numeric	Strikeouts.
K/9	numeric	Strikeouts per 9 innings.
BB/9	numeric	Walks per 9 innings.
K/BB	numeric	Strikeout-to-walk ratio.
HR/9	numeric	Home runs allowed per 9 innings.
K%	numeric	Strikeout rate (per batter faced).
K-BB%	numeric	Strikeout rate minus walk rate.
BB%	numeric	Walk rate (per batter faced).
AVG	numeric	Opponent batting average allowed.
WHIP	numeric	Walks plus hits per inning pitched.
BABIP	numeric	Batting average on balls in play allowed.
LOB%	numeric	Left-on-base percentage (strand rate).
FIP	numeric	Fielding independent pitching.
ERA-	numeric	ERA scaled to league/park (100 = average, lower better).
FIP-	numeric	FIP scaled to league/park (100 = average, lower better).
xFIP-	numeric	Expected FIP scaled to league/park (100 = average).
gamedate	character	Game date as parsed from the source feed.
dh	integer	Doubleheader game indicator (0 = single game).

Examples

```
try(fg_milb_pitcher_game_logs(playerid = "sa3020682", year=2023))
```

`fg_park` **Scrape Park Factors from FanGraphs**

Description

This function allows you to scrape park factors for a given season from FanGraphs.com.

This function allows you to scrape park factors by handedness from FanGraphs.com for a given single year.

Usage

```
fg_park(yr)

fg_park_hand(yr)
```

Arguments

`yr`	Season for which you want to scrape the park factors.

Value

Returns a tibble of park factors.

col_name	types	description
season	integer	Season (YYYY).
home_team	character	Home team name.
basic_5yr	integer	Basic 5-year park factor (100 = neutral).
3yr	integer	3-year park factor (100 = neutral).
1yr	integer	1-year park factor (100 = neutral).
single	integer	Park factor for singles.
double	integer	Park factor for doubles.
triple	integer	Park factor for triples.
hr	integer	Park factor for home runs.
so	integer	Park factor for strikeouts.
UIBB	integer	Park factor for unintentional walks.
GB	integer	Park factor for ground balls.
FB	integer	Park factor for fly balls.
LD	integer	Park factor for line drives.
IFFB	integer	Park factor for infield fly balls.
FIP	integer	Park factor applied to FIP.

Returns a tibble of park factors by handedness.

col_name	types	description
season	integer	Season (YYYY).
home_team	character	Home team name.
single_as_LHH	integer	Singles park factor for left-handed hitters.
single_as_RHH	integer	Singles park factor for right-handed hitters.
double_as_LHH	integer	Doubles park factor for left-handed hitters.
double_as_RHH	integer	Doubles park factor for right-handed hitters.
triple_as_LHH	integer	Triples park factor for left-handed hitters.
triple_as_RHH	integer	Triples park factor for right-handed hitters.
hr_as_LHH	integer	Home run park factor for left-handed hitters.
hr_as_RHH	integer	Home run park factor for right-handed hitters.

Examples

```
try(fg_park(2013))


try(fg_park_hand(2013))
```

---

fg_pitch_leaders (legacy) Scrape Pitcher Leaderboards from FanGraphs

---

Description

(legacy) Scrape Pitcher Leaderboards from FanGraphs

Usage

```
fg_pitch_leaders(
  age = "",
  pos = "all",
  stats = "pit",
  lg = "all",
  qual = "0",
  startseason = "2023",
  endseason = "2023",
  startdate = "",
  enddate = "",
  month = "0",
  hand = "",
  team = "0",
  pageitems = "10000",
  pagenum = "1",
  ind = "0",
  rost = "0",
```

```
  players = "",
  type = "8",
  postseason = "",
  sortdir = "default",
  sortstat = "WAR"
)
```

Arguments

age	(integer) Age of players
pos	(character) Position of players, defaults to "all". To exclude pitchers, use "np".
stats	(character) Statistic to return. Defaults to "bat".
lg	(character) League to return. Defaults to "all". Options are "al", "nl", or "all".
qual	(character) Whether you want only batters/pitchers that qualified in a given season, or the minimum number of plate appearances for inclusion. If you only want qualified hitters, use qual. If a minimum number of plate appearaces/innings pitched, use the number desired. Defaults to "y".
startseason	(character) Season for which you want to scrape the data.
endseason	(character) Last season for which you want data.
startdate	(character) Start date for which you want data.
enddate	(character) End date for which you want data.
month	(character) Month for which you want data. Defaults to "0" (full season). Special values: "13" (vs LHP split), "14" (vs RHP split), "1000" (custom date range). When `startdate`/`enddate` are supplied and `month` is left at its default, it is set to "1000" automatically so the date filters take effect.
hand	(character) Handedness of batter. Options are "L", "R", or "B". Empty string returns all.
team	(character) Teams for which you want data, comma separated.
pageitems	(character) Number of items per page.
pagenum	(character) Page number.
ind	(character) Whether or not to break the seasons out individual, or roll them up together. 1 = split seasons, 0 = aggregate seasons.
rost	(character) Whether or not to include players on the roster. 1 = include, 0 = exclude.
players	(character) Whether or not to include players on the roster. 1 = include only active roster players, 0 = exclude.
type	(character) Defaults to 8, which is the standard leaderboard. The values for the leaderboards appear to go to from type = 0 to 48+, which correspond to links on the leaderboard page.
postseason	(logical) Whether or not to include postseason data. TRUE = include postseason, FALSE = exclude postseason.
sortdir	(character) Sort direction. Options are "asc" or "desc" or "default".
sortstat	(character) Sort by stat. Default is "WAR".

Value

A data frame of pitcher data.

`fg_pitcher_game_logs` **Scrape Pitcher Game Logs from FanGraphs**

Description

This function allows you to scrape game logs by year for a pitcher from FanGraphs.com.

Usage

```
fg_pitcher_game_logs(playerid, year)
```

Arguments

`playerid`	This is the playerid used by FanGraphs for a given player
`year`	The season for which game logs should be returned (use the YYYY format)

Value

A data frame of pitcher game logs, one row per game, with the following columns:

col_name	types	description
PlayerName	character	Player name.
playerid	integer	FanGraphs player ID.
Date	character	Calendar date of the game (YYYY-MM-DD).
Opp	character	Opponent team; leading @ indicates a road game.
teamid	integer	FanGraphs team ID.
season	integer	Season year.
Team	character	Team the player appeared for.
HomeAway	character	Home/away indicator for the game.
Age	integer	Player age during the season.
W	numeric	Wins.
L	numeric	Losses.
ERA	numeric	Earned run average.
G	numeric	Games (1 per row).
GS	numeric	Games started.
QS	numeric	Quality starts.
CG	numeric	Complete games.
ShO	numeric	Shutouts.
SV	numeric	Saves.
HLD	numeric	Holds.
BS	numeric	Blown saves.
IP	numeric	Innings pitched.
TBF	numeric	Total batters faced.

H	numeric	Hits.
R	numeric	Runs scored.
ER	numeric	Earned runs allowed.
HR	numeric	Home runs.
BB	numeric	Walks (bases on balls).
IBB	numeric	Intentional walks.
HBP	numeric	Times hit by pitch.
WP	numeric	Wild pitches.
BK	numeric	Balks.
SO	numeric	Strikeouts.
K/9	numeric	Strikeouts per 9 innings.
BB/9	numeric	Walks per 9 innings.
H/9	numeric	Hits per 9 innings.
K/BB	numeric	Strikeout-to-walk ratio.
IFH%	numeric	Infield-hit rate.
BUH%	numeric	Bunt-hit rate.
GB	numeric	Ground balls.
FB	numeric	Fly balls.
LD	numeric	Line drives.
IFFB	numeric	Infield fly balls.
IFH	numeric	Infield hits.
BU	numeric	Bunts.
BUH	numeric	Bunt hits.
K%	numeric	Strikeout rate.
BB%	numeric	Walk rate.
K-BB%	numeric	Strikeout rate minus walk rate.
SIERA	numeric	Skill-interactive ERA.
HR/9	numeric	Home runs per 9 innings.
AVG	numeric	Batting average.
WHIP	numeric	Walks plus hits per inning pitched.
BABIP	numeric	Batting average on balls in play.
LOB%	numeric	Left-on-base percentage (strand rate).
FIP	numeric	Fielding independent pitching.
E-F	numeric	ERA minus FIP.
xFIP	numeric	Expected fielding independent pitching.
ERA-	numeric	ERA scaled to league/park (100 = average).
FIP-	numeric	FIP scaled to league/park (100 = average).
xFIP-	numeric	xFIP scaled to league/park (100 = average).
GB/FB	numeric	Ground-ball to fly-ball ratio.
LD%	numeric	Line-drive rate.
GB%	numeric	Ground-ball rate.
FB%	numeric	Fly-ball rate.
IFFB%	numeric	Infield-fly-ball rate.
HR/FB	numeric	Home-run-per-fly-ball rate.
RS	numeric	Run support.
RS/9	numeric	Run support per 9 innings.
Balls	numeric	Balls.
Strikes	numeric	Strikes.

Pitches	numeric	Pitches seen.
WPA	numeric	Win probability added.
-WPA	numeric	Negative win probability added.
+WPA	numeric	Positive win probability added.
RE24	numeric	Run expectancy based on 24 base-out states.
REW	numeric	Run expectancy wins.
pLI	numeric	Average leverage index.
inLI	numeric	Average leverage index entering games.
gmLI	numeric	Average leverage index at game entry.
exLI	numeric	Average leverage index exiting games.
Pulls	numeric	Times pulled from games.
Games	numeric	Games appeared in.
WPA/LI	numeric	Context-neutral win probability added.
Clutch	numeric	Clutch performance score.
SD	numeric	Shutdowns.
MD	numeric	Meltdowns.
FB%1	numeric	Fastball usage rate.
FBv	numeric	Average four-seam fastball velocity (mph).
SL%	numeric	slider usage rate.
SLv	numeric	Average slider velocity (mph).
CT%	numeric	cutter usage rate.
CTv	numeric	Average cutter velocity (mph).
CB%	numeric	curveball usage rate.
CBv	numeric	Average curveball velocity (mph).
SF%	numeric	split-finger fastball usage rate.
SFv	numeric	Average split-finger fastball velocity (mph).
XX%	numeric	unknown/other pitch usage rate.
wFB	numeric	Total runs above average on the fastball.
wSL	numeric	Total runs above average on the slider.
wCT	numeric	Total runs above average on the cutter.
wCB	numeric	Total runs above average on the curveball.
wSF	numeric	Total runs above average on the split-finger fastball.
wFB/C	numeric	Runs above average per 100 fastballs.
wSL/C	numeric	Runs above average per 100 sliders.
wCT/C	numeric	Runs above average per 100 cutters.
wCB/C	numeric	Runs above average per 100 curveballs.
wSF/C	numeric	Runs above average per 100 split-finger fastballs.
O-Swing%	numeric	Swing rate on pitches outside the zone.
Z-Swing%	numeric	Swing rate on pitches in the zone.
Swing%	numeric	Overall swing rate.
O-Contact%	numeric	Contact rate on pitches outside the zone.
Z-Contact%	numeric	Contact rate on pitches in the zone.
Contact%	numeric	Overall contact rate.
Zone%	numeric	Rate of pitches in the strike zone.
F-Strike%	numeric	First-pitch strike rate.
SwStr%	numeric	Swinging-strike rate.
Pull	numeric	Pulled batted balls.
Cent	numeric	Batted balls hit up the middle.

Oppo	numeric	Opposite-field batted balls.
Soft	numeric	Soft-hit batted balls.
Med	numeric	Medium-hit batted balls.
Hard	numeric	Hard-hit batted balls.
bipCount	numeric	Balls in play.
Pull%	numeric	Pulled batted-ball rate.
Cent%	numeric	Up-the-middle batted-ball rate.
Oppo%	numeric	Opposite-field batted-ball rate.
Soft%	numeric	Soft-contact rate.
Med%	numeric	Medium-contact rate.
Hard%	numeric	Hard-contact rate.
tERA	numeric	True ERA (batted-ball based).
GSv2	numeric	Game Score (version 2).
pb_o_CU	numeric	PitchingBot overall grade for the curveball.
pb_s_CU	numeric	PitchingBot stuff grade for the curveball.
pb_c_CU	numeric	PitchingBot command grade for the curveball.
pb_o_FF	numeric	PitchingBot overall grade for the four-seam fastball.
pb_s_FF	numeric	PitchingBot stuff grade for the four-seam fastball.
pb_c_FF	numeric	PitchingBot command grade for the four-seam fastball.
pb_o_SI	numeric	PitchingBot overall grade for the sinker.
pb_s_SI	numeric	PitchingBot stuff grade for the sinker.
pb_c_SI	numeric	PitchingBot command grade for the sinker.
pb_o_SL	numeric	PitchingBot overall grade for the slider.
pb_s_SL	numeric	PitchingBot stuff grade for the slider.
pb_c_SL	numeric	PitchingBot command grade for the slider.
pb_o_FC	numeric	PitchingBot overall grade for the cutter.
pb_s_FC	numeric	PitchingBot stuff grade for the cutter.
pb_c_FC	numeric	PitchingBot command grade for the cutter.
pb_o_FS	numeric	PitchingBot overall grade for the splitter.
pb_s_FS	numeric	PitchingBot stuff grade for the splitter.
pb_c_FS	numeric	PitchingBot command grade for the splitter.
pb_overall	numeric	PitchingBot overall grade.
pb_stuff	numeric	PitchingBot stuff grade.
pb_command	numeric	PitchingBot command grade.
pb_xRV100	numeric	PitchingBot expected run value per 100 pitches.
pb_ERA	numeric	PitchingBot ERA estimate.
sp_s_CU	numeric	Stuff+ grade for the curveball (100 = average).
sp_l_CU	numeric	Location+ grade for the curveball (100 = average).
sp_p_CU	numeric	Pitching+ grade for the curveball (100 = average).
sp_s_FF	numeric	Stuff+ grade for the four-seam fastball (100 = average).
sp_l_FF	numeric	Location+ grade for the four-seam fastball (100 = average).
sp_p_FF	numeric	Pitching+ grade for the four-seam fastball (100 = average).
sp_s_SI	numeric	Stuff+ grade for the sinker (100 = average).
sp_l_SI	numeric	Location+ grade for the sinker (100 = average).
sp_p_SI	numeric	Pitching+ grade for the sinker (100 = average).
sp_s_SL	numeric	Stuff+ grade for the slider (100 = average).
sp_l_SL	numeric	Location+ grade for the slider (100 = average).
sp_p_SL	numeric	Pitching+ grade for the slider (100 = average).

sp_s_FC	numeric	Stuff+ grade for the cutter (100 = average).
sp_l_FC	numeric	Location+ grade for the cutter (100 = average).
sp_p_FC	numeric	Pitching+ grade for the cutter (100 = average).
sp_s_FS	numeric	Stuff+ grade for the splitter (100 = average).
sp_l_FS	numeric	Location+ grade for the splitter (100 = average).
sp_p_FS	numeric	Pitching+ grade for the splitter (100 = average).
sp_stuff	numeric	Overall Stuff+ grade (100 = average).
sp_location	numeric	Overall Location+ grade (100 = average).
sp_pitching	numeric	Overall Pitching+ grade (100 = average).
PPTV	numeric	Pitch-type and framing run value component.
CPTV	numeric	Pitch-type and framing run value component.
BPTV	numeric	Pitch-type and framing run value component.
DSV	numeric	Pitch-type and framing run value component.
DGV	numeric	Pitch-type and framing run value component.
BTV	numeric	Pitch-type and framing run value component.
rPPTV	numeric	Pitch-type and framing run value component.
rBPTV	numeric	Pitch-type and framing run value component.
EBV	numeric	Pitch-type and framing run value component.
ESV	numeric	Pitch-type and framing run value component.
rFTeamV	numeric	Pitch-type and framing run value component.
rBTeamV	numeric	Pitch-type and framing run value component.
rTV	numeric	Pitch-type and framing run value component.
xERA	numeric	Expected ERA.
pfxFA%	numeric	PITCHf/x four-seam fastball usage rate.
pfxFC%	numeric	PITCHf/x cutter usage rate.
pfxFS%	numeric	PITCHf/x splitter usage rate.
pfxSI%	numeric	PITCHf/x sinker usage rate.
pfxSL%	numeric	PITCHf/x slider usage rate.
pfxCU%	numeric	PITCHf/x curveball usage rate.
pfxSLO%	numeric	PITCHf/x slurve usage rate.
pfxST%	numeric	PITCHf/x sweeper usage rate.
pfxCUO%	numeric	PITCHf/x other curve usage rate.
pfxvFA	numeric	PITCHf/x average four-seam fastball velocity (mph).
pfxvFC	numeric	PITCHf/x average cutter velocity (mph).
pfxvFS	numeric	PITCHf/x average splitter velocity (mph).
pfxvSI	numeric	PITCHf/x average sinker velocity (mph).
pfxvSL	numeric	PITCHf/x average slider velocity (mph).
pfxvCU	numeric	PITCHf/x average curveball velocity (mph).
pfxvSLO	numeric	PITCHf/x average slurve velocity (mph).
pfxvST	numeric	PITCHf/x average sweeper velocity (mph).
pfxvCUO	numeric	PITCHf/x average other curve velocity (mph).
pfxFA-X	numeric	PITCHf/x horizontal movement of the four-seam fastball (inches).
pfxFC-X	numeric	PITCHf/x horizontal movement of the cutter (inches).
pfxFS-X	numeric	PITCHf/x horizontal movement of the splitter (inches).
pfxSI-X	numeric	PITCHf/x horizontal movement of the sinker (inches).
pfxSL-X	numeric	PITCHf/x horizontal movement of the slider (inches).
pfxCU-X	numeric	PITCHf/x horizontal movement of the curveball (inches).
pfxSLO-X	numeric	PITCHf/x horizontal movement of the slurve (inches).

pfxST-X	numeric	PITCHf/x horizontal movement of the sweeper (inches).
pfxCUO-X	numeric	PITCHf/x horizontal movement of the other curve (inches).
pfxFA-Z	numeric	PITCHf/x vertical movement of the four-seam fastball (inches).
pfxFC-Z	numeric	PITCHf/x vertical movement of the cutter (inches).
pfxFS-Z	numeric	PITCHf/x vertical movement of the splitter (inches).
pfxSI-Z	numeric	PITCHf/x vertical movement of the sinker (inches).
pfxSL-Z	numeric	PITCHf/x vertical movement of the slider (inches).
pfxCU-Z	numeric	PITCHf/x vertical movement of the curveball (inches).
pfxSLO-Z	numeric	PITCHf/x vertical movement of the slurve (inches).
pfxST-Z	numeric	PITCHf/x vertical movement of the sweeper (inches).
pfxCUO-Z	numeric	PITCHf/x vertical movement of the other curve (inches).
pfxwFA	numeric	PITCHf/x total runs above average on the four-seam fastball.
pfxwFC	numeric	PITCHf/x total runs above average on the cutter.
pfxwFS	numeric	PITCHf/x total runs above average on the splitter.
pfxwSI	numeric	PITCHf/x total runs above average on the sinker.
pfxwSL	numeric	PITCHf/x total runs above average on the slider.
pfxwCU	numeric	PITCHf/x total runs above average on the curveball.
pfxwSLO	numeric	PITCHf/x total runs above average on the slurve.
pfxwST	numeric	PITCHf/x total runs above average on the sweeper.
pfxwCUO	numeric	PITCHf/x total runs above average on the other curve.
pfxwFA/C	numeric	PITCHf/x runs above average per 100 four-seam fastballs.
pfxwFC/C	numeric	PITCHf/x runs above average per 100 cutters.
pfxwFS/C	numeric	PITCHf/x runs above average per 100 splitters.
pfxwSI/C	numeric	PITCHf/x runs above average per 100 sinkers.
pfxwSL/C	numeric	PITCHf/x runs above average per 100 sliders.
pfxwCU/C	numeric	PITCHf/x runs above average per 100 curveballs.
pfxwSLO/C	numeric	PITCHf/x runs above average per 100 slurves.
pfxwST/C	numeric	PITCHf/x runs above average per 100 sweepers.
pfxwCUO/C	numeric	PITCHf/x runs above average per 100 other curves.
pfxaaFA	numeric	PITCHf/x average spin/active component on the four-seam fastball.
pfxaaFC	numeric	PITCHf/x average spin/active component on the cutter.
pfxaaFS	numeric	PITCHf/x average spin/active component on the splitter.
pfxaaSI	numeric	PITCHf/x average spin/active component on the sinker.
pfxaaSL	numeric	PITCHf/x average spin/active component on the slider.
pfxaaCU	numeric	PITCHf/x average spin/active component on the curveball.
pfxaaSLO	numeric	PITCHf/x average spin/active component on the slurve.
pfxaaST	numeric	PITCHf/x average spin/active component on the sweeper.
pfxaaCUO	numeric	PITCHf/x average spin/active component on the other curve.
pfxspFA	numeric	PITCHf/x average spin rate on the four-seam fastball (rpm).
pfxspFC	numeric	PITCHf/x average spin rate on the cutter (rpm).
pfxspFS	numeric	PITCHf/x average spin rate on the splitter (rpm).
pfxspSI	numeric	PITCHf/x average spin rate on the sinker (rpm).
pfxspSL	numeric	PITCHf/x average spin rate on the slider (rpm).
pfxspCU	numeric	PITCHf/x average spin rate on the curveball (rpm).
pfxspSLO	numeric	PITCHf/x average spin rate on the slurve (rpm).
pfxspST	numeric	PITCHf/x average spin rate on the sweeper (rpm).
pfxspCUO	numeric	PITCHf/x average spin rate on the other curve (rpm).
pfxO-Swing%	numeric	PITCHf/x Swing rate on pitches outside the zone.

pfxZ-Swing%	numeric	PITCHf/x Swing rate on pitches in the zone.
pfxSwing%	numeric	PITCHf/x Overall swing rate.
pfxO-Contact%	numeric	PITCHf/x Contact rate on pitches outside the zone.
pfxZ-Contact%	numeric	PITCHf/x Contact rate on pitches in the zone.
pfxContact%	numeric	PITCHf/x Overall contact rate.
pfxZone%	numeric	PITCHf/x Rate of pitches in the strike zone.
pfxPace	numeric	PITCHf/x Average seconds between pitches.
AvgBatSpeed	numeric	Average bat speed (mph).
FastSwing%	numeric	Rate of fast swings.
SwingLength	numeric	Average swing length (feet).
SquaredUpContact%	numeric	Squared-up rate per contact.
SquaredUpSwing%	numeric	Squared-up rate per swing.
BlastContact%	numeric	Blast rate per contact.
BlastSwing%	numeric	Blast rate per swing.
Swords	numeric	Swords (especially ugly swinging strikeouts).
CompetitiveSwings	numeric	Competitive swings.
Tilt	numeric	Average swing tilt (degrees).
AttackAngle	numeric	Average attack angle (degrees).
AttackDirection	numeric	Average attack direction (degrees).
IdealAttackAngle%	numeric	Rate of swings in the ideal attack-angle range.
DepthInBox	numeric	Average depth in the batter's box (inches).
DistanceOffPlate	numeric	Average distance off the plate (inches).
scH-Swing%	numeric	Statcast heart-zone swing rate.
scH-Contact%	numeric	Statcast heart-zone contact rate.
scH-Zone%	numeric	Statcast heart-zone zone rate.
scS-Swing%	numeric	Statcast shadow-zone swing rate.
scS-Contact%	numeric	Statcast shadow-zone contact rate.
scS-Zone%	numeric	Statcast shadow-zone zone rate.
scC-Swing%	numeric	Statcast chase-zone swing rate.
scC-Contact%	numeric	Statcast chase-zone contact rate.
scC-Zone%	numeric	Statcast chase-zone zone rate.
scW-Swing%	numeric	Statcast waste-zone swing rate.
scW-Contact%	numeric	Statcast waste-zone contact rate.
scW-Zone%	numeric	Statcast waste-zone zone rate.
scSI-Swing%	numeric	Statcast in-zone strike-zone swing rate.
scSI-Contact%	numeric	Statcast in-zone strike-zone contact rate.
scSI-Zone%	numeric	Statcast in-zone strike-zone zone rate.
scSO-Swing%	numeric	Statcast out-of-zone strike-zone swing rate.
scSO-Contact%	numeric	Statcast out-of-zone strike-zone contact rate.
scSO-Zone%	numeric	Statcast out-of-zone strike-zone zone rate.
scO-Swing%	numeric	Statcast out-of-zone-zone swing rate.
scO-Contact%	numeric	Statcast out-of-zone-zone contact rate.
scO-Zone%	numeric	Statcast out-of-zone-zone zone rate.
scZ-Swing%	numeric	Statcast in-zone-zone swing rate.
scZ-Contact%	numeric	Statcast in-zone-zone contact rate.
scZ-Zone%	numeric	Statcast in-zone-zone zone rate.
piCU%	numeric	PITCHInfo curveball usage rate.
piFA%	numeric	PITCHInfo four-seam fastball usage rate.

piFC%	numeric	PITCHInfo cutter usage rate.
piFS%	numeric	PITCHInfo splitter usage rate.
piSI%	numeric	PITCHInfo sinker usage rate.
piSL%	numeric	PITCHInfo slider usage rate.
piXX%	numeric	PITCHInfo unknown/other pitch usage rate.
pivCU	numeric	PITCHInfo average curveball velocity (mph).
pivFA	numeric	PITCHInfo average four-seam fastball velocity (mph).
pivFC	numeric	PITCHInfo average cutter velocity (mph).
pivFS	numeric	PITCHInfo average splitter velocity (mph).
pivSI	numeric	PITCHInfo average sinker velocity (mph).
pivSL	numeric	PITCHInfo average slider velocity (mph).
pivXX	numeric	PITCHInfo average unknown/other pitch velocity (mph).
piCU-X	numeric	PITCHInfo horizontal movement of the curveball (inches).
piFA-X	numeric	PITCHInfo horizontal movement of the four-seam fastball (inches).
piFC-X	numeric	PITCHInfo horizontal movement of the cutter (inches).
piFS-X	numeric	PITCHInfo horizontal movement of the splitter (inches).
piSI-X	numeric	PITCHInfo horizontal movement of the sinker (inches).
piSL-X	numeric	PITCHInfo horizontal movement of the slider (inches).
piXX-X	numeric	PITCHInfo horizontal movement of the unknown/other pitch (inches).
piCU-Z	numeric	PITCHInfo vertical movement of the curveball (inches).
piFA-Z	numeric	PITCHInfo vertical movement of the four-seam fastball (inches).
piFC-Z	numeric	PITCHInfo vertical movement of the cutter (inches).
piFS-Z	numeric	PITCHInfo vertical movement of the splitter (inches).
piSI-Z	numeric	PITCHInfo vertical movement of the sinker (inches).
piSL-Z	numeric	PITCHInfo vertical movement of the slider (inches).
piXX-Z	numeric	PITCHInfo vertical movement of the unknown/other pitch (inches).
piwCU	numeric	PITCHInfo total runs above average on the curveball.
piwFA	numeric	PITCHInfo total runs above average on the four-seam fastball.
piwFC	numeric	PITCHInfo total runs above average on the cutter.
piwFS	numeric	PITCHInfo total runs above average on the splitter.
piwSI	numeric	PITCHInfo total runs above average on the sinker.
piwSL	numeric	PITCHInfo total runs above average on the slider.
piwXX	numeric	PITCHInfo total runs above average on the unknown/other pitch.
piwCU/C	numeric	PITCHInfo runs above average per 100 curveballs.
piwFA/C	numeric	PITCHInfo runs above average per 100 four-seam fastballs.
piwFC/C	numeric	PITCHInfo runs above average per 100 cutters.
piwFS/C	numeric	PITCHInfo runs above average per 100 splitters.
piwSI/C	numeric	PITCHInfo runs above average per 100 sinkers.
piwSL/C	numeric	PITCHInfo runs above average per 100 sliders.
piwXX/C	numeric	PITCHInfo runs above average per 100 unknown/other pitchs.
piO-Swing%	numeric	PITCHInfo Swing rate on pitches outside the zone.
piZ-Swing%	numeric	PITCHInfo Swing rate on pitches in the zone.
piSwing%	numeric	PITCHInfo Overall swing rate.
piO-Contact%	numeric	PITCHInfo Contact rate on pitches outside the zone.
piZ-Contact%	numeric	PITCHInfo Contact rate on pitches in the zone.
piContact%	numeric	PITCHInfo Overall contact rate.
piZone%	numeric	PITCHInfo Rate of pitches in the strike zone.
Events	numeric	Batted-ball events with Statcast data.

EV	numeric	Average exit velocity (mph).
LA	numeric	Average launch angle (degrees).
Barrels	numeric	Barreled batted balls.
Barrel%	numeric	Barrel rate (per batted-ball event).
maxEV	numeric	Maximum exit velocity (mph).
HardHit	numeric	Hard-hit batted balls (95+ mph).
HardHit%	numeric	Hard-hit rate (95+ mph).
gamedate	character	Game date as parsed from the source feed.
dh	integer	Doubleheader game indicator (0 = single game).

Examples

```
try(fg_pitcher_game_logs(playerid = "19755", year = 2023))
```

`fg_pitcher_leaders` **Scrape Pitcher Leaderboards from FanGraphs**

Description

Scrape Pitcher Leaderboards from FanGraphs

Usage

```
fg_pitcher_leaders(
  age = "",
  pos = "all",
  stats = "pit",
  lg = "all",
  qual = "0",
  startseason = "2023",
  endseason = "2023",
  startdate = "",
  enddate = "",
  month = "0",
  hand = "",
  team = "0",
  pageitems = "10000",
  pagenum = "1",
  ind = "0",
  rost = "0",
  players = "",
  type = "8",
  postseason = "",
  sortdir = "default",
  sortstat = "WAR"
)
```

Arguments

age	(integer) Age of players
pos	(character) Position of players, defaults to "all". To exclude pitchers, use "np".
stats	(character) Statistic to return. Defaults to "bat".
lg	(character) League to return. Defaults to "all". Options are "al", "nl", or "all".
qual	(character) Whether you want only batters/pitchers that qualified in a given season, or the minimum number of plate appearances for inclusion. If you only want qualified hitters, use qual. If a minimum number of plate appearaces/innings pitched, use the number desired. Defaults to "y".
startseason	(character) Season for which you want to scrape the data.
endseason	(character) Last season for which you want data.
startdate	(character) Start date for which you want data.
enddate	(character) End date for which you want data.
month	(character) Month for which you want data. Defaults to "0" (full season). Special values: "13" (vs LHP split), "14" (vs RHP split), "1000" (custom date range). When startdate/enddate are supplied and month is left at its default, it is set to "1000" automatically so the date filters take effect.
hand	(character) Handedness of batter. Options are "L", "R", or "B". Empty string returns all.
team	(character) Teams for which you want data, comma separated.
pageitems	(character) Number of items per page.
pagenum	(character) Page number.
ind	(character) Whether or not to break the seasons out individual, or roll them up together. 1 = split seasons, 0 = aggregate seasons.
rost	(character) Whether or not to include players on the roster. 1 = include, 0 = exclude.
players	(character) Whether or not to include players on the roster. 1 = include only active roster players, 0 = exclude.
type	(character) Defaults to 8, which is the standard leaderboard. The values for the leaderboards appear to go to from type = 0 to 48+, which correspond to links on the leaderboard page.
postseason	(logical) Whether or not to include postseason data. TRUE = include postseason, FALSE = exclude postseason.
sortdir	(character) Sort direction. Options are "asc" or "desc" or "default".
sortstat	(character) Sort by stat. Default is "WAR".

Value

A data frame of pitcher data.

col_name	types	description

Season	integer	Season (YYYY).
team_name	character	Team name.
Throws	character	Throwing handedness (L/R).
xMLBAMID	integer	MLBAM player ID.
PlayerNameRoute	character	Player name URL slug used by FanGraphs.
PlayerName	character	Player name.
playerid	integer	FanGraphs player ID.
Age	integer	Player age.
AgeRng	character	Player age range across the span.
SeasonMin	integer	First season in the queried span.
SeasonMax	integer	Last season in the queried span.
W	integer	Wins.
L	integer	Losses.
ERA	numeric	Earned run average.
G	integer	Games played.
GS	integer	Games started.
QS	integer	Quality starts.
CG	integer	Complete games.
ShO	integer	Shutouts.
SV	integer	Saves.
BS	integer	Blown saves.
IP	numeric	Innings pitched.
TBF	integer	Total batters faced.
H	integer	Hits.
R	integer	Runs scored.
ER	integer	Earned runs allowed.
HR	integer	Home runs.
BB	integer	Walks (bases on balls).
IBB	integer	Intentional walks.
HBP	integer	Hit by pitch.
WP	integer	Wild pitches.
BK	integer	Balks.
SO	integer	Strikeouts.
GB	integer	Ground balls.
FB	integer	Fly balls.
LD	integer	Line drives.
IFFB	integer	Infield fly balls.
Pitches	integer	Total pitches seen or thrown.
Balls	integer	Total balls.
Strikes	integer	Total strikes.
RS	integer	Run support.
IFH	integer	Infield hits.
BU	integer	Bunts.
BUH	integer	Bunt hits.
K_9	numeric	Strikeouts per nine innings.
BB_9	numeric	Walks per nine innings.
K_BB	numeric	Strikeout-to-walk ratio.
H_9	numeric	Hits allowed per nine innings.

HR_9	numeric	Home runs allowed per nine innings.
AVG	numeric	Batting average (or opponent average for pitchers).
WHIP	numeric	Walks plus hits per inning pitched.
BABIP	numeric	Batting average on balls in play.
LOB_pct	numeric	Left-on-base percentage (strand rate).
FIP	numeric	Fielding Independent Pitching.
GB_FB	numeric	Ground-ball to fly-ball ratio.
LD_pct	numeric	Line-drive percentage.
GB_pct	numeric	Ground-ball percentage.
FB_pct	numeric	Fly-ball percentage.
IFFB_pct	numeric	Infield-fly-ball percentage.
HR_FB	numeric	Home-run-per-fly-ball rate.
IFH_pct	numeric	Infield-hit percentage.
BUH_pct	numeric	Bunt-hit percentage.
TTO_pct	numeric	Three-true-outcomes percentage (BB, K, HR).
CFraming	numeric	Catcher framing runs.
Starting	numeric	Starting-pitcher value (runs).
Start_IP	numeric	Innings pitched as a starter.
RAR	numeric	Runs Above Replacement.
WAR	numeric	Wins Above Replacement.
Dollars	numeric	Estimated market value of production.
RA9-Wins	numeric	Wins based on runs allowed per nine.
LOB-Wins	numeric	Wins attributable to strand rate.
BIP-Wins	numeric	Wins attributable to balls in play.
BS-Wins	numeric	Wins attributable to sequencing.
tERA	numeric	True ERA (batted-ball-based ERA estimator).
xFIP	numeric	Expected Fielding Independent Pitching.
WPA	numeric	Win Probability Added.
WPA_minus	numeric	Negative Win Probability Added.
WPA_plus	numeric	Positive Win Probability Added.
RE24	numeric	Run Expectancy based on the 24 base-out states.
REW	numeric	Run Expectancy Wins.
pLI	numeric	Average Leverage Index.
inLI	numeric	Average Leverage Index entering the game.
gmLI	numeric	Average Leverage Index at game entry.
exLI	numeric	Average Leverage Index when exiting the game.
Pulls	integer	Times pulled from the game.
Games	integer	Games (relief context).
WPA_LI	numeric	Situational Win Probability Added (WPA divided by Leverage Index).
Clutch	numeric	Clutch performance relative to context-neutral performance.
FB_pct1	numeric	Overall fastball percentage (pitch usage).
FBv	numeric	Average fastball velocity.
SL_pct	numeric	Slider percentage (pitch usage).
SLv	numeric	Average slider velocity.
CT_pct	numeric	Cutter percentage (pitch usage).
CTv	numeric	Average cutter velocity.
CB_pct	numeric	Curveball percentage (pitch usage).
CBv	numeric	Average curveball velocity.

SF_pct	numeric	Splitter percentage (pitch usage).
SFv	numeric	Average splitter velocity.
XX_pct	numeric	Unidentified-pitch percentage (pitch usage).
wFB	numeric	Fastball pitch-type linear weight runs.
wSL	numeric	Slider pitch-type linear weight runs.
wCT	numeric	Cutter pitch-type linear weight runs.
wCB	numeric	Curveball pitch-type linear weight runs.
wSF	numeric	Splitter pitch-type linear weight runs.
wFB_C	numeric	Fastball linear weight runs per 100 pitches.
wSL_C	numeric	Slider linear weight runs per 100 pitches.
wCT_C	numeric	Cutter linear weight runs per 100 pitches.
wCB_C	numeric	Curveball linear weight runs per 100 pitches.
wSF_C	numeric	Splitter linear weight runs per 100 pitches.
O-Swing_pct	numeric	Swing percentage on pitches outside the zone (chase rate).
Z-Swing_pct	numeric	Swing percentage on pitches inside the zone.
Swing_pct	numeric	Overall swing percentage.
O-Contact_pct	numeric	Contact percentage on pitches outside the zone.
Z-Contact_pct	numeric	Contact percentage on pitches inside the zone.
Contact_pct	numeric	Overall contact percentage.
Zone_pct	numeric	Percentage of pitches in the strike zone.
F-Strike_pct	numeric	First-pitch strike percentage.
SwStr_pct	numeric	Swinging-strike percentage.
CStr_pct	numeric	Called-strike percentage.
C+SwStr_pct	numeric	Combined called- plus swinging-strike percentage.
HLD	integer	Holds.
SD	integer	Shutdowns (relief appearances that improved win probability).
MD	integer	Meltdowns (relief appearances that hurt win probability).
ERA-	numeric	Park/league-adjusted ERA (100 = average, lower is better).
FIP-	numeric	Park/league-adjusted FIP (100 = average, lower is better).
xFIP-	numeric	Park/league-adjusted xFIP (100 = average, lower is better).
K_pct	numeric	Strikeout rate.
BB_pct	numeric	Walk rate.
K-BB_pct	numeric	Strikeout rate minus walk rate.
SIERA	numeric	Skill-Interactive ERA.
kwERA	numeric	Strikeout/walk-based ERA estimator.
RS_9	numeric	Run support per nine innings.
E-F	numeric	Difference between ERA and FIP.
Pull	integer	Balls in play hit to the pull field.
Cent	integer	Balls in play hit up the middle.
Oppo	integer	Balls in play hit to the opposite field.
Soft	integer	Soft-contact balls in play.
Med	integer	Medium-contact balls in play.
Hard	integer	Hard-contact balls in play.
bipCount	integer	Count of balls in play with contact-quality data.
Pull_pct	numeric	Pull-field percentage.
Cent_pct	numeric	Up-the-middle percentage.
Oppo_pct	numeric	Opposite-field percentage.
Soft_pct	numeric	Soft-contact percentage.

Med_pct	numeric	Medium-contact percentage.
Hard_pct	numeric	Hard-contact percentage.
K_9+	numeric	Park/league-adjusted strikeouts per nine (100 = average).
BB_9+	numeric	Park/league-adjusted walks per nine (100 = average).
K_BB+	numeric	Park/league-adjusted strikeout-to-walk ratio (100 = average).
H_9+	numeric	Park/league-adjusted hits per nine (100 = average).
HR_9+	numeric	Park/league-adjusted home runs per nine (100 = average).
AVG+	numeric	Park/league-adjusted batting average (100 = average).
WHIP+	numeric	Park/league-adjusted WHIP (100 = average).
BABIP+	numeric	Park/league-adjusted BABIP (100 = average).
LOB_pct+	numeric	Park/league-adjusted strand rate (100 = average).
K_pct+	numeric	Park/league-adjusted strikeout rate (100 = average).
BB_pct+	numeric	Park/league-adjusted walk rate (100 = average).
LD_pct+	numeric	Park/league-adjusted line-drive rate (100 = average).
GB_pct+	numeric	Park/league-adjusted ground-ball rate (100 = average).
FB_pct+	numeric	Park/league-adjusted fly-ball rate (100 = average).
HRFB_pct+	numeric	Park/league-adjusted home-run-per-fly-ball rate (100 = average).
Pull_pct+	numeric	Park/league-adjusted pull rate (100 = average).
Cent_pct+	numeric	Park/league-adjusted up-the-middle rate (100 = average).
Oppo_pct+	numeric	Park/league-adjusted opposite-field rate (100 = average).
Soft_pct+	numeric	Park/league-adjusted soft-contact rate (100 = average).
Med_pct+	numeric	Park/league-adjusted medium-contact rate (100 = average).
Hard_pct+	numeric	Park/league-adjusted hard-contact rate (100 = average).
xERA	numeric	Expected ERA (Statcast-based).
pb_o_CH	numeric	PitchingBot overall grade on changeups.
pb_s_CH	numeric	PitchingBot stuff grade on changeups.
pb_c_CH	numeric	PitchingBot command grade on changeups.
pb_o_CU	numeric	PitchingBot overall grade on curveballs.
pb_s_CU	numeric	PitchingBot stuff grade on curveballs.
pb_c_CU	numeric	PitchingBot command grade on curveballs.
pb_o_FF	numeric	PitchingBot overall grade on four-seam fastballs.
pb_s_FF	numeric	PitchingBot stuff grade on four-seam fastballs.
pb_c_FF	numeric	PitchingBot command grade on four-seam fastballs.
pb_o_SI	numeric	PitchingBot overall grade on sinkers.
pb_s_SI	numeric	PitchingBot stuff grade on sinkers.
pb_c_SI	numeric	PitchingBot command grade on sinkers.
pb_o_SL	numeric	PitchingBot overall grade on sliders.
pb_s_SL	numeric	PitchingBot stuff grade on sliders.
pb_c_SL	numeric	PitchingBot command grade on sliders.
pb_o_FC	numeric	PitchingBot overall grade on cutters.
pb_s_FC	numeric	PitchingBot stuff grade on cutters.
pb_c_FC	numeric	PitchingBot command grade on cutters.
pb_overall	numeric	PitchingBot overall grade.
pb_stuff	numeric	PitchingBot stuff grade.
pb_command	numeric	PitchingBot command grade.
pb_xRV100	numeric	PitchingBot expected run value per 100 pitches.
pb_ERA	numeric	PitchingBot-modeled ERA.
sp_s_CH	numeric	Stuff+ grade on changeups (100 = average).

sp_l_CH	numeric	Location+ grade on changeups (100 = average).
sp_p_CH	numeric	Pitching+ grade on changeups (100 = average).
sp_s_CU	numeric	Stuff+ grade on curveballs (100 = average).
sp_l_CU	numeric	Location+ grade on curveballs (100 = average).
sp_p_CU	numeric	Pitching+ grade on curveballs (100 = average).
sp_s_FF	numeric	Stuff+ grade on four-seam fastballs (100 = average).
sp_l_FF	numeric	Location+ grade on four-seam fastballs (100 = average).
sp_p_FF	numeric	Pitching+ grade on four-seam fastballs (100 = average).
sp_s_SI	numeric	Stuff+ grade on sinkers (100 = average).
sp_l_SI	numeric	Location+ grade on sinkers (100 = average).
sp_p_SI	numeric	Pitching+ grade on sinkers (100 = average).
sp_s_SL	numeric	Stuff+ grade on sliders (100 = average).
sp_l_SL	numeric	Location+ grade on sliders (100 = average).
sp_p_SL	numeric	Pitching+ grade on sliders (100 = average).
sp_s_FC	numeric	Stuff+ grade on cutters (100 = average).
sp_l_FC	numeric	Location+ grade on cutters (100 = average).
sp_p_FC	numeric	Pitching+ grade on cutters (100 = average).
sp_stuff	numeric	Stuff+ overall grade (pitch quality, 100 = average).
sp_location	numeric	Location+ overall grade (command, 100 = average).
sp_pitching	numeric	Pitching+ overall grade (Stuff+ and Location+ combined, 100 = average).
PPTV	integer	Pitch-type pitch values (raw component).
CPTV	integer	Catcher pitch-type value (raw component).
BPTV	integer	Batter pitch-type value (raw component).
DSV	integer	Defensive stuff value (raw component).
DGV	integer	Defensive game value (raw component).
BTV	integer	Base-state team value (raw component).
rPPTV	numeric	Regressed pitch-type pitch values.
rBPTV	numeric	Regressed batter pitch-type value.
EBV	integer	Earned-base value (raw component).
ESV	integer	Earned-strike value (raw component).
rFTeamV	numeric	Regressed fielding team value.
rBTeamV	numeric	Regressed base-running team value.
rTV	numeric	Regressed total team value.
pfx_FA_pct	numeric	PITCHf/x four-seam fastballs usage percentage.
pfx_FC_pct	numeric	PITCHf/x cutters usage percentage.
pfx_SI_pct	numeric	PITCHf/x sinkers usage percentage.
pfx_SL_pct	numeric	PITCHf/x sliders usage percentage.
pfx_CU_pct	numeric	PITCHf/x curveballs usage percentage.
pfx_CH_pct	numeric	PITCHf/x changeups usage percentage.
pfx_ST_pct	numeric	PITCHf/x sweepers usage percentage.
pfx_CUO_pct	numeric	PITCHf/x slurves usage percentage.
pfx_vFA	numeric	PITCHf/x average four-seam fastballs velocity.
pfx_vFC	numeric	PITCHf/x average cutters velocity.
pfx_vSI	numeric	PITCHf/x average sinkers velocity.
pfx_vSL	numeric	PITCHf/x average sliders velocity.
pfx_vCU	numeric	PITCHf/x average curveballs velocity.
pfx_vCH	numeric	PITCHf/x average changeups velocity.
pfx_vST	numeric	PITCHf/x average sweepers velocity.

pfx_vCUO	numeric	PITCHf/x average slurves velocity.
pfx_FA-X	numeric	PITCHf/x average horizontal movement on four-seam fastballs.
pfx_FC-X	numeric	PITCHf/x average horizontal movement on cutters.
pfx_SI-X	numeric	PITCHf/x average horizontal movement on sinkers.
pfx_SL-X	numeric	PITCHf/x average horizontal movement on sliders.
pfx_CU-X	numeric	PITCHf/x average horizontal movement on curveballs.
pfx_CH-X	numeric	PITCHf/x average horizontal movement on changeups.
pfx_ST-X	numeric	PITCHf/x average horizontal movement on sweepers.
pfx_CUO-X	numeric	PITCHf/x average horizontal movement on slurves.
pfx_FA-Z	numeric	PITCHf/x average vertical movement on four-seam fastballs.
pfx_FC-Z	numeric	PITCHf/x average vertical movement on cutters.
pfx_SI-Z	numeric	PITCHf/x average vertical movement on sinkers.
pfx_SL-Z	numeric	PITCHf/x average vertical movement on sliders.
pfx_CU-Z	numeric	PITCHf/x average vertical movement on curveballs.
pfx_CH-Z	numeric	PITCHf/x average vertical movement on changeups.
pfx_ST-Z	numeric	PITCHf/x average vertical movement on sweepers.
pfx_CUO-Z	numeric	PITCHf/x average vertical movement on slurves.
pfx_wFA	numeric	PITCHf/x four-seam fastballs linear weight runs.
pfx_wFC	numeric	PITCHf/x cutters linear weight runs.
pfx_wSI	numeric	PITCHf/x sinkers linear weight runs.
pfx_wSL	numeric	PITCHf/x sliders linear weight runs.
pfx_wCU	numeric	PITCHf/x curveballs linear weight runs.
pfx_wCH	numeric	PITCHf/x changeups linear weight runs.
pfx_wST	numeric	PITCHf/x sweepers linear weight runs.
pfx_wCUO	numeric	PITCHf/x slurves linear weight runs.
pfx_wFA_C	numeric	PITCHf/x four-seam fastballs linear weight runs per 100 pitches.
pfx_wFC_C	numeric	PITCHf/x cutters linear weight runs per 100 pitches.
pfx_wSI_C	numeric	PITCHf/x sinkers linear weight runs per 100 pitches.
pfx_wSL_C	numeric	PITCHf/x sliders linear weight runs per 100 pitches.
pfx_wCU_C	numeric	PITCHf/x curveballs linear weight runs per 100 pitches.
pfx_wCH_C	numeric	PITCHf/x changeups linear weight runs per 100 pitches.
pfx_wST_C	numeric	PITCHf/x sweepers linear weight runs per 100 pitches.
pfx_wCUO_C	numeric	PITCHf/x slurves linear weight runs per 100 pitches.
pfx_aaFA	numeric	PITCHf/x average arsenal value on four-seam fastballs.
pfx_aaFC	numeric	PITCHf/x average arsenal value on cutters.
pfx_aaSI	numeric	PITCHf/x average arsenal value on sinkers.
pfx_aaSL	numeric	PITCHf/x average arsenal value on sliders.
pfx_aaCU	numeric	PITCHf/x average arsenal value on curveballs.
pfx_aaCH	numeric	PITCHf/x average arsenal value on changeups.
pfx_aaST	numeric	PITCHf/x average arsenal value on sweepers.
pfx_aaCUO	numeric	PITCHf/x average arsenal value on slurves.
pfx_spFA	numeric	PITCHf/x Stuff+ value on four-seam fastballs.
pfx_spFC	numeric	PITCHf/x Stuff+ value on cutters.
pfx_spSI	numeric	PITCHf/x Stuff+ value on sinkers.
pfx_spSL	numeric	PITCHf/x Stuff+ value on sliders.
pfx_spCU	numeric	PITCHf/x Stuff+ value on curveballs.
pfx_spCH	numeric	PITCHf/x Stuff+ value on changeups.
pfx_spST	numeric	PITCHf/x Stuff+ value on sweepers.

pfx_spCUO	numeric	PITCHf/x Stuff+ value on slurves.
pfx_O-Swing_pct	numeric	PITCHf/x swing percentage on pitches outside the zone.
pfx_Z-Swing_pct	numeric	PITCHf/x swing percentage on pitches inside the zone.
pfx_Swing_pct	numeric	PITCHf/x swing percentage.
pfx_O-Contact_pct	numeric	PITCHf/x contact percentage on pitches outside the zone.
pfx_Z-Contact_pct	numeric	PITCHf/x contact percentage on pitches inside the zone.
pfx_Contact_pct	numeric	PITCHf/x contact percentage.
pfx_Zone_pct	numeric	PITCHf/x percentage of pitches in the strike zone.
pfx_Pace	numeric	PITCHf/x pace (seconds between pitches).
AvgBatSpeed	numeric	Average bat speed (mph).
FastSwing_pct	numeric	Fast-swing percentage (75+ mph bat speed).
SwingLength	numeric	Average swing length (feet).
SquaredUpContact_pct	numeric	Squared-up percentage per batted-ball contact.
SquaredUpSwing_pct	numeric	Squared-up percentage per swing.
BlastContact_pct	numeric	Blast percentage per batted-ball contact.
BlastSwing_pct	numeric	Blast percentage per swing.
Swords	integer	Swords (awkward, defensive swinging strikes induced).
CompetitiveSwings	integer	Competitive swings tracked.
Tilt	numeric	Average swing tilt (degrees).
AttackAngle	numeric	Average attack angle (degrees).
AttackDirection	numeric	Average attack direction (degrees).
IdealAttackAngle_pct	numeric	Percentage of swings in the ideal attack-angle range.
DepthInBox	numeric	Average batter depth in the box (inches).
DistanceOffPlate	numeric	Average batter distance off the plate (inches).
scH-Swing_pct	numeric	Statcast swing percentage on hard-hit pitches.
scH-Contact_pct	numeric	Statcast contact percentage on hard-hit pitches.
scH-Zone_pct	numeric	Statcast in-zone percentage on hard-hit pitches.
scS-Swing_pct	numeric	Statcast swing percentage on slider pitches.
scS-Contact_pct	numeric	Statcast contact percentage on slider pitches.
scS-Zone_pct	numeric	Statcast in-zone percentage on slider pitches.
scC-Swing_pct	numeric	Statcast swing percentage on curveball pitches.
scC-Contact_pct	numeric	Statcast contact percentage on curveball pitches.
scC-Zone_pct	numeric	Statcast in-zone percentage on curveball pitches.
scW-Swing_pct	numeric	Statcast swing percentage on offspeed pitches.
scW-Contact_pct	numeric	Statcast contact percentage on offspeed pitches.
scW-Zone_pct	numeric	Statcast in-zone percentage on offspeed pitches.
scSI-Swing_pct	numeric	Statcast swing percentage on sinker pitches.
scSI-Contact_pct	numeric	Statcast contact percentage on sinker pitches.
scSI-Zone_pct	numeric	Statcast in-zone percentage on sinker pitches.
scSO-Swing_pct	numeric	Statcast swing percentage on softly-hit pitches.
scSO-Contact_pct	numeric	Statcast contact percentage on softly-hit pitches.
scSO-Zone_pct	numeric	Statcast in-zone percentage on softly-hit pitches.
scO-Swing_pct	numeric	Statcast swing percentage on out-of-zone pitches.
scO-Contact_pct	numeric	Statcast contact percentage on out-of-zone pitches.
scO-Zone_pct	numeric	Statcast in-zone percentage on out-of-zone pitches.
scZ-Swing_pct	numeric	Statcast swing percentage on in-zone pitches.
scZ-Contact_pct	numeric	Statcast contact percentage on in-zone pitches.
scZ-Zone_pct	numeric	Statcast in-zone percentage on in-zone pitches.

pi_CH_pct	numeric	PITCHInfo changeups usage percentage.
pi_CU_pct	numeric	PITCHInfo curveballs usage percentage.
pi_FA_pct	numeric	PITCHInfo four-seam fastballs usage percentage.
pi_SI_pct	numeric	PITCHInfo sinkers usage percentage.
pi_SL_pct	numeric	PITCHInfo sliders usage percentage.
pi_vCH	numeric	PITCHInfo average changeups velocity.
pi_vCU	numeric	PITCHInfo average curveballs velocity.
pi_vFA	numeric	PITCHInfo average four-seam fastballs velocity.
pi_vSI	numeric	PITCHInfo average sinkers velocity.
pi_vSL	numeric	PITCHInfo average sliders velocity.
pi_CH-X	numeric	PITCHInfo average horizontal movement on changeups.
pi_CU-X	numeric	PITCHInfo average horizontal movement on curveballs.
pi_FA-X	numeric	PITCHInfo average horizontal movement on four-seam fastballs.
pi_SI-X	numeric	PITCHInfo average horizontal movement on sinkers.
pi_SL-X	numeric	PITCHInfo average horizontal movement on sliders.
pi_CH-Z	numeric	PITCHInfo average vertical movement on changeups.
pi_CU-Z	numeric	PITCHInfo average vertical movement on curveballs.
pi_FA-Z	numeric	PITCHInfo average vertical movement on four-seam fastballs.
pi_SI-Z	numeric	PITCHInfo average vertical movement on sinkers.
pi_SL-Z	numeric	PITCHInfo average vertical movement on sliders.
pi_wCH	numeric	PITCHInfo changeups linear weight runs.
pi_wCU	numeric	PITCHInfo curveballs linear weight runs.
pi_wFA	numeric	PITCHInfo four-seam fastballs linear weight runs.
pi_wSI	numeric	PITCHInfo sinkers linear weight runs.
pi_wSL	numeric	PITCHInfo sliders linear weight runs.
pi_wCH_C	numeric	PITCHInfo changeups linear weight runs per 100 pitches.
pi_wCU_C	numeric	PITCHInfo curveballs linear weight runs per 100 pitches.
pi_wFA_C	numeric	PITCHInfo four-seam fastballs linear weight runs per 100 pitches.
pi_wSI_C	numeric	PITCHInfo sinkers linear weight runs per 100 pitches.
pi_wSL_C	numeric	PITCHInfo sliders linear weight runs per 100 pitches.
pi_O-Swing_pct	numeric	PITCHInfo swing percentage on pitches outside the zone.
pi_Z-Swing_pct	numeric	PITCHInfo swing percentage on pitches inside the zone.
pi_Swing_pct	numeric	PITCHInfo swing percentage.
pi_O-Contact_pct	numeric	PITCHInfo contact percentage on pitches outside the zone.
pi_Z-Contact_pct	numeric	PITCHInfo contact percentage on pitches inside the zone.
pi_Contact_pct	numeric	PITCHInfo contact percentage.
pi_Zone_pct	numeric	PITCHInfo percentage of pitches in the strike zone.
pi_Pace	numeric	PITCHInfo pace (seconds between pitches).
Events	integer	Batted-ball events with Statcast measurement.
EV	numeric	Average exit velocity (mph).
LA	numeric	Average launch angle (degrees).
Barrels	integer	Barreled batted balls.
Barrel_pct	numeric	Barrel percentage.
maxEV	numeric	Maximum exit velocity (mph).
HardHit	integer	Hard-hit batted balls (95+ mph).
HardHit_pct	numeric	Hard-hit percentage (95+ mph).
Q	numeric	Quality of contact / quality score.
TG	integer	Total games in the span.

TIP	numeric	Total innings pitched in the span.
positionDB	character	Position code from the database.
position	character	Position played.
team_name_abb	character	Team name abbreviation.
teamid	integer	FanGraphs team ID.
playerTeamId	integer	FanGraphs player-team ID.
EV90	numeric	90th-percentile exit velocity (mph).
CH_pct	numeric	Changeup percentage (pitch usage).
CHv	numeric	Average changeup velocity.
wCH	numeric	Changeup pitch-type linear weight runs.
wCH_C	numeric	Changeup linear weight runs per 100 pitches.
pfx_SLO_pct	numeric	PITCHf/x slurves usage percentage.
pfx_vSLO	numeric	PITCHf/x average slurves velocity.
pfx_SLO-X	numeric	PITCHf/x average horizontal movement on slurves.
pfx_SLO-Z	numeric	PITCHf/x average vertical movement on slurves.
pfx_wSLO	numeric	PITCHf/x slurves linear weight runs.
pfx_wSLO_C	numeric	PITCHf/x slurves linear weight runs per 100 pitches.
pfx_aaSLO	numeric	PITCHf/x average arsenal value on slurves.
pfx_spSLO	numeric	PITCHf/x Stuff+ value on slurves.
pfx_KC_pct	numeric	PITCHf/x knuckle-curves usage percentage.
pfx_vKC	numeric	PITCHf/x average knuckle-curves velocity.
pfx_KC-X	numeric	PITCHf/x average horizontal movement on knuckle-curves.
pfx_KC-Z	numeric	PITCHf/x average vertical movement on knuckle-curves.
pfx_wKC	numeric	PITCHf/x knuckle-curves linear weight runs.
pfx_wKC_C	numeric	PITCHf/x knuckle-curves linear weight runs per 100 pitches.
pfx_aaKC	numeric	PITCHf/x average arsenal value on knuckle-curves.
pfx_spKC	numeric	PITCHf/x Stuff+ value on knuckle-curves.
pi_FC_pct	numeric	PITCHInfo cutters usage percentage.
pi_vFC	numeric	PITCHInfo average cutters velocity.
pi_FC-X	numeric	PITCHInfo average horizontal movement on cutters.
pi_FC-Z	numeric	PITCHInfo average vertical movement on cutters.
pi_wFC	numeric	PITCHInfo cutters linear weight runs.
pi_wFC_C	numeric	PITCHInfo cutters linear weight runs per 100 pitches.
pb_o_KC	numeric	PitchingBot overall grade on knuckle-curves.
pb_s_KC	numeric	PitchingBot stuff grade on knuckle-curves.
pb_c_KC	numeric	PitchingBot command grade on knuckle-curves.
sp_s_KC	numeric	Stuff+ grade on knuckle-curves (100 = average).
sp_l_KC	numeric	Location+ grade on knuckle-curves (100 = average).
sp_p_KC	numeric	Pitching+ grade on knuckle-curves (100 = average).
rBTV	numeric	Regressed base-state team value.
pb_o_FS	numeric	PitchingBot overall grade on splitters.
pb_s_FS	numeric	PitchingBot stuff grade on splitters.
pb_c_FS	numeric	PitchingBot command grade on splitters.
sp_s_FS	numeric	Stuff+ grade on splitters (100 = average).
sp_l_FS	numeric	Location+ grade on splitters (100 = average).
sp_p_FS	numeric	Pitching+ grade on splitters (100 = average).
pfx_FS_pct	numeric	PITCHf/x splitters usage percentage.
pfx_vFS	numeric	PITCHf/x average splitters velocity.

pfx_FS-X	numeric	PITCHf/x average horizontal movement on splitters.
pfx_FS-Z	numeric	PITCHf/x average vertical movement on splitters.
pfx_wFS	numeric	PITCHf/x splitters linear weight runs.
pfx_wFS_C	numeric	PITCHf/x splitters linear weight runs per 100 pitches.
pfx_aaFS	numeric	PITCHf/x average arsenal value on splitters.
pfx_spFS	numeric	PITCHf/x Stuff+ value on splitters.
pi_FS_pct	numeric	PITCHInfo splitters usage percentage.
pi_vFS	numeric	PITCHInfo average splitters velocity.
pi_FS-X	numeric	PITCHInfo average horizontal movement on splitters.
pi_FS-Z	numeric	PITCHInfo average vertical movement on splitters.
pi_wFS	numeric	PITCHInfo splitters linear weight runs.
pi_wFS_C	numeric	PITCHInfo splitters linear weight runs per 100 pitches.
rCPTV	numeric	Regressed catcher pitch-type value.
KN_pct	numeric	Knuckleball percentage (pitch usage).
KNv	numeric	Average knuckleball velocity.
wKN	numeric	Knuckleball pitch-type linear weight runs.
wKN_C	numeric	Knuckleball linear weight runs per 100 pitches.
pfx_KN_pct	numeric	PITCHf/x knuckleballs usage percentage.
pfx_vKN	numeric	PITCHf/x average knuckleballs velocity.
pfx_KN-X	numeric	PITCHf/x average horizontal movement on knuckleballs.
pfx_KN-Z	numeric	PITCHf/x average vertical movement on knuckleballs.
pfx_wKN	numeric	PITCHf/x knuckleballs linear weight runs.
pfx_wKN_C	numeric	PITCHf/x knuckleballs linear weight runs per 100 pitches.
pfx_aaKN	numeric	PITCHf/x average arsenal value on knuckleballs.
pfx_spKN	numeric	PITCHf/x Stuff+ value on knuckleballs.
pi_KN_pct	numeric	PITCHInfo knuckleballs usage percentage.
pi_XX_pct	numeric	PITCHInfo unidentified pitches usage percentage.
pi_vKN	numeric	PITCHInfo average knuckleballs velocity.
pi_vXX	numeric	PITCHInfo average unidentified pitches velocity.
pi_KN-X	numeric	PITCHInfo average horizontal movement on knuckleballs.
pi_XX-X	numeric	PITCHInfo average horizontal movement on unidentified pitches.
pi_KN-Z	numeric	PITCHInfo average vertical movement on knuckleballs.
pi_XX-Z	numeric	PITCHInfo average vertical movement on unidentified pitches.
pi_wKN	numeric	PITCHInfo knuckleballs linear weight runs.
pi_wXX	numeric	PITCHInfo unidentified pitches linear weight runs.
pi_wKN_C	numeric	PITCHInfo knuckleballs linear weight runs per 100 pitches.
pi_wXX_C	numeric	PITCHInfo unidentified pitches linear weight runs per 100 pitches.
sp_s_FO	numeric	Stuff+ grade on forkballs/pitch-outs (100 = average).
sp_l_FO	numeric	Location+ grade on forkballs/pitch-outs (100 = average).
sp_p_FO	numeric	Pitching+ grade on forkballs/pitch-outs (100 = average).
pfx_FO_pct	numeric	PITCHf/x forkballs/pitch-outs usage percentage.
pfx_vFO	numeric	PITCHf/x average forkballs/pitch-outs velocity.
pfx_FO-X	numeric	PITCHf/x average horizontal movement on forkballs/pitch-outs.
pfx_FO-Z	numeric	PITCHf/x average vertical movement on forkballs/pitch-outs.
pfx_wFO	numeric	PITCHf/x forkballs/pitch-outs linear weight runs.
pfx_wFO_C	numeric	PITCHf/x forkballs/pitch-outs linear weight runs per 100 pitches.
pfx_aaFO	numeric	PITCHf/x average arsenal value on forkballs/pitch-outs.
pfx_spFO	numeric	PITCHf/x Stuff+ value on forkballs/pitch-outs.

rDGV	numeric	Regressed defensive game value.
Relieving	numeric	Relief-pitcher value (runs).
Relief_IP	numeric	Innings pitched in relief.
pi_CS_pct	numeric	PITCHInfo slow curves usage percentage.
pi_vCS	numeric	PITCHInfo average slow curves velocity.
pi_CS-X	numeric	PITCHInfo average horizontal movement on slow curves.
pi_CS-Z	numeric	PITCHInfo average vertical movement on slow curves.
pi_wCS	numeric	PITCHInfo slow curves linear weight runs.
pi_wCS_C	numeric	PITCHInfo slow curves linear weight runs per 100 pitches.
pfx_CV_pct	numeric	PITCHf/x slow curves usage percentage.
pfx_vCV	numeric	PITCHf/x average slow curves velocity.
pfx_CV-X	numeric	PITCHf/x average horizontal movement on slow curves.
pfx_CV-Z	numeric	PITCHf/x average vertical movement on slow curves.
pfx_wCV	numeric	PITCHf/x slow curves linear weight runs.
pfx_wCV_C	numeric	PITCHf/x slow curves linear weight runs per 100 pitches.
pfx_aaCV	numeric	PITCHf/x average arsenal value on slow curves.
pfx_spCV	numeric	PITCHf/x Stuff+ value on slow curves.
rDSV	numeric	Regressed defensive stuff value.
pfx_EP_pct	numeric	PITCHf/x eephus pitches usage percentage.
pfx_vEP	numeric	PITCHf/x average eephus pitches velocity.
pfx_EP-X	numeric	PITCHf/x average horizontal movement on eephus pitches.
pfx_EP-Z	numeric	PITCHf/x average vertical movement on eephus pitches.
pfx_wEP	numeric	PITCHf/x eephus pitches linear weight runs.
pfx_wEP_C	numeric	PITCHf/x eephus pitches linear weight runs per 100 pitches.
pfx_aaEP	numeric	PITCHf/x average arsenal value on eephus pitches.
pfx_spEP	numeric	PITCHf/x Stuff+ value on eephus pitches.
pfx_SC_pct	numeric	PITCHf/x screwballs usage percentage.
pfx_vSC	numeric	PITCHf/x average screwballs velocity.
pfx_SC-X	numeric	PITCHf/x average horizontal movement on screwballs.
pfx_SC-Z	numeric	PITCHf/x average vertical movement on screwballs.
pfx_wSC	numeric	PITCHf/x screwballs linear weight runs.
pfx_wSC_C	numeric	PITCHf/x screwballs linear weight runs per 100 pitches.
pfx_aaSC	numeric	PITCHf/x average arsenal value on screwballs.
pfx_spSC	numeric	PITCHf/x Stuff+ value on screwballs.
pi_SB_pct	numeric	PITCHInfo slow-balls usage percentage.
pi_vSB	numeric	PITCHInfo average slow-balls velocity.
pi_SB-X	numeric	PITCHInfo average horizontal movement on slow-balls.
pi_SB-Z	numeric	PITCHInfo average vertical movement on slow-balls.
pi_wSB	numeric	PITCHInfo slow-balls linear weight runs.
pi_wSB_C	numeric	PITCHInfo slow-balls linear weight runs per 100 pitches.

Examples

```
try(fg_pitcher_leaders(startseason = 2023, endseason = 2023))
```

`fg_projections` **Scrape FanGraphs player projections**

Description

Retrieves FanGraphs' published player projections (Steamer, ZiPS, ATC, THE BAT, and their variants) from the FanGraphs projections API – one row per player with the projected stat line.

Usage

```
fg_projections(
  type = "steamer",
  stats = "bat",
  team = 0,
  league = "all",
  position = "all"
)
```

Arguments

`type`	Projection system. One of `"steamer"`, `"zips"`, `"zipsdc"`, `"atc"`, `"thebat"`, `"thebatx"` (batters only), or the rest-of-season variants `"rsteamer"`, `"rzips"`, `"ratc"`, `"rthebat"`, `"rthebatx"`. Defaults to `"steamer"`.
`stats`	Either `"bat"` (batting projections) or `"pit"` (pitching projections). Defaults to `"bat"`.
`team`	MLB team filter as FanGraphs' numeric team id; `0` (default) returns all teams.
`league`	League filter: `"all"` (default), `"al"`, or `"nl"`.
`position`	Position filter (e.g. `"all"`, `"c"`, `"ss"`, `"of"`). Defaults to `"all"`.

Value

A `baseballr_data` tibble with one row per player and the projection system's stat columns (counting stats, rates, and projected WAR; column set varies by system and by `stats`).

Examples

```
try(fg_projections(type = "steamer", stats = "bat"))
```

fg_team_batter **Scrape Team Batter Leaderboards from FanGraphs**

Description

This function allows you to scrape all leaderboard statistics (basic and advanced) from FanGraphs.com.

Usage

```
fg_team_batter(
  age = "",
  pos = "all",
  stats = "bat",
  lg = "all",
  qual = "y",
  startseason = "2023",
  endseason = "2023",
  startdate = "",
  enddate = "",
  month = "0",
  hand = "",
  team = "0,ts",
  pageitems = "1000",
  pagenum = "1",
  ind = "0",
  rost = "0",
  players = "",
  type = "8",
  postseason = "",
  sortdir = "default",
  sortstat = "WAR"
)
```

Arguments

age	(integer) Age of players
pos	(character) Position of players, defaults to "all". To exclude pitchers, use "np".
stats	(character) Statistic to return. Defaults to "bat".
lg	(character) League to return. Defaults to "all". Options are "al", "nl", or "all".
qual	(character) Whether you want only batters/pitchers that qualified in a given season, or the minimum number of plate appearances for inclusion. If you only want qualified hitters, use qual. If a minimum number of plate appearaces/innings pitched, use the number desired. Defaults to "y".
startseason	(character) Season for which you want to scrape the data.
endseason	(character) Last season for which you want data.

`startdate`	(character) Start date for which you want data.
`enddate`	(character) End date for which you want data.
`month`	(character) Month for which you want data. Defaults to "0" (full season). Special values: "13" (vs LHP split), "14" (vs RHP split), "1000" (custom date range). When `startdate`/`enddate` are supplied and `month` is left at its default, it is set to "1000" automatically so the date filters take effect.
`hand`	(character) Handedness of batter. Options are "L", "R", or "B". Empty string returns all.
`team`	(character) Teams for which you want data, comma separated.
`pageitems`	(character) Number of items per page.
`pagenum`	(character) Page number.
`ind`	(character) Whether or not to break the seasons out individual, or roll them up together. 1 = split seasons, 0 = aggregate seasons.
`rost`	(character) Whether or not to include players on the roster. 1 = include, 0 = exclude.
`players`	(character) Whether or not to include players on the roster. 1 = include only active roster players, 0 = exclude.
`type`	(character) Defaults to 8, which is the standard leaderboard. The values for the leaderboards appear to go to from type = 0 to 48+, which correspond to links on the leaderboard page.
`postseason`	(logical) Whether or not to include postseason data. TRUE = include postseason, FALSE = exclude postseason.
`sortdir`	(character) Sort direction. Options are "asc" or "desc" or "default".
`sortstat`	(character) Sort by stat. Default is "WAR".

Value

A data frame of batter data.

col_name	types	description
Season	integer	Season (YYYY).
team_name	character	Team name.
SeasonMin	integer	First season in the queried span.
SeasonMax	integer	Last season in the queried span.
G	integer	Games played.
AB	integer	At-bats.
PA	integer	Plate appearances.
H	integer	Hits.
1B	integer	Singles.
2B	integer	Doubles.
3B	integer	Triples.
HR	integer	Home runs.
R	integer	Runs scored.
RBI	integer	Runs batted in.
BB	integer	Walks (bases on balls).

IBB	integer	Intentional walks.
SO	integer	Strikeouts.
HBP	integer	Hit by pitch.
SF	integer	Sacrifice flies.
SH	integer	Sacrifice hits (bunts).
GDP	integer	Grounded into double plays.
SB	integer	Stolen bases.
CS	integer	Caught stealing.
AVG	numeric	Batting average (or opponent average for pitchers).
GB	integer	Ground balls.
FB	integer	Fly balls.
LD	integer	Line drives.
IFFB	integer	Infield fly balls.
Pitches	integer	Total pitches seen or thrown.
Balls	integer	Total balls.
Strikes	integer	Total strikes.
IFH	integer	Infield hits.
BU	integer	Bunts.
BUH	integer	Bunt hits.
BB_pct	numeric	Walk rate.
K_pct	numeric	Strikeout rate.
BB_K	numeric	Walk-to-strikeout ratio.
OBP	numeric	On-base percentage.
SLG	numeric	Slugging percentage.
OPS	numeric	On-base plus slugging.
ISO	numeric	Isolated power.
BABIP	numeric	Batting average on balls in play.
GB_FB	numeric	Ground-ball to fly-ball ratio.
LD_pct	numeric	Line-drive percentage.
GB_pct	numeric	Ground-ball percentage.
FB_pct	numeric	Fly-ball percentage.
IFFB_pct	numeric	Infield-fly-ball percentage.
HR_FB	numeric	Home-run-per-fly-ball rate.
IFH_pct	numeric	Infield-hit percentage.
BUH_pct	numeric	Bunt-hit percentage.
TTO_pct	numeric	Three-true-outcomes percentage (BB, K, HR).
wOBA	numeric	Weighted On-Base Average.
wRAA	numeric	Weighted Runs Above Average.
wRC	numeric	Weighted Runs Created.
Batting	numeric	Batting runs above average.
Fielding	numeric	Fielding runs above average.
Replacement	numeric	Replacement-level runs.
Positional	numeric	Positional adjustment runs.
wLeague	numeric	League adjustment runs.
CFraming	numeric	Catcher framing runs.
Defense	numeric	Total defensive value (runs above average).
Offense	numeric	Total offensive value (runs above average).
RAR	numeric	Runs Above Replacement.

WAR	numeric	Wins Above Replacement.
WAROld	numeric	Wins Above Replacement (legacy formulation).
Dollars	numeric	Estimated market value of production.
BaseRunning	numeric	Base-running runs above average.
Spd	numeric	Speed Score.
wRC_plus	numeric	Weighted Runs Created Plus (park/league-adjusted, 100 = average).
wBsR	numeric	Weighted Base Running runs.
WPA	numeric	Win Probability Added.
WPA_minus	numeric	Negative Win Probability Added.
WPA_plus	numeric	Positive Win Probability Added.
RE24	numeric	Run Expectancy based on the 24 base-out states.
REW	numeric	Run Expectancy Wins.
pLI	numeric	Average Leverage Index.
phLI	numeric	Average Leverage Index in pinch-hit appearances.
PH	integer	Pinch-hit appearances.
WPA_LI	numeric	Situational Win Probability Added (WPA divided by Leverage Index).
Clutch	numeric	Clutch performance relative to context-neutral performance.
FBall_pct	numeric	Overall fastball percentage.
FBv	numeric	Average fastball velocity.
SL_pct	numeric	Slider percentage (pitch usage).
SLv	numeric	Average slider velocity.
CT_pct	numeric	Cutter percentage (pitch usage).
CTv	numeric	Average cutter velocity.
CB_pct	numeric	Curveball percentage (pitch usage).
CBv	numeric	Average curveball velocity.
CH_pct	numeric	Changeup percentage (pitch usage).
CHv	numeric	Average changeup velocity.
SF_pct	numeric	Splitter percentage (pitch usage).
SFv	numeric	Average splitter velocity.
XX_pct	numeric	Unidentified-pitch percentage (pitch usage).
wFB	numeric	Fastball pitch-type linear weight runs.
wSL	numeric	Slider pitch-type linear weight runs.
wCT	numeric	Cutter pitch-type linear weight runs.
wCB	numeric	Curveball pitch-type linear weight runs.
wCH	numeric	Changeup pitch-type linear weight runs.
wSF	numeric	Splitter pitch-type linear weight runs.
wFB_C	numeric	Fastball linear weight runs per 100 pitches.
wSL_C	numeric	Slider linear weight runs per 100 pitches.
wCT_C	numeric	Cutter linear weight runs per 100 pitches.
wCB_C	numeric	Curveball linear weight runs per 100 pitches.
wCH_C	numeric	Changeup linear weight runs per 100 pitches.
wSF_C	numeric	Splitter linear weight runs per 100 pitches.
O-Swing_pct	numeric	Swing percentage on pitches outside the zone (chase rate).
Z-Swing_pct	numeric	Swing percentage on pitches inside the zone.
Swing_pct	numeric	Overall swing percentage.
O-Contact_pct	numeric	Contact percentage on pitches outside the zone.
Z-Contact_pct	numeric	Contact percentage on pitches inside the zone.
Contact_pct	numeric	Overall contact percentage.

Zone_pct	numeric	Percentage of pitches in the strike zone.
F-Strike_pct	numeric	First-pitch strike percentage.
SwStr_pct	numeric	Swinging-strike percentage.
CStr_pct	numeric	Called-strike percentage.
C+SwStr_pct	numeric	Combined called- plus swinging-strike percentage.
Pull	integer	Balls in play hit to the pull field.
Cent	integer	Balls in play hit up the middle.
Oppo	integer	Balls in play hit to the opposite field.
Soft	integer	Soft-contact balls in play.
Med	integer	Medium-contact balls in play.
Hard	integer	Hard-contact balls in play.
bipCount	integer	Count of balls in play with contact-quality data.
Pull_pct	numeric	Pull-field percentage.
Cent_pct	numeric	Up-the-middle percentage.
Oppo_pct	numeric	Opposite-field percentage.
Soft_pct	numeric	Soft-contact percentage.
Med_pct	numeric	Medium-contact percentage.
Hard_pct	numeric	Hard-contact percentage.
UBR	numeric	Ultimate Base Running runs.
GDPRuns	numeric	Runs from grounded-into-double-play avoidance.
AVG+	numeric	Park/league-adjusted batting average (100 = average).
BB_pct+	numeric	Park/league-adjusted walk rate (100 = average).
K_pct+	numeric	Park/league-adjusted strikeout rate (100 = average).
OBP+	numeric	Park/league-adjusted on-base percentage (100 = average).
SLG+	numeric	Park/league-adjusted slugging percentage (100 = average).
ISO+	numeric	Park/league-adjusted isolated power (100 = average).
BABIP+	numeric	Park/league-adjusted BABIP (100 = average).
LD_pct+	numeric	Park/league-adjusted line-drive rate (100 = average).
GB_pct+	numeric	Park/league-adjusted ground-ball rate (100 = average).
FB_pct+	numeric	Park/league-adjusted fly-ball rate (100 = average).
HRFB_pct+	numeric	Park/league-adjusted home-run-per-fly-ball rate (100 = average).
Pull_pct+	numeric	Park/league-adjusted pull rate (100 = average).
Cent_pct+	numeric	Park/league-adjusted up-the-middle rate (100 = average).
Oppo_pct+	numeric	Park/league-adjusted opposite-field rate (100 = average).
Soft_pct+	numeric	Park/league-adjusted soft-contact rate (100 = average).
Med_pct+	numeric	Park/league-adjusted medium-contact rate (100 = average).
Hard_pct+	numeric	Park/league-adjusted hard-contact rate (100 = average).
xwOBA	numeric	Expected Weighted On-Base Average (Statcast).
xAVG	numeric	Expected batting average (Statcast).
xSLG	numeric	Expected slugging percentage (Statcast).
XBR	numeric	Extra bases taken on the bases, runs above average.
PPTV	integer	Pitch-type pitch values (raw component).
CPTV	integer	Catcher pitch-type value (raw component).
BPTV	integer	Batter pitch-type value (raw component).
DSV	integer	Defensive stuff value (raw component).
DGV	integer	Defensive game value (raw component).
BTV	integer	Base-state team value (raw component).
rPPTV	numeric	Regressed pitch-type pitch values.

rCPTV	numeric	Regressed catcher pitch-type value.
rBPTV	numeric	Regressed batter pitch-type value.
rDGV	numeric	Regressed defensive game value.
rBTV	numeric	Regressed base-state team value.
EBV	integer	Earned-base value (raw component).
ESV	integer	Earned-strike value (raw component).
rFTeamV	numeric	Regressed fielding team value.
rBTeamV	numeric	Regressed base-running team value.
rTV	numeric	Regressed total team value.
pfx_FA_pct	numeric	PITCHf/x four-seam fastballs usage percentage.
pfx_FC_pct	numeric	PITCHf/x cutters usage percentage.
pfx_FS_pct	numeric	PITCHf/x splitters usage percentage.
pfx_FO_pct	numeric	PITCHf/x forkballs/pitch-outs usage percentage.
pfx_SI_pct	numeric	PITCHf/x sinkers usage percentage.
pfx_SL_pct	numeric	PITCHf/x sliders usage percentage.
pfx_CU_pct	numeric	PITCHf/x curveballs usage percentage.
pfx_KC_pct	numeric	PITCHf/x knuckle-curves usage percentage.
pfx_EP_pct	numeric	PITCHf/x eephus pitches usage percentage.
pfx_CH_pct	numeric	PITCHf/x changeups usage percentage.
pfx_SC_pct	numeric	PITCHf/x screwballs usage percentage.
pfx_SLO_pct	numeric	PITCHf/x slurves usage percentage.
pfx_ST_pct	numeric	PITCHf/x sweepers usage percentage.
pfx_CUO_pct	numeric	PITCHf/x slurves usage percentage.
pfx_CV_pct	numeric	PITCHf/x slow curves usage percentage.
pfx_vFA	numeric	PITCHf/x average four-seam fastballs velocity.
pfx_vFC	numeric	PITCHf/x average cutters velocity.
pfx_vFS	numeric	PITCHf/x average splitters velocity.
pfx_vFO	numeric	PITCHf/x average forkballs/pitch-outs velocity.
pfx_vSI	numeric	PITCHf/x average sinkers velocity.
pfx_vSL	numeric	PITCHf/x average sliders velocity.
pfx_vCU	numeric	PITCHf/x average curveballs velocity.
pfx_vKC	numeric	PITCHf/x average knuckle-curves velocity.
pfx_vEP	numeric	PITCHf/x average eephus pitches velocity.
pfx_vCH	numeric	PITCHf/x average changeups velocity.
pfx_vSC	numeric	PITCHf/x average screwballs velocity.
pfx_vSLO	numeric	PITCHf/x average slurves velocity.
pfx_vST	numeric	PITCHf/x average sweepers velocity.
pfx_vCUO	numeric	PITCHf/x average slurves velocity.
pfx_vCV	numeric	PITCHf/x average slow curves velocity.
pfx_FA-X	numeric	PITCHf/x average horizontal movement on four-seam fastballs.
pfx_FC-X	numeric	PITCHf/x average horizontal movement on cutters.
pfx_FS-X	numeric	PITCHf/x average horizontal movement on splitters.
pfx_FO-X	numeric	PITCHf/x average horizontal movement on forkballs/pitch-outs.
pfx_SI-X	numeric	PITCHf/x average horizontal movement on sinkers.
pfx_SL-X	numeric	PITCHf/x average horizontal movement on sliders.
pfx_CU-X	numeric	PITCHf/x average horizontal movement on curveballs.
pfx_KC-X	numeric	PITCHf/x average horizontal movement on knuckle-curves.
pfx_EP-X	numeric	PITCHf/x average horizontal movement on eephus pitches.

pfx_CH-X	numeric	PITCHf/x average horizontal movement on changeups.
pfx_SC-X	numeric	PITCHf/x average horizontal movement on screwballs.
pfx_SLO-X	numeric	PITCHf/x average horizontal movement on slurves.
pfx_ST-X	numeric	PITCHf/x average horizontal movement on sweepers.
pfx_CUO-X	numeric	PITCHf/x average horizontal movement on slurves.
pfx_CV-X	numeric	PITCHf/x average horizontal movement on slow curves.
pfx_FA-Z	numeric	PITCHf/x average vertical movement on four-seam fastballs.
pfx_FC-Z	numeric	PITCHf/x average vertical movement on cutters.
pfx_FS-Z	numeric	PITCHf/x average vertical movement on splitters.
pfx_FO-Z	numeric	PITCHf/x average vertical movement on forkballs/pitch-outs.
pfx_SI-Z	numeric	PITCHf/x average vertical movement on sinkers.
pfx_SL-Z	numeric	PITCHf/x average vertical movement on sliders.
pfx_CU-Z	numeric	PITCHf/x average vertical movement on curveballs.
pfx_KC-Z	numeric	PITCHf/x average vertical movement on knuckle-curves.
pfx_EP-Z	numeric	PITCHf/x average vertical movement on eephus pitches.
pfx_CH-Z	numeric	PITCHf/x average vertical movement on changeups.
pfx_SC-Z	numeric	PITCHf/x average vertical movement on screwballs.
pfx_SLO-Z	numeric	PITCHf/x average vertical movement on slurves.
pfx_ST-Z	numeric	PITCHf/x average vertical movement on sweepers.
pfx_CUO-Z	numeric	PITCHf/x average vertical movement on slurves.
pfx_CV-Z	numeric	PITCHf/x average vertical movement on slow curves.
pfx_wFA	numeric	PITCHf/x four-seam fastballs linear weight runs.
pfx_wFC	numeric	PITCHf/x cutters linear weight runs.
pfx_wFS	numeric	PITCHf/x splitters linear weight runs.
pfx_wFO	numeric	PITCHf/x forkballs/pitch-outs linear weight runs.
pfx_wSI	numeric	PITCHf/x sinkers linear weight runs.
pfx_wSL	numeric	PITCHf/x sliders linear weight runs.
pfx_wCU	numeric	PITCHf/x curveballs linear weight runs.
pfx_wKC	numeric	PITCHf/x knuckle-curves linear weight runs.
pfx_wEP	numeric	PITCHf/x eephus pitches linear weight runs.
pfx_wCH	numeric	PITCHf/x changeups linear weight runs.
pfx_wSC	numeric	PITCHf/x screwballs linear weight runs.
pfx_wSLO	numeric	PITCHf/x slurves linear weight runs.
pfx_wST	numeric	PITCHf/x sweepers linear weight runs.
pfx_wCUO	numeric	PITCHf/x slurves linear weight runs.
pfx_wCV	numeric	PITCHf/x slow curves linear weight runs.
pfx_wFA_C	numeric	PITCHf/x four-seam fastballs linear weight runs per 100 pitches.
pfx_wFC_C	numeric	PITCHf/x cutters linear weight runs per 100 pitches.
pfx_wFS_C	numeric	PITCHf/x splitters linear weight runs per 100 pitches.
pfx_wFO_C	numeric	PITCHf/x forkballs/pitch-outs linear weight runs per 100 pitches.
pfx_wSI_C	numeric	PITCHf/x sinkers linear weight runs per 100 pitches.
pfx_wSL_C	numeric	PITCHf/x sliders linear weight runs per 100 pitches.
pfx_wCU_C	numeric	PITCHf/x curveballs linear weight runs per 100 pitches.
pfx_wKC_C	numeric	PITCHf/x knuckle-curves linear weight runs per 100 pitches.
pfx_wEP_C	numeric	PITCHf/x eephus pitches linear weight runs per 100 pitches.
pfx_wCH_C	numeric	PITCHf/x changeups linear weight runs per 100 pitches.
pfx_wSC_C	numeric	PITCHf/x screwballs linear weight runs per 100 pitches.
pfx_wSLO_C	numeric	PITCHf/x slurves linear weight runs per 100 pitches.

pfx_wST_C	numeric	PITCHf/x sweepers linear weight runs per 100 pitches.
pfx_wCUO_C	numeric	PITCHf/x slurves linear weight runs per 100 pitches.
pfx_wCV_C	numeric	PITCHf/x slow curves linear weight runs per 100 pitches.
pfx_aaFA	numeric	PITCHf/x average arsenal value on four-seam fastballs.
pfx_aaFC	numeric	PITCHf/x average arsenal value on cutters.
pfx_aaFS	numeric	PITCHf/x average arsenal value on splitters.
pfx_aaFO	numeric	PITCHf/x average arsenal value on forkballs/pitch-outs.
pfx_aaSI	numeric	PITCHf/x average arsenal value on sinkers.
pfx_aaSL	numeric	PITCHf/x average arsenal value on sliders.
pfx_aaCU	numeric	PITCHf/x average arsenal value on curveballs.
pfx_aaKC	numeric	PITCHf/x average arsenal value on knuckle-curves.
pfx_aaEP	numeric	PITCHf/x average arsenal value on eephus pitches.
pfx_aaCH	numeric	PITCHf/x average arsenal value on changeups.
pfx_aaSC	numeric	PITCHf/x average arsenal value on screwballs.
pfx_aaSLO	numeric	PITCHf/x average arsenal value on slurves.
pfx_aaST	numeric	PITCHf/x average arsenal value on sweepers.
pfx_aaCUO	numeric	PITCHf/x average arsenal value on slurves.
pfx_aaCV	numeric	PITCHf/x average arsenal value on slow curves.
pfx_spFA	numeric	PITCHf/x Stuff+ value on four-seam fastballs.
pfx_spFC	numeric	PITCHf/x Stuff+ value on cutters.
pfx_spFS	numeric	PITCHf/x Stuff+ value on splitters.
pfx_spFO	numeric	PITCHf/x Stuff+ value on forkballs/pitch-outs.
pfx_spSI	numeric	PITCHf/x Stuff+ value on sinkers.
pfx_spSL	numeric	PITCHf/x Stuff+ value on sliders.
pfx_spCU	numeric	PITCHf/x Stuff+ value on curveballs.
pfx_spKC	numeric	PITCHf/x Stuff+ value on knuckle-curves.
pfx_spEP	numeric	PITCHf/x Stuff+ value on eephus pitches.
pfx_spCH	numeric	PITCHf/x Stuff+ value on changeups.
pfx_spSC	numeric	PITCHf/x Stuff+ value on screwballs.
pfx_spSLO	numeric	PITCHf/x Stuff+ value on slurves.
pfx_spST	numeric	PITCHf/x Stuff+ value on sweepers.
pfx_spCUO	numeric	PITCHf/x Stuff+ value on slurves.
pfx_spCV	numeric	PITCHf/x Stuff+ value on slow curves.
pfx_O-Swing_pct	numeric	PITCHf/x swing percentage on pitches outside the zone.
pfx_Z-Swing_pct	numeric	PITCHf/x swing percentage on pitches inside the zone.
pfx_Swing_pct	numeric	PITCHf/x swing percentage.
pfx_O-Contact_pct	numeric	PITCHf/x contact percentage on pitches outside the zone.
pfx_Z-Contact_pct	numeric	PITCHf/x contact percentage on pitches inside the zone.
pfx_Contact_pct	numeric	PITCHf/x contact percentage.
pfx_Zone_pct	numeric	PITCHf/x percentage of pitches in the strike zone.
pfx_Pace	numeric	PITCHf/x pace (seconds between pitches).
AvgBatSpeed	numeric	Average bat speed (mph).
FastSwing_pct	numeric	Fast-swing percentage (75+ mph bat speed).
SwingLength	numeric	Average swing length (feet).
SquaredUpContact_pct	numeric	Squared-up percentage per batted-ball contact.
SquaredUpSwing_pct	numeric	Squared-up percentage per swing.
BlastContact_pct	numeric	Blast percentage per batted-ball contact.
BlastSwing_pct	numeric	Blast percentage per swing.

Swords	integer	Swords (awkward, defensive swinging strikes induced).
CompetitiveSwings	integer	Competitive swings tracked.
Tilt	numeric	Average swing tilt (degrees).
AttackAngle	numeric	Average attack angle (degrees).
AttackDirection	numeric	Average attack direction (degrees).
IdealAttackAngle_pct	numeric	Percentage of swings in the ideal attack-angle range.
DepthInBox	numeric	Average batter depth in the box (inches).
DistanceOffPlate	numeric	Average batter distance off the plate (inches).
scH-Swing_pct	numeric	Statcast swing percentage on hard-hit pitches.
scH-Contact_pct	numeric	Statcast contact percentage on hard-hit pitches.
scH-Zone_pct	numeric	Statcast in-zone percentage on hard-hit pitches.
scS-Swing_pct	numeric	Statcast swing percentage on slider pitches.
scS-Contact_pct	numeric	Statcast contact percentage on slider pitches.
scS-Zone_pct	numeric	Statcast in-zone percentage on slider pitches.
scC-Swing_pct	numeric	Statcast swing percentage on curveball pitches.
scC-Contact_pct	numeric	Statcast contact percentage on curveball pitches.
scC-Zone_pct	numeric	Statcast in-zone percentage on curveball pitches.
scW-Swing_pct	numeric	Statcast swing percentage on offspeed pitches.
scW-Contact_pct	numeric	Statcast contact percentage on offspeed pitches.
scW-Zone_pct	numeric	Statcast in-zone percentage on offspeed pitches.
scSI-Swing_pct	numeric	Statcast swing percentage on sinker pitches.
scSI-Contact_pct	numeric	Statcast contact percentage on sinker pitches.
scSI-Zone_pct	numeric	Statcast in-zone percentage on sinker pitches.
scSO-Swing_pct	numeric	Statcast swing percentage on softly-hit pitches.
scSO-Contact_pct	numeric	Statcast contact percentage on softly-hit pitches.
scSO-Zone_pct	numeric	Statcast in-zone percentage on softly-hit pitches.
scO-Swing_pct	numeric	Statcast swing percentage on out-of-zone pitches.
scO-Contact_pct	numeric	Statcast contact percentage on out-of-zone pitches.
scO-Zone_pct	numeric	Statcast in-zone percentage on out-of-zone pitches.
scZ-Swing_pct	numeric	Statcast swing percentage on in-zone pitches.
scZ-Contact_pct	numeric	Statcast contact percentage on in-zone pitches.
scZ-Zone_pct	numeric	Statcast in-zone percentage on in-zone pitches.
pi_CH_pct	numeric	PITCHInfo changeups usage percentage.
pi_CU_pct	numeric	PITCHInfo curveballs usage percentage.
pi_FA_pct	numeric	PITCHInfo four-seam fastballs usage percentage.
pi_FC_pct	numeric	PITCHInfo cutters usage percentage.
pi_FS_pct	numeric	PITCHInfo splitters usage percentage.
pi_SB_pct	numeric	PITCHInfo slow-balls usage percentage.
pi_SI_pct	numeric	PITCHInfo sinkers usage percentage.
pi_SL_pct	numeric	PITCHInfo sliders usage percentage.
pi_vCH	numeric	PITCHInfo average changeups velocity.
pi_vCU	numeric	PITCHInfo average curveballs velocity.
pi_vFA	numeric	PITCHInfo average four-seam fastballs velocity.
pi_vFC	numeric	PITCHInfo average cutters velocity.
pi_vFS	numeric	PITCHInfo average splitters velocity.
pi_vSB	numeric	PITCHInfo average slow-balls velocity.
pi_vSI	numeric	PITCHInfo average sinkers velocity.
pi_vSL	numeric	PITCHInfo average sliders velocity.

pi_CH-X	numeric	PITCHInfo average horizontal movement on changeups.
pi_CU-X	numeric	PITCHInfo average horizontal movement on curveballs.
pi_FA-X	numeric	PITCHInfo average horizontal movement on four-seam fastballs.
pi_FC-X	numeric	PITCHInfo average horizontal movement on cutters.
pi_FS-X	numeric	PITCHInfo average horizontal movement on splitters.
pi_SB-X	numeric	PITCHInfo average horizontal movement on slow-balls.
pi_SI-X	numeric	PITCHInfo average horizontal movement on sinkers.
pi_SL-X	numeric	PITCHInfo average horizontal movement on sliders.
pi_CH-Z	numeric	PITCHInfo average vertical movement on changeups.
pi_CU-Z	numeric	PITCHInfo average vertical movement on curveballs.
pi_FA-Z	numeric	PITCHInfo average vertical movement on four-seam fastballs.
pi_FC-Z	numeric	PITCHInfo average vertical movement on cutters.
pi_FS-Z	numeric	PITCHInfo average vertical movement on splitters.
pi_SB-Z	numeric	PITCHInfo average vertical movement on slow-balls.
pi_SI-Z	numeric	PITCHInfo average vertical movement on sinkers.
pi_SL-Z	numeric	PITCHInfo average vertical movement on sliders.
pi_wCH	numeric	PITCHInfo changeups linear weight runs.
pi_wCU	numeric	PITCHInfo curveballs linear weight runs.
pi_wFA	numeric	PITCHInfo four-seam fastballs linear weight runs.
pi_wFC	numeric	PITCHInfo cutters linear weight runs.
pi_wFS	numeric	PITCHInfo splitters linear weight runs.
pi_wSB	numeric	PITCHInfo slow-balls linear weight runs.
pi_wSI	numeric	PITCHInfo sinkers linear weight runs.
pi_wSL	numeric	PITCHInfo sliders linear weight runs.
pi_wCH_C	numeric	PITCHInfo changeups linear weight runs per 100 pitches.
pi_wCU_C	numeric	PITCHInfo curveballs linear weight runs per 100 pitches.
pi_wFA_C	numeric	PITCHInfo four-seam fastballs linear weight runs per 100 pitches.
pi_wFC_C	numeric	PITCHInfo cutters linear weight runs per 100 pitches.
pi_wFS_C	numeric	PITCHInfo splitters linear weight runs per 100 pitches.
pi_wSB_C	numeric	PITCHInfo slow-balls linear weight runs per 100 pitches.
pi_wSI_C	numeric	PITCHInfo sinkers linear weight runs per 100 pitches.
pi_wSL_C	numeric	PITCHInfo sliders linear weight runs per 100 pitches.
pi_O-Swing_pct	numeric	PITCHInfo swing percentage on pitches outside the zone.
pi_Z-Swing_pct	numeric	PITCHInfo swing percentage on pitches inside the zone.
pi_Swing_pct	numeric	PITCHInfo swing percentage.
pi_O-Contact_pct	numeric	PITCHInfo contact percentage on pitches outside the zone.
pi_Z-Contact_pct	numeric	PITCHInfo contact percentage on pitches inside the zone.
pi_Contact_pct	numeric	PITCHInfo contact percentage.
pi_Zone_pct	numeric	PITCHInfo percentage of pitches in the strike zone.
pi_Pace	numeric	PITCHInfo pace (seconds between pitches).
Events	integer	Batted-ball events with Statcast measurement.
EV	numeric	Average exit velocity (mph).
LA	numeric	Average launch angle (degrees).
Barrels	integer	Barreled batted balls.
Barrel_pct	numeric	Barrel percentage.
maxEV	numeric	Maximum exit velocity (mph).
HardHit	integer	Hard-hit batted balls (95+ mph).
HardHit_pct	numeric	Hard-hit percentage (95+ mph).

Q	numeric	Quality of contact / quality score.
TG	integer	Total games in the span.
TPA	integer	Total plate appearances in the span.
positionDB	character	Position code from the database.
position	character	Position played.
team_name_abb	character	Team name abbreviation.
teamid	integer	FanGraphs team ID.
playerTeamId	integer	FanGraphs player-team ID.
Pos	numeric	Primary position.
EV90	numeric	90th-percentile exit velocity (mph).
KN_pct	numeric	Knuckleball percentage (pitch usage).
KNv	numeric	Average knuckleball velocity.
wKN	numeric	Knuckleball pitch-type linear weight runs.
wKN_C	numeric	Knuckleball linear weight runs per 100 pitches.
pfx_KN_pct	numeric	PITCHf/x knuckleballs usage percentage.
pfx_vKN	numeric	PITCHf/x average knuckleballs velocity.
pfx_KN-X	numeric	PITCHf/x average horizontal movement on knuckleballs.
pfx_KN-Z	numeric	PITCHf/x average vertical movement on knuckleballs.
pfx_wKN	numeric	PITCHf/x knuckleballs linear weight runs.
pfx_wKN_C	numeric	PITCHf/x knuckleballs linear weight runs per 100 pitches.
pfx_aaKN	numeric	PITCHf/x average arsenal value on knuckleballs.
pfx_spKN	numeric	PITCHf/x Stuff+ value on knuckleballs.
pi_KN_pct	numeric	PITCHInfo knuckleballs usage percentage.
pi_XX_pct	numeric	PITCHInfo unidentified pitches usage percentage.
pi_vKN	numeric	PITCHInfo average knuckleballs velocity.
pi_vXX	numeric	PITCHInfo average unidentified pitches velocity.
pi_KN-X	numeric	PITCHInfo average horizontal movement on knuckleballs.
pi_XX-X	numeric	PITCHInfo average horizontal movement on unidentified pitches.
pi_KN-Z	numeric	PITCHInfo average vertical movement on knuckleballs.
pi_XX-Z	numeric	PITCHInfo average vertical movement on unidentified pitches.
pi_wKN	numeric	PITCHInfo knuckleballs linear weight runs.
pi_wXX	numeric	PITCHInfo unidentified pitches linear weight runs.
pi_wKN_C	numeric	PITCHInfo knuckleballs linear weight runs per 100 pitches.
pi_wXX_C	numeric	PITCHInfo unidentified pitches linear weight runs per 100 pitches.
pi_CS_pct	numeric	PITCHInfo slow curves usage percentage.
pi_vCS	numeric	PITCHInfo average slow curves velocity.
pi_CS-X	numeric	PITCHInfo average horizontal movement on slow curves.
pi_CS-Z	numeric	PITCHInfo average vertical movement on slow curves.
pi_wCS	numeric	PITCHInfo slow curves linear weight runs.
pi_wCS_C	numeric	PITCHInfo slow curves linear weight runs per 100 pitches.
rDSV	numeric	Regressed defensive stuff value.

Examples

```
try(fg_team_batter(startseason = 2015, endseason = 2015, qual = 200))
```

fg_team_fielder **Scrape Team Fielder Leaderboards from FanGraphs**

Description

Scrape Team Fielder Leaderboards from FanGraphs

Usage

```
fg_team_fielder(
  age = "",
  pos = "all",
  stats = "fld",
  lg = "all",
  qual = "0",
  startseason = "2023",
  endseason = "2023",
  startdate = "",
  enddate = "",
  month = "0",
  hand = "",
  team = "0,ts",
  pageitems = "1000",
  pagenum = "1",
  ind = "0",
  rost = "0",
  players = "",
  type = "1",
  postseason = "",
  sortdir = "default",
  sortstat = "Defense"
)
```

Arguments

age	(integer) Age of players
pos	(character) Position of players, defaults to "all". To exclude pitchers, use "np".
stats	(character) Statistic to return. Defaults to "bat".
lg	(character) League to return. Defaults to "all". Options are "al", "nl", or "all".
qual	(character) Whether you want only batters/pitchers that qualified in a given season, or the minimum number of plate appearances for inclusion. If you only want qualified hitters, use qual. If a minimum number of plate appearaces/innings pitched, use the number desired. Defaults to "y".
startseason	(character) Season for which you want to scrape the data.
endseason	(character) Last season for which you want data.

`startdate`	(character) Start date for which you want data.
`enddate`	(character) End date for which you want data.
`month`	(character) Month for which you want data. Defaults to "0" (full season). Special values: "13" (vs LHP split), "14" (vs RHP split), "1000" (custom date range). When `startdate`/`enddate` are supplied and `month` is left at its default, it is set to "1000" automatically so the date filters take effect.
`hand`	(character) Handedness of batter. Options are "L", "R", or "B". Empty string returns all.
`team`	(character) Teams for which you want data, comma separated.
`pageitems`	(character) Number of items per page.
`pagenum`	(character) Page number.
`ind`	(character) Whether or not to break the seasons out individual, or roll them up together. 1 = split seasons, 0 = aggregate seasons.
`rost`	(character) Whether or not to include players on the roster. 1 = include, 0 = exclude.
`players`	(character) Whether or not to include players on the roster. 1 = include only active roster players, 0 = exclude.
`type`	(character) Defaults to 8, which is the standard leaderboard. The values for the leaderboards appear to go to from type = 0 to 48+, which correspond to links on the leaderboard page.
`postseason`	(logical) Whether or not to include postseason data. TRUE = include postseason, FALSE = exclude postseason.
`sortdir`	(character) Sort direction. Options are "asc" or "desc" or "default".
`sortstat`	(character) Sort by stat. Default is "Defense".

Value

A data frame of fielder data.

col_name	types	description
Season	integer	Season (YYYY).
team_name	character	Team name.
SeasonMin	integer	First season in the queried span.
SeasonMax	integer	Last season in the queried span.
Pos	character	Primary position.
Position	character	Position played.
G	integer	Games played.
GS	integer	Games started.
Inn	integer	Innings played in the field.
PO	integer	Putouts.
A	integer	Assists.
E	integer	Errors.
FE	integer	Fielding errors.
TE	integer	Throwing errors.
DP	integer	Double plays.

DPS	integer	Double plays started.
DPT	integer	Double plays turned.
DPF	integer	Double plays finished.
Scp	integer	Scoops (first-base picks).
SB	integer	Stolen bases.
CS	integer	Caught stealing.
PB	integer	Passed balls.
WP	integer	Wild pitches.
FP	numeric	Fielding percentage.
rSB	integer	Stolen-base runs (catcher arm).
rGDP	integer	Double-play runs.
rARM	integer	Outfield-arm runs.
rGFP	integer	Good-fielding-play runs.
rPM	integer	Plus/minus range runs.
rSZ	numeric	Strike-zone (framing) runs.
rTS	integer	Team-stolen-base runs.
rCERA	integer	Catcher-ERA runs.
DRS	integer	Defensive Runs Saved.
BIZ	integer	Balls hit in defensive zone.
Plays	integer	Plays made in zone.
RZR	numeric	Revised Zone Rating.
OOZ	integer	Plays made out of zone.
ARM	numeric	Outfield-arm runs (UZR component).
DPR	numeric	Double-play runs (UZR component).
RngR	numeric	Range runs (UZR component).
ErrR	numeric	Error runs (UZR component).
UZR	numeric	Ultimate Zone Rating.
UZR_150	numeric	Ultimate Zone Rating per 150 defensive games.
Defense	numeric	Total defensive value (runs above average).
CStrikes	numeric	Catcher framing called strikes above average.
CFraming	numeric	Catcher framing runs.
OAA	integer	Outs Above Average (Statcast).
rFRP	integer	Range component of Fielding Run Prevention.
aFRP	integer	Arm component of Fielding Run Prevention.
dFRP	integer	Double-play component of Fielding Run Prevention.
bFRP	integer	Bunt component of Fielding Run Prevention.
tFRP	integer	Throwing component of Fielding Run Prevention.
fFRP	integer	Framing component of Fielding Run Prevention.
FRP	integer	Total Fielding Run Prevention.
Q	numeric	Quality of contact / quality score.
TInn	numeric	Total innings played in the field.
positionDB	character	Position code from the database.
teamid	integer	FanGraphs team ID.
team_name_abb	character	Team name abbreviation.
playerTeamId	integer	FanGraphs player-team ID.

Examples

```
try(fg_team_fielder(startseason = 2023, endseason = 2023, qual = 150))
```

`fg_team_pitcher` **Scrape Team Pitcher Leaderboards from FanGraphs**

Description

Scrape Team Pitcher Leaderboards from FanGraphs

Usage

```
fg_team_pitcher(
  age = "",
  pos = "all",
  stats = "pit",
  lg = "all",
  qual = "y",
  startseason = "2023",
  endseason = "2023",
  startdate = "",
  enddate = "",
  month = "0",
  hand = "",
  team = "0,ts",
  pageitems = "1000",
  pagenum = "1",
  ind = "0",
  rost = "0",
  players = "",
  type = "8",
  postseason = "",
  sortdir = "default",
  sortstat = "WAR"
)
```

Arguments

`age`	(integer) Age of players
`pos`	(character) Position of players, defaults to "all". To exclude pitchers, use "np".
`stats`	(character) Statistic to return. Defaults to "bat".
`lg`	(character) League to return. Defaults to "all". Options are "al", "nl", or "all".
`qual`	(character) Whether you want only batters/pitchers that qualified in a given season, or the minimum number of plate appearances for inclusion. If you only want qualified hitters, use qual. If a minimum number of plate appearaces/innings pitched, use the number desired. Defaults to "y".

`startseason`	(character) Season for which you want to scrape the data.
`endseason`	(character) Last season for which you want data.
`startdate`	(character) Start date for which you want data.
`enddate`	(character) End date for which you want data.
`month`	(character) Month for which you want data. Defaults to "0" (full season). Special values: "13" (vs LHP split), "14" (vs RHP split), "1000" (custom date range). When `startdate`/`enddate` are supplied and `month` is left at its default, it is set to "1000" automatically so the date filters take effect.
`hand`	(character) Handedness of batter. Options are "L", "R", or "B". Empty string returns all.
`team`	(character) Teams for which you want data, comma separated.
`pageitems`	(character) Number of items per page.
`pagenum`	(character) Page number.
`ind`	(character) Whether or not to break the seasons out individual, or roll them up together. 1 = split seasons, 0 = aggregate seasons.
`rost`	(character) Whether or not to include players on the roster. 1 = include, 0 = exclude.
`players`	(character) Whether or not to include players on the roster. 1 = include only active roster players, 0 = exclude.
`type`	(character) Defaults to 8, which is the standard leaderboard. The values for the leaderboards appear to go to from type = 0 to 48+, which correspond to links on the leaderboard page.
`postseason`	(logical) Whether or not to include postseason data. TRUE = include postseason, FALSE = exclude postseason.
`sortdir`	(character) Sort direction. Options are "asc" or "desc" or "default".
`sortstat`	(character) Sort by stat. Default is "WAR".

Value

A data frame of pitcher data.

col_name	types	description
Season	integer	Season (YYYY).
team_name	character	Team name.
SeasonMin	integer	First season in the queried span.
SeasonMax	integer	Last season in the queried span.
W	integer	Wins.
L	integer	Losses.
ERA	numeric	Earned run average.
G	integer	Games played.
GS	integer	Games started.
QS	integer	Quality starts.
CG	integer	Complete games.
ShO	integer	Shutouts.

SV	integer	Saves.
BS	integer	Blown saves.
IP	numeric	Innings pitched.
TBF	integer	Total batters faced.
H	integer	Hits.
R	integer	Runs scored.
ER	integer	Earned runs allowed.
HR	integer	Home runs.
BB	integer	Walks (bases on balls).
IBB	integer	Intentional walks.
HBP	integer	Hit by pitch.
WP	integer	Wild pitches.
BK	integer	Balks.
SO	integer	Strikeouts.
GB	integer	Ground balls.
FB	integer	Fly balls.
LD	integer	Line drives.
IFFB	integer	Infield fly balls.
Pitches	integer	Total pitches seen or thrown.
Balls	integer	Total balls.
Strikes	integer	Total strikes.
RS	integer	Run support.
IFH	integer	Infield hits.
BU	integer	Bunts.
BUH	integer	Bunt hits.
K_9	numeric	Strikeouts per nine innings.
BB_9	numeric	Walks per nine innings.
K_BB	numeric	Strikeout-to-walk ratio.
H_9	numeric	Hits allowed per nine innings.
HR_9	numeric	Home runs allowed per nine innings.
AVG	numeric	Batting average (or opponent average for pitchers).
WHIP	numeric	Walks plus hits per inning pitched.
BABIP	numeric	Batting average on balls in play.
LOB_pct	numeric	Left-on-base percentage (strand rate).
FIP	numeric	Fielding Independent Pitching.
GB_FB	numeric	Ground-ball to fly-ball ratio.
LD_pct	numeric	Line-drive percentage.
GB_pct	numeric	Ground-ball percentage.
FB_pct	numeric	Fly-ball percentage.
IFFB_pct	numeric	Infield-fly-ball percentage.
HR_FB	numeric	Home-run-per-fly-ball rate.
IFH_pct	numeric	Infield-hit percentage.
BUH_pct	numeric	Bunt-hit percentage.
TTO_pct	numeric	Three-true-outcomes percentage (BB, K, HR).
CFraming	numeric	Catcher framing runs.
Starting	numeric	Starting-pitcher value (runs).
Start_IP	numeric	Innings pitched as a starter.
Relieving	numeric	Relief-pitcher value (runs).

Relief_IP	numeric	Innings pitched in relief.
RAR	numeric	Runs Above Replacement.
WAR	numeric	Wins Above Replacement.
Dollars	numeric	Estimated market value of production.
RA9-Wins	numeric	Wins based on runs allowed per nine.
LOB-Wins	numeric	Wins attributable to strand rate.
BIP-Wins	numeric	Wins attributable to balls in play.
BS-Wins	numeric	Wins attributable to sequencing.
tERA	numeric	True ERA (batted-ball-based ERA estimator).
xFIP	numeric	Expected Fielding Independent Pitching.
WPA	numeric	Win Probability Added.
WPA_minus	numeric	Negative Win Probability Added.
WPA_plus	numeric	Positive Win Probability Added.
RE24	numeric	Run Expectancy based on the 24 base-out states.
REW	numeric	Run Expectancy Wins.
pLI	numeric	Average Leverage Index.
inLI	numeric	Average Leverage Index entering the game.
gmLI	numeric	Average Leverage Index at game entry.
exLI	numeric	Average Leverage Index when exiting the game.
Pulls	integer	Times pulled from the game.
Games	integer	Games (relief context).
WPA_LI	numeric	Situational Win Probability Added (WPA divided by Leverage Index).
Clutch	numeric	Clutch performance relative to context-neutral performance.
FBall_pct	numeric	Overall fastball percentage.
FBv	numeric	Average fastball velocity.
SL_pct	numeric	Slider percentage (pitch usage).
SLv	numeric	Average slider velocity.
CT_pct	numeric	Cutter percentage (pitch usage).
CTv	numeric	Average cutter velocity.
CB_pct	numeric	Curveball percentage (pitch usage).
CBv	numeric	Average curveball velocity.
CH_pct	numeric	Changeup percentage (pitch usage).
CHv	numeric	Average changeup velocity.
SF_pct	numeric	Splitter percentage (pitch usage).
SFv	numeric	Average splitter velocity.
XX_pct	numeric	Unidentified-pitch percentage (pitch usage).
wFB	numeric	Fastball pitch-type linear weight runs.
wSL	numeric	Slider pitch-type linear weight runs.
wCT	numeric	Cutter pitch-type linear weight runs.
wCB	numeric	Curveball pitch-type linear weight runs.
wCH	numeric	Changeup pitch-type linear weight runs.
wSF	numeric	Splitter pitch-type linear weight runs.
wFB_C	numeric	Fastball linear weight runs per 100 pitches.
wSL_C	numeric	Slider linear weight runs per 100 pitches.
wCT_C	numeric	Cutter linear weight runs per 100 pitches.
wCB_C	numeric	Curveball linear weight runs per 100 pitches.
wCH_C	numeric	Changeup linear weight runs per 100 pitches.
wSF_C	numeric	Splitter linear weight runs per 100 pitches.

O-Swing_pct	numeric	Swing percentage on pitches outside the zone (chase rate).
Z-Swing_pct	numeric	Swing percentage on pitches inside the zone.
Swing_pct	numeric	Overall swing percentage.
O-Contact_pct	numeric	Contact percentage on pitches outside the zone.
Z-Contact_pct	numeric	Contact percentage on pitches inside the zone.
Contact_pct	numeric	Overall contact percentage.
Zone_pct	numeric	Percentage of pitches in the strike zone.
F-Strike_pct	numeric	First-pitch strike percentage.
SwStr_pct	numeric	Swinging-strike percentage.
CStr_pct	numeric	Called-strike percentage.
C+SwStr_pct	numeric	Combined called- plus swinging-strike percentage.
HLD	integer	Holds.
SD	integer	Shutdowns (relief appearances that improved win probability).
MD	integer	Meltdowns (relief appearances that hurt win probability).
ERA-	numeric	Park/league-adjusted ERA (100 = average, lower is better).
FIP-	numeric	Park/league-adjusted FIP (100 = average, lower is better).
xFIP-	numeric	Park/league-adjusted xFIP (100 = average, lower is better).
K_pct	numeric	Strikeout rate.
BB_pct	numeric	Walk rate.
K-BB_pct	numeric	Strikeout rate minus walk rate.
SIERA	numeric	Skill-Interactive ERA.
kwERA	numeric	Strikeout/walk-based ERA estimator.
RS_9	numeric	Run support per nine innings.
E-F	numeric	Difference between ERA and FIP.
Pull	integer	Balls in play hit to the pull field.
Cent	integer	Balls in play hit up the middle.
Oppo	integer	Balls in play hit to the opposite field.
Soft	integer	Soft-contact balls in play.
Med	integer	Medium-contact balls in play.
Hard	integer	Hard-contact balls in play.
bipCount	integer	Count of balls in play with contact-quality data.
Pull_pct	numeric	Pull-field percentage.
Cent_pct	numeric	Up-the-middle percentage.
Oppo_pct	numeric	Opposite-field percentage.
Soft_pct	numeric	Soft-contact percentage.
Med_pct	numeric	Medium-contact percentage.
Hard_pct	numeric	Hard-contact percentage.
K_9+	numeric	Park/league-adjusted strikeouts per nine (100 = average).
BB_9+	numeric	Park/league-adjusted walks per nine (100 = average).
K_BB+	numeric	Park/league-adjusted strikeout-to-walk ratio (100 = average).
H_9+	numeric	Park/league-adjusted hits per nine (100 = average).
HR_9+	numeric	Park/league-adjusted home runs per nine (100 = average).
AVG+	numeric	Park/league-adjusted batting average (100 = average).
WHIP+	numeric	Park/league-adjusted WHIP (100 = average).
BABIP+	numeric	Park/league-adjusted BABIP (100 = average).
LOB_pct+	numeric	Park/league-adjusted strand rate (100 = average).
K_pct+	numeric	Park/league-adjusted strikeout rate (100 = average).
BB_pct+	numeric	Park/league-adjusted walk rate (100 = average).

LD_pct+	numeric	Park/league-adjusted line-drive rate (100 = average).
GB_pct+	numeric	Park/league-adjusted ground-ball rate (100 = average).
FB_pct+	numeric	Park/league-adjusted fly-ball rate (100 = average).
HRFB_pct+	numeric	Park/league-adjusted home-run-per-fly-ball rate (100 = average).
Pull_pct+	numeric	Park/league-adjusted pull rate (100 = average).
Cent_pct+	numeric	Park/league-adjusted up-the-middle rate (100 = average).
Oppo_pct+	numeric	Park/league-adjusted opposite-field rate (100 = average).
Soft_pct+	numeric	Park/league-adjusted soft-contact rate (100 = average).
Med_pct+	numeric	Park/league-adjusted medium-contact rate (100 = average).
Hard_pct+	numeric	Park/league-adjusted hard-contact rate (100 = average).
xERA	numeric	Expected ERA (Statcast-based).
pb_o_CH	numeric	PitchingBot overall grade on changeups.
pb_s_CH	numeric	PitchingBot stuff grade on changeups.
pb_c_CH	numeric	PitchingBot command grade on changeups.
pb_o_CU	numeric	PitchingBot overall grade on curveballs.
pb_s_CU	numeric	PitchingBot stuff grade on curveballs.
pb_c_CU	numeric	PitchingBot command grade on curveballs.
pb_o_FF	numeric	PitchingBot overall grade on four-seam fastballs.
pb_s_FF	numeric	PitchingBot stuff grade on four-seam fastballs.
pb_c_FF	numeric	PitchingBot command grade on four-seam fastballs.
pb_o_SI	numeric	PitchingBot overall grade on sinkers.
pb_s_SI	numeric	PitchingBot stuff grade on sinkers.
pb_c_SI	numeric	PitchingBot command grade on sinkers.
pb_o_SL	numeric	PitchingBot overall grade on sliders.
pb_s_SL	numeric	PitchingBot stuff grade on sliders.
pb_c_SL	numeric	PitchingBot command grade on sliders.
pb_o_KC	numeric	PitchingBot overall grade on knuckle-curves.
pb_s_KC	numeric	PitchingBot stuff grade on knuckle-curves.
pb_c_KC	numeric	PitchingBot command grade on knuckle-curves.
pb_o_FC	numeric	PitchingBot overall grade on cutters.
pb_s_FC	numeric	PitchingBot stuff grade on cutters.
pb_c_FC	numeric	PitchingBot command grade on cutters.
pb_o_FS	numeric	PitchingBot overall grade on splitters.
pb_s_FS	numeric	PitchingBot stuff grade on splitters.
pb_c_FS	numeric	PitchingBot command grade on splitters.
pb_overall	numeric	PitchingBot overall grade.
pb_stuff	numeric	PitchingBot stuff grade.
pb_command	numeric	PitchingBot command grade.
pb_xRV100	numeric	PitchingBot expected run value per 100 pitches.
pb_ERA	numeric	PitchingBot-modeled ERA.
sp_s_CH	numeric	Stuff+ grade on changeups (100 = average).
sp_l_CH	numeric	Location+ grade on changeups (100 = average).
sp_p_CH	numeric	Pitching+ grade on changeups (100 = average).
sp_s_CU	numeric	Stuff+ grade on curveballs (100 = average).
sp_l_CU	numeric	Location+ grade on curveballs (100 = average).
sp_p_CU	numeric	Pitching+ grade on curveballs (100 = average).
sp_s_FF	numeric	Stuff+ grade on four-seam fastballs (100 = average).
sp_l_FF	numeric	Location+ grade on four-seam fastballs (100 = average).

sp_p_FF	numeric	Pitching+ grade on four-seam fastballs (100 = average).
sp_s_SI	numeric	Stuff+ grade on sinkers (100 = average).
sp_l_SI	numeric	Location+ grade on sinkers (100 = average).
sp_p_SI	numeric	Pitching+ grade on sinkers (100 = average).
sp_s_SL	numeric	Stuff+ grade on sliders (100 = average).
sp_l_SL	numeric	Location+ grade on sliders (100 = average).
sp_p_SL	numeric	Pitching+ grade on sliders (100 = average).
sp_s_KC	numeric	Stuff+ grade on knuckle-curves (100 = average).
sp_l_KC	numeric	Location+ grade on knuckle-curves (100 = average).
sp_p_KC	numeric	Pitching+ grade on knuckle-curves (100 = average).
sp_s_FC	numeric	Stuff+ grade on cutters (100 = average).
sp_l_FC	numeric	Location+ grade on cutters (100 = average).
sp_p_FC	numeric	Pitching+ grade on cutters (100 = average).
sp_s_FS	numeric	Stuff+ grade on splitters (100 = average).
sp_l_FS	numeric	Location+ grade on splitters (100 = average).
sp_p_FS	numeric	Pitching+ grade on splitters (100 = average).
sp_stuff	numeric	Stuff+ overall grade (pitch quality, 100 = average).
sp_location	numeric	Location+ overall grade (command, 100 = average).
sp_pitching	numeric	Pitching+ overall grade (Stuff+ and Location+ combined, 100 = average).
PPTV	integer	Pitch-type pitch values (raw component).
CPTV	integer	Catcher pitch-type value (raw component).
BPTV	integer	Batter pitch-type value (raw component).
DSV	integer	Defensive stuff value (raw component).
DGV	integer	Defensive game value (raw component).
BTV	integer	Base-state team value (raw component).
rPPTV	numeric	Regressed pitch-type pitch values.
rBPTV	numeric	Regressed batter pitch-type value.
rDGV	numeric	Regressed defensive game value.
rBTV	numeric	Regressed base-state team value.
EBV	integer	Earned-base value (raw component).
ESV	integer	Earned-strike value (raw component).
rFTeamV	numeric	Regressed fielding team value.
rBTeamV	numeric	Regressed base-running team value.
rTV	numeric	Regressed total team value.
pfx_FA_pct	numeric	PITCHf/x four-seam fastballs usage percentage.
pfx_FC_pct	numeric	PITCHf/x cutters usage percentage.
pfx_FS_pct	numeric	PITCHf/x splitters usage percentage.
pfx_SI_pct	numeric	PITCHf/x sinkers usage percentage.
pfx_SL_pct	numeric	PITCHf/x sliders usage percentage.
pfx_CU_pct	numeric	PITCHf/x curveballs usage percentage.
pfx_KC_pct	numeric	PITCHf/x knuckle-curves usage percentage.
pfx_EP_pct	numeric	PITCHf/x eephus pitches usage percentage.
pfx_CH_pct	numeric	PITCHf/x changeups usage percentage.
pfx_SLO_pct	numeric	PITCHf/x slurves usage percentage.
pfx_ST_pct	numeric	PITCHf/x sweepers usage percentage.
pfx_CUO_pct	numeric	PITCHf/x slurves usage percentage.
pfx_vFA	numeric	PITCHf/x average four-seam fastballs velocity.
pfx_vFC	numeric	PITCHf/x average cutters velocity.

pfx_vFS	numeric	PITCHf/x average splitters velocity.
pfx_vSI	numeric	PITCHf/x average sinkers velocity.
pfx_vSL	numeric	PITCHf/x average sliders velocity.
pfx_vCU	numeric	PITCHf/x average curveballs velocity.
pfx_vKC	numeric	PITCHf/x average knuckle-curves velocity.
pfx_vEP	numeric	PITCHf/x average eephus pitches velocity.
pfx_vCH	numeric	PITCHf/x average changeups velocity.
pfx_vSLO	numeric	PITCHf/x average slurves velocity.
pfx_vST	numeric	PITCHf/x average sweepers velocity.
pfx_vCUO	numeric	PITCHf/x average slurves velocity.
pfx_FA-X	numeric	PITCHf/x average horizontal movement on four-seam fastballs.
pfx_FC-X	numeric	PITCHf/x average horizontal movement on cutters.
pfx_FS-X	numeric	PITCHf/x average horizontal movement on splitters.
pfx_SI-X	numeric	PITCHf/x average horizontal movement on sinkers.
pfx_SL-X	numeric	PITCHf/x average horizontal movement on sliders.
pfx_CU-X	numeric	PITCHf/x average horizontal movement on curveballs.
pfx_KC-X	numeric	PITCHf/x average horizontal movement on knuckle-curves.
pfx_EP-X	numeric	PITCHf/x average horizontal movement on eephus pitches.
pfx_CH-X	numeric	PITCHf/x average horizontal movement on changeups.
pfx_SLO-X	numeric	PITCHf/x average horizontal movement on slurves.
pfx_ST-X	numeric	PITCHf/x average horizontal movement on sweepers.
pfx_CUO-X	numeric	PITCHf/x average horizontal movement on slurves.
pfx_FA-Z	numeric	PITCHf/x average vertical movement on four-seam fastballs.
pfx_FC-Z	numeric	PITCHf/x average vertical movement on cutters.
pfx_FS-Z	numeric	PITCHf/x average vertical movement on splitters.
pfx_SI-Z	numeric	PITCHf/x average vertical movement on sinkers.
pfx_SL-Z	numeric	PITCHf/x average vertical movement on sliders.
pfx_CU-Z	numeric	PITCHf/x average vertical movement on curveballs.
pfx_KC-Z	numeric	PITCHf/x average vertical movement on knuckle-curves.
pfx_EP-Z	numeric	PITCHf/x average vertical movement on eephus pitches.
pfx_CH-Z	numeric	PITCHf/x average vertical movement on changeups.
pfx_SLO-Z	numeric	PITCHf/x average vertical movement on slurves.
pfx_ST-Z	numeric	PITCHf/x average vertical movement on sweepers.
pfx_CUO-Z	numeric	PITCHf/x average vertical movement on slurves.
pfx_wFA	numeric	PITCHf/x four-seam fastballs linear weight runs.
pfx_wFC	numeric	PITCHf/x cutters linear weight runs.
pfx_wFS	numeric	PITCHf/x splitters linear weight runs.
pfx_wSI	numeric	PITCHf/x sinkers linear weight runs.
pfx_wSL	numeric	PITCHf/x sliders linear weight runs.
pfx_wCU	numeric	PITCHf/x curveballs linear weight runs.
pfx_wKC	numeric	PITCHf/x knuckle-curves linear weight runs.
pfx_wEP	numeric	PITCHf/x eephus pitches linear weight runs.
pfx_wCH	numeric	PITCHf/x changeups linear weight runs.
pfx_wSLO	numeric	PITCHf/x slurves linear weight runs.
pfx_wST	numeric	PITCHf/x sweepers linear weight runs.
pfx_wCUO	numeric	PITCHf/x slurves linear weight runs.
pfx_wFA_C	numeric	PITCHf/x four-seam fastballs linear weight runs per 100 pitches.
pfx_wFC_C	numeric	PITCHf/x cutters linear weight runs per 100 pitches.

pfx_wFS_C	numeric	PITCHf/x splitters linear weight runs per 100 pitches.
pfx_wSI_C	numeric	PITCHf/x sinkers linear weight runs per 100 pitches.
pfx_wSL_C	numeric	PITCHf/x sliders linear weight runs per 100 pitches.
pfx_wCU_C	numeric	PITCHf/x curveballs linear weight runs per 100 pitches.
pfx_wKC_C	numeric	PITCHf/x knuckle-curves linear weight runs per 100 pitches.
pfx_wEP_C	numeric	PITCHf/x eephus pitches linear weight runs per 100 pitches.
pfx_wCH_C	numeric	PITCHf/x changeups linear weight runs per 100 pitches.
pfx_wSLO_C	numeric	PITCHf/x slurves linear weight runs per 100 pitches.
pfx_wST_C	numeric	PITCHf/x sweepers linear weight runs per 100 pitches.
pfx_wCUO_C	numeric	PITCHf/x slurves linear weight runs per 100 pitches.
pfx_aaFA	numeric	PITCHf/x average arsenal value on four-seam fastballs.
pfx_aaFC	numeric	PITCHf/x average arsenal value on cutters.
pfx_aaFS	numeric	PITCHf/x average arsenal value on splitters.
pfx_aaSI	numeric	PITCHf/x average arsenal value on sinkers.
pfx_aaSL	numeric	PITCHf/x average arsenal value on sliders.
pfx_aaCU	numeric	PITCHf/x average arsenal value on curveballs.
pfx_aaKC	numeric	PITCHf/x average arsenal value on knuckle-curves.
pfx_aaEP	numeric	PITCHf/x average arsenal value on eephus pitches.
pfx_aaCH	numeric	PITCHf/x average arsenal value on changeups.
pfx_aaSLO	numeric	PITCHf/x average arsenal value on slurves.
pfx_aaST	numeric	PITCHf/x average arsenal value on sweepers.
pfx_aaCUO	numeric	PITCHf/x average arsenal value on slurves.
pfx_spFA	numeric	PITCHf/x Stuff+ value on four-seam fastballs.
pfx_spFC	numeric	PITCHf/x Stuff+ value on cutters.
pfx_spFS	numeric	PITCHf/x Stuff+ value on splitters.
pfx_spSI	numeric	PITCHf/x Stuff+ value on sinkers.
pfx_spSL	numeric	PITCHf/x Stuff+ value on sliders.
pfx_spCU	numeric	PITCHf/x Stuff+ value on curveballs.
pfx_spKC	numeric	PITCHf/x Stuff+ value on knuckle-curves.
pfx_spEP	numeric	PITCHf/x Stuff+ value on eephus pitches.
pfx_spCH	numeric	PITCHf/x Stuff+ value on changeups.
pfx_spSLO	numeric	PITCHf/x Stuff+ value on slurves.
pfx_spST	numeric	PITCHf/x Stuff+ value on sweepers.
pfx_spCUO	numeric	PITCHf/x Stuff+ value on slurves.
pfx_O-Swing_pct	numeric	PITCHf/x swing percentage on pitches outside the zone.
pfx_Z-Swing_pct	numeric	PITCHf/x swing percentage on pitches inside the zone.
pfx_Swing_pct	numeric	PITCHf/x swing percentage.
pfx_O-Contact_pct	numeric	PITCHf/x contact percentage on pitches outside the zone.
pfx_Z-Contact_pct	numeric	PITCHf/x contact percentage on pitches inside the zone.
pfx_Contact_pct	numeric	PITCHf/x contact percentage.
pfx_Zone_pct	numeric	PITCHf/x percentage of pitches in the strike zone.
pfx_Pace	numeric	PITCHf/x pace (seconds between pitches).
AvgBatSpeed	numeric	Average bat speed (mph).
FastSwing_pct	numeric	Fast-swing percentage (75+ mph bat speed).
SwingLength	numeric	Average swing length (feet).
SquaredUpContact_pct	numeric	Squared-up percentage per batted-ball contact.
SquaredUpSwing_pct	numeric	Squared-up percentage per swing.
BlastContact_pct	numeric	Blast percentage per batted-ball contact.

BlastSwing_pct	numeric	Blast percentage per swing.
Swords	integer	Swords (awkward, defensive swinging strikes induced).
CompetitiveSwings	integer	Competitive swings tracked.
Tilt	numeric	Average swing tilt (degrees).
AttackAngle	numeric	Average attack angle (degrees).
AttackDirection	numeric	Average attack direction (degrees).
IdealAttackAngle_pct	numeric	Percentage of swings in the ideal attack-angle range.
DepthInBox	numeric	Average batter depth in the box (inches).
DistanceOffPlate	numeric	Average batter distance off the plate (inches).
scH-Swing_pct	numeric	Statcast swing percentage on hard-hit pitches.
scH-Contact_pct	numeric	Statcast contact percentage on hard-hit pitches.
scH-Zone_pct	numeric	Statcast in-zone percentage on hard-hit pitches.
scS-Swing_pct	numeric	Statcast swing percentage on slider pitches.
scS-Contact_pct	numeric	Statcast contact percentage on slider pitches.
scS-Zone_pct	numeric	Statcast in-zone percentage on slider pitches.
scC-Swing_pct	numeric	Statcast swing percentage on curveball pitches.
scC-Contact_pct	numeric	Statcast contact percentage on curveball pitches.
scC-Zone_pct	numeric	Statcast in-zone percentage on curveball pitches.
scW-Swing_pct	numeric	Statcast swing percentage on offspeed pitches.
scW-Contact_pct	numeric	Statcast contact percentage on offspeed pitches.
scW-Zone_pct	numeric	Statcast in-zone percentage on offspeed pitches.
scSI-Swing_pct	numeric	Statcast swing percentage on sinker pitches.
scSI-Contact_pct	numeric	Statcast contact percentage on sinker pitches.
scSI-Zone_pct	numeric	Statcast in-zone percentage on sinker pitches.
scSO-Swing_pct	numeric	Statcast swing percentage on softly-hit pitches.
scSO-Contact_pct	numeric	Statcast contact percentage on softly-hit pitches.
scSO-Zone_pct	numeric	Statcast in-zone percentage on softly-hit pitches.
scO-Swing_pct	numeric	Statcast swing percentage on out-of-zone pitches.
scO-Contact_pct	numeric	Statcast contact percentage on out-of-zone pitches.
scO-Zone_pct	numeric	Statcast in-zone percentage on out-of-zone pitches.
scZ-Swing_pct	numeric	Statcast swing percentage on in-zone pitches.
scZ-Contact_pct	numeric	Statcast contact percentage on in-zone pitches.
scZ-Zone_pct	numeric	Statcast in-zone percentage on in-zone pitches.
pi_CH_pct	numeric	PITCHInfo changeups usage percentage.
pi_CU_pct	numeric	PITCHInfo curveballs usage percentage.
pi_FA_pct	numeric	PITCHInfo four-seam fastballs usage percentage.
pi_FC_pct	numeric	PITCHInfo cutters usage percentage.
pi_FS_pct	numeric	PITCHInfo splitters usage percentage.
pi_SI_pct	numeric	PITCHInfo sinkers usage percentage.
pi_SL_pct	numeric	PITCHInfo sliders usage percentage.
pi_XX_pct	numeric	PITCHInfo unidentified pitches usage percentage.
pi_vCH	numeric	PITCHInfo average changeups velocity.
pi_vCU	numeric	PITCHInfo average curveballs velocity.
pi_vFA	numeric	PITCHInfo average four-seam fastballs velocity.
pi_vFC	numeric	PITCHInfo average cutters velocity.
pi_vFS	numeric	PITCHInfo average splitters velocity.
pi_vSI	numeric	PITCHInfo average sinkers velocity.
pi_vSL	numeric	PITCHInfo average sliders velocity.

pi_vXX	numeric	PITCHInfo average unidentified pitches velocity.
pi_CH-X	numeric	PITCHInfo average horizontal movement on changeups.
pi_CU-X	numeric	PITCHInfo average horizontal movement on curveballs.
pi_FA-X	numeric	PITCHInfo average horizontal movement on four-seam fastballs.
pi_FC-X	numeric	PITCHInfo average horizontal movement on cutters.
pi_FS-X	numeric	PITCHInfo average horizontal movement on splitters.
pi_SI-X	numeric	PITCHInfo average horizontal movement on sinkers.
pi_SL-X	numeric	PITCHInfo average horizontal movement on sliders.
pi_XX-X	numeric	PITCHInfo average horizontal movement on unidentified pitches.
pi_CH-Z	numeric	PITCHInfo average vertical movement on changeups.
pi_CU-Z	numeric	PITCHInfo average vertical movement on curveballs.
pi_FA-Z	numeric	PITCHInfo average vertical movement on four-seam fastballs.
pi_FC-Z	numeric	PITCHInfo average vertical movement on cutters.
pi_FS-Z	numeric	PITCHInfo average vertical movement on splitters.
pi_SI-Z	numeric	PITCHInfo average vertical movement on sinkers.
pi_SL-Z	numeric	PITCHInfo average vertical movement on sliders.
pi_XX-Z	numeric	PITCHInfo average vertical movement on unidentified pitches.
pi_wCH	numeric	PITCHInfo changeups linear weight runs.
pi_wCU	numeric	PITCHInfo curveballs linear weight runs.
pi_wFA	numeric	PITCHInfo four-seam fastballs linear weight runs.
pi_wFC	numeric	PITCHInfo cutters linear weight runs.
pi_wFS	numeric	PITCHInfo splitters linear weight runs.
pi_wSI	numeric	PITCHInfo sinkers linear weight runs.
pi_wSL	numeric	PITCHInfo sliders linear weight runs.
pi_wXX	numeric	PITCHInfo unidentified pitches linear weight runs.
pi_wCH_C	numeric	PITCHInfo changeups linear weight runs per 100 pitches.
pi_wCU_C	numeric	PITCHInfo curveballs linear weight runs per 100 pitches.
pi_wFA_C	numeric	PITCHInfo four-seam fastballs linear weight runs per 100 pitches.
pi_wFC_C	numeric	PITCHInfo cutters linear weight runs per 100 pitches.
pi_wFS_C	numeric	PITCHInfo splitters linear weight runs per 100 pitches.
pi_wSI_C	numeric	PITCHInfo sinkers linear weight runs per 100 pitches.
pi_wSL_C	numeric	PITCHInfo sliders linear weight runs per 100 pitches.
pi_wXX_C	numeric	PITCHInfo unidentified pitches linear weight runs per 100 pitches.
pi_O-Swing_pct	numeric	PITCHInfo swing percentage on pitches outside the zone.
pi_Z-Swing_pct	numeric	PITCHInfo swing percentage on pitches inside the zone.
pi_Swing_pct	numeric	PITCHInfo swing percentage.
pi_O-Contact_pct	numeric	PITCHInfo contact percentage on pitches outside the zone.
pi_Z-Contact_pct	numeric	PITCHInfo contact percentage on pitches inside the zone.
pi_Contact_pct	numeric	PITCHInfo contact percentage.
pi_Zone_pct	numeric	PITCHInfo percentage of pitches in the strike zone.
pi_Pace	numeric	PITCHInfo pace (seconds between pitches).
Events	integer	Batted-ball events with Statcast measurement.
EV	numeric	Average exit velocity (mph).
LA	numeric	Average launch angle (degrees).
Barrels	integer	Barreled batted balls.
Barrel_pct	numeric	Barrel percentage.
maxEV	numeric	Maximum exit velocity (mph).
HardHit	integer	Hard-hit batted balls (95+ mph).

HardHit_pct	numeric	Hard-hit percentage (95+ mph).
Q	numeric	Quality of contact / quality score.
TG	integer	Total games in the span.
TIP	numeric	Total innings pitched in the span.
positionDB	character	Position code from the database.
position	character	Position played.
team_name_abb	character	Team name abbreviation.
teamid	integer	FanGraphs team ID.
playerTeamId	integer	FanGraphs player-team ID.
EV90	numeric	90th-percentile exit velocity (mph).
KN_pct	numeric	Knuckleball percentage (pitch usage).
KNv	numeric	Average knuckleball velocity.
wKN	numeric	Knuckleball pitch-type linear weight runs.
wKN_C	numeric	Knuckleball linear weight runs per 100 pitches.
rCPTV	numeric	Regressed catcher pitch-type value.
pfx_CV_pct	numeric	PITCHf/x slow curves usage percentage.
pfx_vCV	numeric	PITCHf/x average slow curves velocity.
pfx_CV-X	numeric	PITCHf/x average horizontal movement on slow curves.
pfx_CV-Z	numeric	PITCHf/x average vertical movement on slow curves.
pfx_wCV	numeric	PITCHf/x slow curves linear weight runs.
pfx_wCV_C	numeric	PITCHf/x slow curves linear weight runs per 100 pitches.
pfx_aaCV	numeric	PITCHf/x average arsenal value on slow curves.
pfx_spCV	numeric	PITCHf/x Stuff+ value on slow curves.
pfx_KN_pct	numeric	PITCHf/x knuckleballs usage percentage.
pfx_vKN	numeric	PITCHf/x average knuckleballs velocity.
pfx_KN-X	numeric	PITCHf/x average horizontal movement on knuckleballs.
pfx_KN-Z	numeric	PITCHf/x average vertical movement on knuckleballs.
pfx_wKN	numeric	PITCHf/x knuckleballs linear weight runs.
pfx_wKN_C	numeric	PITCHf/x knuckleballs linear weight runs per 100 pitches.
pfx_aaKN	numeric	PITCHf/x average arsenal value on knuckleballs.
pfx_spKN	numeric	PITCHf/x Stuff+ value on knuckleballs.
pi_KN_pct	numeric	PITCHInfo knuckleballs usage percentage.
pi_vKN	numeric	PITCHInfo average knuckleballs velocity.
pi_KN-X	numeric	PITCHInfo average horizontal movement on knuckleballs.
pi_KN-Z	numeric	PITCHInfo average vertical movement on knuckleballs.
pi_wKN	numeric	PITCHInfo knuckleballs linear weight runs.
pi_wKN_C	numeric	PITCHInfo knuckleballs linear weight runs per 100 pitches.
rDSV	numeric	Regressed defensive stuff value.
pfx_SC_pct	numeric	PITCHf/x screwballs usage percentage.
pfx_vSC	numeric	PITCHf/x average screwballs velocity.
pfx_SC-X	numeric	PITCHf/x average horizontal movement on screwballs.
pfx_SC-Z	numeric	PITCHf/x average vertical movement on screwballs.
pfx_wSC	numeric	PITCHf/x screwballs linear weight runs.
pfx_wSC_C	numeric	PITCHf/x screwballs linear weight runs per 100 pitches.
pfx_aaSC	numeric	PITCHf/x average arsenal value on screwballs.
pfx_spSC	numeric	PITCHf/x Stuff+ value on screwballs.
pi_SB_pct	numeric	PITCHInfo slow-balls usage percentage.
pi_vSB	numeric	PITCHInfo average slow-balls velocity.

pi_SB-X	numeric	PITCHInfo average horizontal movement on slow-balls.
pi_SB-Z	numeric	PITCHInfo average vertical movement on slow-balls.
pi_wSB	numeric	PITCHInfo slow-balls linear weight runs.
pi_wSB_C	numeric	PITCHInfo slow-balls linear weight runs per 100 pitches.
pi_CS_pct	numeric	PITCHInfo slow curves usage percentage.
pi_vCS	numeric	PITCHInfo average slow curves velocity.
pi_CS-X	numeric	PITCHInfo average horizontal movement on slow curves.
pi_CS-Z	numeric	PITCHInfo average vertical movement on slow curves.
pi_wCS	numeric	PITCHInfo slow curves linear weight runs.
pi_wCS_C	numeric	PITCHInfo slow curves linear weight runs per 100 pitches.
sp_s_FO	numeric	Stuff+ grade on forkballs/pitch-outs (100 = average).
sp_l_FO	numeric	Location+ grade on forkballs/pitch-outs (100 = average).
sp_p_FO	numeric	Pitching+ grade on forkballs/pitch-outs (100 = average).
pfx_FO_pct	numeric	PITCHf/x forkballs/pitch-outs usage percentage.
pfx_vFO	numeric	PITCHf/x average forkballs/pitch-outs velocity.
pfx_FO-X	numeric	PITCHf/x average horizontal movement on forkballs/pitch-outs.
pfx_FO-Z	numeric	PITCHf/x average vertical movement on forkballs/pitch-outs.
pfx_wFO	numeric	PITCHf/x forkballs/pitch-outs linear weight runs.
pfx_wFO_C	numeric	PITCHf/x forkballs/pitch-outs linear weight runs per 100 pitches.
pfx_aaFO	numeric	PITCHf/x average arsenal value on forkballs/pitch-outs.
pfx_spFO	numeric	PITCHf/x Stuff+ value on forkballs/pitch-outs.

Examples

```
try(fg_team_pitcher(startseason = 2015, endseason = 2015, qual = 150))
```

`fip_plus` **Calculate FIP and related metrics for any set of data**

Description

This function allows you to calculate FIP and related metrics for any given set of data, provided the right variables are in the data set. The function currently returns both FIP per inning pitched, wOBA against (based on batters faced), and wOBA against per instance of fair contact.

Usage

```
fip_plus(df)
```

Arguments

`df`	A data frame of statistics that includes, at a minimum, the following columns: IP (innings pitched), BF (batters faced), uBB (unintentional walks), HBP (Hit By Pitch), x1B (singles), x2B (doubles), x3B (triples), HR (home runs), AB (at-bats), SH (sacrifice hits), SO (strike outs), and season.

Value

Returns a tibble with the following columns:

col_name	types	description
bbref_id	character	Baseball-Reference player id
season	integer	Season (4-digit year)
Name	character	Player name
Age	numeric	Player age
Level	character	Level of play (e.g. MLB or minor-league level)
Team	character	Team name
G	numeric	Games
GS	numeric	Games started
W	numeric	Wins
L	numeric	Losses
SV	numeric	Saves
IP	numeric	Innings pitched
H	numeric	Hits allowed
R	numeric	Runs allowed
ER	numeric	Earned runs allowed
uBB	numeric	Unintentional walks allowed
BB	numeric	Walks (bases on balls) allowed
SO	numeric	Strikeouts
HR	numeric	Home runs allowed
HBP	numeric	Hit batters
ERA	numeric	Earned run average
AB	numeric	At-bats against
X1B	numeric	Singles allowed
X2B	numeric	Doubles allowed
X3B	numeric	Triples allowed
IBB	numeric	Intentional walks allowed
GDP	numeric	Grounded into double plays induced
SF	numeric	Sacrifice flies allowed
SB	numeric	Stolen bases allowed
CS	numeric	Caught stealing
PO	numeric	Pickoffs
BF	numeric	Batters faced
Pit	numeric	Pitches thrown
Str	numeric	Strikes thrown
StL	numeric	Strikes looking (called)
StS	numeric	Strikes swinging (whiffs)
GB.FB	numeric	Ground ball to fly ball ratio
LD	numeric	Line drives allowed
PU	numeric	Pop ups (infield fly) induced
WHIP	numeric	Walks plus hits per inning pitched
BAbip	numeric	Batting average on balls in play allowed
SO9	numeric	Strikeouts per nine innings
SO.W	numeric	Strikeout-to-walk ratio
SO_perc	numeric	Strikeout percentage

uBB_perc	numeric	Unintentional walk percentage
SO_uBB	numeric	Strikeout percentage minus unintentional walk percentage
FIP	numeric	Fielding independent pitching
wOBA_against	numeric	Weighted on-base average against (based on batters faced)
wOBA_CON_against	numeric	Weighted on-base average against per instance of fair contact

Examples

```
try({
  df <- bref_daily_pitcher("2015-04-05", "2015-04-30")
  fip_plus(df)
})
```

`fox_mlb_league_leaders`

Get Fox Sports MLB statistical leaders

Description

Get Fox Sports MLB statistical leaders

Usage

```
fox_mlb_league_leaders(category = "batting", who = "player", page = 0)
```

Arguments

`category`	Stat category (default `"batting"`).
`who`	`"player"` or `"team"` (default `"player"`).
`page`	0-based page index (default `0`).

Value

A `baseballr_data` tibble of leaderboard rows (`entity_id` + stat columns).

Examples

```
try(fox_mlb_league_leaders("batting"))
```

fox_mlb_odds Get Fox Sports MLB game odds

Description

Get Fox Sports MLB game odds

Usage

```
fox_mlb_odds(game_id)
```

Arguments

game_id	Fox Bifrost event id.

Value

A baseballr_data tibble, one row per team (game_id, team, plus six-pack odds columns: run line / to-win / total). Empty when no market.

Examples

```
try(fox_mlb_odds("95687"))
```

fox_mlb_standings Get Fox Sports MLB standings

Description

Get Fox Sports MLB standings

Usage

```
fox_mlb_standings(team_id)
```

Arguments

team_id	Fox Bifrost team id (standings of that team's division/league).

Value

A baseballr_data tibble of standings rows (team_id, section, the standings columns, entity_id).

Examples

```
try(fox_mlb_standings("1"))
```

fox_mlb_team_gamelog Get Fox Sports MLB team game log

Description

Get Fox Sports MLB team game log

Usage

```
fox_mlb_team_gamelog(team_id)
```

Arguments

team_id	Fox Bifrost team id.

Value

A baseballr_data tibble (long): team_id, season_type, category, game_id, game_date, opponent, stat, value.

Examples

```
try(fox_mlb_team_gamelog("1"))
```

fox_mlb_team_roster Get Fox Sports MLB team roster

Description

Get Fox Sports MLB team roster

Usage

```
fox_mlb_team_roster(team_id)
```

Arguments

team_id	Fox Bifrost team id (e.g. "1"). Discover via the league team directory.

Value

A baseballr_data tibble, one row per player: team_id, position_group, player, position/age/etc. columns, athlete_id.

Examples

```
try(fox_mlb_team_roster("1"))
```

fox_mlb_team_stats Get Fox Sports MLB team stat leaders

Description

Get Fox Sports MLB team stat leaders

Usage

```
fox_mlb_team_stats(team_id)
```

Arguments

team_id	Fox Bifrost team id.

Value

A baseballr_data tibble: team_id, category, stat, stat_abbreviation, player, value.

Examples

```
try(fox_mlb_team_stats("1"))
```

get_batting_orders (legacy) Retrieve batting orders for a given MLB game

Description

(legacy) Retrieve batting orders for a given MLB game

Usage

```
get_batting_orders(game_pk, type = "starting")
```

Arguments

game_pk	The unique game_pk identifier for the game
type	Whether to just return the starting lineup ('starting') or all batters that appeared ('all')

Value

Returns a tibble that includes probable starting pitchers and the home plate umpire for the game_pk requested

get_draft_mlb (legacy) Retrieve draft pick information by year

Description

(legacy) Retrieve draft pick information by year

Usage

```
get_draft_mlb(year)
```

Arguments

year	The year for which to return data

Value

Returns a tibble with information for every draft pick in every round for the year requested

get_game_info_mlb (legacy) Retrieve additional game information for major and minor league games

Description

(legacy) Retrieve additional game information for major and minor league games

Usage

```
get_game_info_mlb(game_pk)
```

Arguments

game_pk	The unique game_pk identifier for the game

Value

Returns a tibble that includes supplemental information, such as weather, official scorer, attendance, etc., for the game_pk provided

get_game_info_sup_petti — (legacy) Download a data frame of supplemental data about MLB games since 2008.

Description

(legacy) Download a data frame of supplemental data about MLB games since 2008.

Usage

```
get_game_info_sup_petti()
```

Value

Function returns a tibble with various columns, including:

- game_pk
- game_date
- venue id
- attendance
- game temperature
- wind speed
- direction
- start time
- end time

get_game_pks_mlb — (legacy) Get MLB Game Info by Date and Level

Description

(legacy) Get MLB Game Info by Date and Level

Usage

```
get_game_pks_mlb(date, level_ids = c(1))
```

Arguments

date	The date for which you want to find game_pk values for MLB games
level_ids	A numeric vector with ids for each level where game_pks are desired. See below for a reference of level ids.

Value

Returns a tibble that includes game_pk values and additional information for games scheduled or played

---

`get_ncaa_baseball_pbp` **(legacy) Get Play-By-Play Data for NCAA Baseball Games**

Description

(legacy) Get Play-By-Play Data for NCAA Baseball Games

(legacy) Get Play-By-Play Data for NCAA Baseball Games

Usage

```
get_ncaa_baseball_pbp(
  game_info_url = NA_character_,
  game_pbp_url = NA_character_,
  raw_html_to_disk = FALSE,
  raw_html_path = "/",
  read_from_file = FALSE,
  file = NA_character_,
  ...
)

ncaa_baseball_pbp(
  game_info_url = NA_character_,
  game_pbp_url = NA_character_,
  raw_html_to_disk = FALSE,
  raw_html_path = "/",
  read_from_file = FALSE,
  file = NA_character_,
  ...
)
```

Arguments

`game_info_url`	The url for the game's boxscore data. This can be found using the ncaa_schedule_info function.
`game_pbp_url`	The url for the game's play-by-play data. This can be found using the ncaa_schedule_info function.
`raw_html_to_disk`	Write raw html to disk (saves as `{game_pbp_id}`.html in `raw_html_path` directory)
`raw_html_path`	Directory path to write raw html
`read_from_file`	Read from raw html on disk
`file`	File with full path to read raw html
`...`	Additional arguments passed to an underlying function like httr.

Value

A data frame with play-by-play data for an individual game.

col_name	types	description
game_date	character	Game date (NA on the redesigned page; use `ncaa_schedule_info()`).
location	character	Venue / conditions line when present.
attendance	logical	Reported attendance (NA on the redesigned page).
inning	character	Inning number.
inning_top_bot	character	Half-inning ("top" or "bot").
score	character	Running score (away-home) after the play.
batting	character	Batting team name.
fielding	character	Fielding team name.
description	character	Play description text.
game_pbp_url	character	stats.ncaa.org play-by-play url for the game.
game_pbp_id	integer	stats.ncaa.org play-by-play (contest) identifier.

`get_ncaa_game_logs` **(legacy) Get NCAA Baseball Game Logs**

Description

(legacy) Get NCAA Baseball Game Logs

Usage

```
get_ncaa_game_logs(player_id, year, type = "batting", span = "game", ...)
```

Arguments

`player_id`	A player's unique id. Can be found using the get_ncaa_baseball_roster function.
`year`	The year of interest.
`type`	The kind of statistics you want to return. Current options are 'batting', 'pitching', or 'fielding'.
`span`	The span of time; can either be 'game' for game logs in a season, or 'career' which returns seasonal stats for a player's career.
`...`	Additional arguments passed to an underlying function like httr.

Value

A data frame containing player and school information as well as game-by-game statistics. The exact stat columns vary by `type` (batting / pitching / fielding) and `span` (game / career); the table below shows the pitching (`type = "pitching"`, `span = "game"`) columns.

col_name	types	description
player_id	numeric	stats.ncaa.org player identifier.
player_name	character	Player name.
Date	character	Game date.
Opponent	character	Opponent name.
Result	character	Game result (W/L and score).
App	numeric	Appearances.
G	numeric	Games.
GS	numeric	Games started.
IP	numeric	Innings pitched.
CG	numeric	Complete games.
H	numeric	Hits allowed.
R	numeric	Runs allowed.
ER	numeric	Earned runs allowed.
BB	numeric	Walks (bases on balls) allowed.
SO	numeric	Strikeouts.
SHO	numeric	Shutouts.
BF	numeric	Batters faced.
P-OAB	numeric	Opponent at-bats.
2B-A	numeric	Doubles allowed.
3B-A	numeric	Triples allowed.
Bk	numeric	Balks.
HR-A	numeric	Home runs allowed.
WP	numeric	Wild pitches.
HB	numeric	Hit batters.
IBB	numeric	Intentional walks allowed.
Inh Run	numeric	Inherited runners.
Inh Run Score	numeric	Inherited runners who scored.
SHA	numeric	Sacrifice hits allowed.
SFA	numeric	Sacrifice flies allowed.
Pitches	numeric	Pitch count.
GO	numeric	Ground outs induced.
FO	numeric	Fly outs induced.
W	numeric	Wins.
L	numeric	Losses.
SV	numeric	Saves.
OrdAppeared	numeric	Order in which the pitcher appeared.
KL	numeric	Strikeouts looking (called third strike).
pickoffs	character	Pickoffs.

`get_ncaa_lineups` **(legacy) Retrieve lineups for a given NCAA game via its** `game_info_url`

Description

(legacy) Retrieve lineups for a given NCAA game via its `game_info_url`

Usage

```
get_ncaa_lineups(game_info_url = NULL, ...)
```

Arguments

`game_info_url`	The unique game info url
`...`	Additional arguments passed to an underlying function like httr.

Value

Returns a tibble of each team's batting lineup (one row per batter, in batting order) parsed from the game's `individual_stats` box scores.

col_name	types	description
player_name	character	Player name.
position	character	Fielding position (the box score "P" column).
batting_order	integer	Spot in the batting order (box-score row order).
team_name	character	Team name (from the box-score totals row).
player_id	integer	stats.ncaa.org player identifier.
player_url	character	Full stats.ncaa.org url for the player page.
slug	character	Relative stats.ncaa.org url for the player page.

`get_ncaa_park_factor` **(legacy) Get Park Effects for NCAA Baseball Teams**

Description

(legacy) Get Park Effects for NCAA Baseball Teams

Usage

```
get_ncaa_park_factor(team_id, years, type = "conference", ...)
```

Arguments

`team_id`	The team's unique NCAA id.
`years`	The season or seasons (i.e. use 2016 for the 2015-2016 season, etc., limited to just 2013-2023 seasons).
`type`	default is conference. the conference parameter adjusts for the conference the school plays in, the division parameter calculates based on the division the school plays in 1,2,or 3. Defaults to 'conference'.
`...`	Additional arguments passed to an underlying function like httr.

Value

A data frame with the following fields: school, home_game, away_game, runs_scored_home, runs_allowed_home, run_scored_away, runs_allowed_away, base_pf (base park factor), home_game_adj (an adjustment for the percentage of home games played) final_pf (park factor after adjustments)

col_name	types	description
school	character	Team name.
home_game	numeric	Number of home games in the sample.
away_game	numeric	Number of away games in the sample.
runs_scored_home	numeric	Runs scored by the team in home games.
runs_allowed_home	numeric	Runs allowed by the team in home games.
runs_scored_away	numeric	Runs scored by the team in away games.
runs_allowed_away	numeric	Runs allowed by the team in away games.
base_pf	numeric	Base park factor (before adjustment).
home_game_adj	numeric	Adjustment for the share of home games played.
final_pf	numeric	Park factor after adjustments.

`get_ncaa_schedule_info`

(legacy) Get Schedule and Results for NCAA Baseball Teams

Description

(legacy) Get Schedule and Results for NCAA Baseball Teams

Usage

```
get_ncaa_schedule_info(team_id = NULL, year = NULL, pbp_links = FALSE, ...)
```

Arguments

`team_id`	The team's unique NCAA id.
`year`	The season (i.e. use 2016 for the 2015-2016 season, etc.)
`pbp_links`	Logical parameter to run process for scraping play_by_play urls for each game
`...`	Additional arguments passed to an underlying function like httr.

Value

A data frame with the following fields: date, opponent, result, score, innings (if more than regulation), and the url for the game itself.

col_name	types	description
year	integer	Season (4-digit year).
season_id	integer	stats.ncaa.org season identifier.

date	character	Game date.
home_team	character	Home team name.
home_team_id	integer	Home team NCAA id.
home_team_conference	character	Home team conference name.
home_team_conference_id	integer	Home team conference id.
home_team_slug	character	Relative stats.ncaa.org url for the home team.
home_team_division	integer	Home team NCAA division (1, 2, 3).
away_team	character	Away team name.
away_team_id	integer	Away team NCAA id.
away_team_conference	character	Away team conference name.
away_team_conference_id	integer	Away team conference id.
away_team_slug	character	Relative stats.ncaa.org url for the away team.
away_team_division	integer	Away team NCAA division (1, 2, 3).
neutral_site	character	Neutral-site venue (when not hosted by either team).
result	character	Win/loss/tie result for `team_id`.
score	character	Final score (e.g. "7-3").
innings	character	Innings played when other than regulation (extras).
slug	character	Relative stats.ncaa.org url for the game.
game_info_url	character	Full stats.ncaa.org box-score url for the game.
contest_id	integer	stats.ncaa.org contest (game) identifier.

`get_pbp_mlb` **(legacy) Acquire pitch-by-pitch data for Major and Minor League games**

Description

(legacy) Acquire pitch-by-pitch data for Major and Minor League games

(legacy) Acquire pitch-by-pitch data for Major and Minor League games

Usage

```
get_pbp_mlb(game_pk, add_base_state = FALSE)

get_pbp_mlb(game_pk, add_base_state = FALSE)
```

Arguments

`game_pk`	The date for which you want to find game_pk values for MLB games
`add_base_state`	If `TRUE`, append per-event pre-pitch base-occupancy columns `pre_on_1b` / `pre_on_2b` / `pre_on_3b` (runner MLBAM ids, `NA` when the base is empty), reconstructed from the feed's runner-movement records. The API itself only publishes end-of-plate-appearance base state (`matchup.postOn*`); this derives the state before each pitch. Defaults to `FALSE`.

Value

Returns a tibble that includes over 100 columns of data provided by the MLB Stats API at a pitch level.

Returns a tibble that includes over 100 columns of data provided by the MLB Stats API at a pitch level.

---

get_probables_mlb (legacy) Retrieve probable starters for a given MLB game

---

Description

(legacy) Retrieve probable starters for a given MLB game

Usage

```
get_probables_mlb(game_pk)
```

Arguments

game_pk	The unique game_pk identifier for the game

Value

Returns a tibble that includes probable starting pitchers and the home plate umpire for the game_pk requested

---

get_retrosheet_data (legacy) Get, Parse, and Format Retrosheet Event and Roster Files

---

Description

(legacy) Get, Parse, and Format Retrosheet Event and Roster Files

Usage

```
get_retrosheet_data(
  path_to_directory = NULL,
  years_to_acquire = most_recent_mlb_season() - 1,
  sequence_years = FALSE
)
```

Arguments

`path_to_directory`
: (default: NULL) A file path that if set, either:

1. creates a new directory, or
2. uses the path to an existing directory

`years_to_acquire`
: (format: YYYY) The seasons to collect. Single, multiple, and sequential years can be passed. If passing multiple years, enclose in a vector (i.e. c(2017,2018)). Defaults to `most_recent_mlb_season()`.

`sequence_years`
: (logical, default: FALSE): If the seasons passed in the years_to_acquire parameter should be sequenced so that the function returns all years including and between the vector passed, set the argument to TRUE. Defaults to FALSE.

Value

If `path_to_directory` is not set (default), the process will return a named list of tibbles: 'events' and 'rosters' for each season provided to `years_to_acquire` If `path_to_directory` is set, will also write two csv files to the unzipped directory: 1) a combined csv of the event data for a given year and 2) a combined csv of each team's roster for each year provided to `years_to_acquire`

`get_umpire_ids_petti` (legacy) Download a data frame of all umpires and their MLBAM IDs for games since 2008

Description

(legacy) Download a data frame of all umpires and their MLBAM IDs for games since 2008

Usage

```
get_umpire_ids_petti()
```

Value

Function returns a tibble with the following columns:

- id
- position,
- name
- game_pk
- game_date

ggpitchzone **Plot pitch locations with the strike zone with ggplot2**

Description

Plots pitch locations from the catcher's perspective with the batter's strike zone overlaid, from Statcast pitch data as returned by `statcast_search()` or `mlb_pbp()` (the latter via its `pitchData.coordinates.*` columns renamed to `plate_x` / `plate_z`). Colors default to Baseball Savant's pitch-type palette via `statcast_pitch_colors()`.

Usage

```
ggpitchzone(
  data,
  x_value = "plate_x",
  y_value = "plate_z",
  color_value = "pitch_type",
  sz_top = "sz_top",
  sz_bot = "sz_bot",
  point_alpha = 0.6,
  point_size = 2
)
```

Arguments

`data`	A data frame of pitch data containing plate-crossing coordinates and strike-zone bounds.
`x_value`	Column with the horizontal plate-crossing coordinate in feet (catcher's perspective). Defaults to `"plate_x"`.
`y_value`	Column with the vertical plate-crossing coordinate in feet. Defaults to `"plate_z"`.
`color_value`	Categorical column to color points by, as a string. Defaults to `"pitch_type"`, colored with the Savant palette; pass another column (or `NULL` for uncolored points) to override.
`sz_top`	Column with the batter's strike-zone top (feet). Defaults to `"sz_top"`; the zone rectangle uses the column means.
`sz_bot`	Column with the batter's strike-zone bottom (feet). Defaults to `"sz_bot"`.
`point_alpha`	Alpha for the pitch points. Defaults to `0.6`.
`point_size`	Size of the pitch points. Defaults to `2`.

Value

A ggplot2 object: pitch locations from the catcher's perspective with the strike zone drawn as a rectangle.

Examples

```
try({
  pitches <- statcast_search("2024-06-01", "2024-06-01")
  ggpitchzone(pitches)
})
```

---

ggspraychart **Generate spray charts with ggplot2**

Description

This function allows you to create spray charts with ggplots given a data frame with batted ball location coordinates.

Usage

```
ggspraychart(
  data,
  x_value = "hc_x",
  y_value = "-hc_y",
  fill_value = NULL,
  fill_palette = NULL,
  fill_legend_title = NULL,
  density = FALSE,
  bin_size = 15,
  point_alpha = 0.75,
  point_size = 2,
  frame = NULL
)
```

Arguments

data	A data frame that includes batted ball coordinates. Typically, this coordinates will come from the GameDay xml feed or downloads from baseballsavant.com
x_value	The x coordindate. Typically hc_x.
y_value	The y coordinate. Typically hc_y. You generally need the inverse or negative of the hc_y values, so it is recommended you calculate before plotting.
fill_value	The categorical variable that you want the geom_points to base the fill on. Pass as a string. If left blank, defaults to blue.
fill_palette	An object containing a customer palette to be used with ggplot2::scale_fill_manual.
fill_legend_title	A string containing a custom legend title to be used with ggplot2::scale_fill_manual.
density	Chooses between a 2d density plot or a point plot. Defaults to FALSE.
bin_size	Size of bins used when building a density plot. Defaults to 15.

point_alpha	Alpha value whenever geom_point is used. Defaults to .75. Recommend .3 for density plots. To remove points on density points set use point_alpha = 0.
point_size	Set the size of geom_point if used.
frame	Variable to use as the frame argument if using gganimate to create animated plots. For density plots be sure your variable is a factor.

Details

```
ggspraychart(df, x_value = "hc_x", y_value = "-hc_y", fill_value = "events")
```

Value

A plot of the spraychart for the supplied dataset

`label_statcast_imputed_data`

Label Statcast data as imputed

Description

Based on a series of heuristics, this function attempts to label Statcast data for which the launch angle and speed have been imputed.

Usage

```
label_statcast_imputed_data(
  statcast_df,
  impute_file = NULL,
  inverse_precision = 10000
)
```

Arguments

statcast_df	A dataframe containing Statcast batted ball data
impute_file	A CSV file giving the launch angle, launch speed, bb_type, events fields to label as imputed. if NULL then it's read from the extdata folder of the package.
inverse_precision	inverse of how many digits to truncate the launch angle and speed to for comparison. Default is 10000, i.e. keep 4 digits of precision.

Value

A copy of the input dataframe with the same Statcast pitch-level columns produced by statcast_search() (see that function's return value for the full column-by-column reference), with three columns appended:

col_name	types	description
ila	integer	Launch angle truncated to integer precision (`launch_angle * inverse_precision`), used as a join key
ils	integer	Launch speed truncated to integer precision (`launch_speed * inverse_precision`), used as a join key
imputed	numeric	1 if the launch angle and launch speed are likely imputed, 0 otherwise.

Examples

```
try({
  statcast_df <- statcast_search("2017-05-01", "2017-05-02")
  sc_df <- label_statcast_imputed_data(statcast_df)
  mean(sc_df$imputed)
})
```

---

linear_weights_savant Generate linear weight values for events using Baseball Savant data

---

Description

This function allows a user to generate linear weight values for events using Baseball Savant data. Output includes both linear weights above average and linear weights above outs for home runs, triples, doubles, singles, walks, hit by pitches, and outs.

Usage

```
linear_weights_savant(df, level = "plate appearance")
```

Arguments

`df`	A data frame generated from Baseball Savant that has been run through the `run_expectancy_code()` function.
`level`	Whether to calculate linear weights the plate appearance or pitch level. Defaults to 'plate appearance'.

Value

Returns a tibble with the following columns:

col_name	types	description
events	character	Event type (e.g. home_run, triple, double, single, walk, hit_by_pitch, outs).
linear_weights_above_average	numeric	Average change in run expectancy (RE24) for the event, i.e. linear weight above
linear_weights_above_outs	numeric	Linear weight expressed above the value of an out (above-average value plus the

Examples

```
try({
  df <- statcast_search(start_date = "2016-04-06", end_date = "2016-04-15",
                        playerid = 621043, player_type = 'batter')
  df <- run_expectancy_code(df, level = "plate appearances")
  linear_weights_savant(df, level = "plate appearance")
})
```

`load_baseball` **baseballr Data Loader Overview**

Description

- `load_umpire_ids()`: Download a data frame of all umpires and their mlbamids for games since 2008.
- `load_game_info_sup()`: Download a data frame of supplemental data about MLB games since 2008.
- `load_ncaa_baseball_pbp()`: Load cleaned NCAA baseball play-by-play data from the baseballr data repo.
- `load_ncaa_baseball_schedule()`: Load cleaned NCAA baseball schedule from the baseballr data repo.
- `load_ncaa_baseball_season_ids()`: Load cleaned NCAA men's college baseball season IDs from the baseballr data repo.
- `load_ncaa_baseball_teams()`: Load cleaned NCAA men's college baseball teams from the baseballr data repo.

Details

baseballr Data:

These functions load cleaned MLB and NCAA baseball data from the baseballr data repository.

`load_game_info_sup` **Download a data frame of supplemental data about MLB games since 2008.**

Description

Download a data frame of supplemental data about MLB games since 2008.

Usage

```
load_game_info_sup()
```

Value

Function returns a tibble with various columns, including:

- game_pk
- game_date
- venue id
- attendance
- game temperature
- wind speed
- direction
- start time
- end time

Examples

```
try(load_game_info_sup())
```

`load_mlb_group_aliases`

Load MLB group aliases from the SportsDataverse data repo

Description

Every name and id a source uses for an MLB group, with the seasons it is valid for – the crosswalk from ESPN / MLB Stats API league and division ids and names to SportsDataverse group ids. Published to the `mlb_groups` release tag on the sportsdataverse-data releases.

Usage

```
load_mlb_group_aliases(..., dbConnection = NULL, tablename = NULL)
```

Arguments

`...`	Additional arguments passed to an underlying function that writes the data into a database.
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the data table within the database

Value

A baseballr_data tibble:

col_name	types	description
league	character	League key.
group_id	character	SportsDataverse group id, {league}:{slug}.
source	character	Source that uses the alias (e.g. espn, mlb, ncaa, sdv).
source_id	character	The source's own id for the group, when it has one.
name_kind	character	Alias kind: name, short_name, abbreviation, slug or code.
value	character	The alias.
valid_from	integer	First season the alias is valid (inclusive); NA = unbounded.
valid_to	integer	Last season the alias is valid (inclusive); NA = unbounded.

Examples

```
try(load_mlb_group_aliases())
```

---

load_mlb_group_seasons

Load MLB group names and parents by season from the SportsDataverse data repo

---

Description

One row per MLB group per season it existed, with the name, abbreviation and parent group **as of that season** (not today's). Published to the mlb_groups release tag on the sportsdataverse-data releases. Season keys are the single calendar year.

Usage

```
load_mlb_group_seasons(..., dbConnection = NULL, tablename = NULL)
```

Arguments

...	Additional arguments passed to an underlying function that writes the data into a database.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A `baseballr_data` tibble:

col_name	types	description
league	character	League key.
group_id	character	SportsDataverse group id, `{league}:{slug}`.
season	integer	Season.
level	character	Group level: `league`, `subdivision`, `conference` or `division`.
name	character	Group name as of that season.
short_name	character	Short name as of that season.
abbreviation	character	Abbreviation as of that season.
parent_group_id	character	Parent group id as of that season (division, conference, subdivision, league).
n_teams	integer	Member teams that season.

Examples

```
try(load_mlb_group_seasons())
```

`load_mlb_groups` **Load MLB groups (leagues and divisions) from the SportsDataverse data repo**

Description

One row per MLB group lineage (the league, the American and National Leagues, and their divisions), keyed by the SportsDataverse group id. Published to the `mlb_groups` release tag on the sportsdataverse-data releases by sdv-reference-data. Season keys are the single calendar year.

Usage

```
load_mlb_groups(..., dbConnection = NULL, tablename = NULL)
```

Arguments

`...`	Additional arguments passed to an underlying function that writes the data into a database.
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the data table within the database

Value

A baseballr_data tibble:

col_name	types	description
league	character	League key.
group_id	character	SportsDataverse group id, {league}:{slug}; one id per lineage across renames.
level	character	Group level: league, subdivision, conference or division.
first_season	integer	First season with at least one member.
last_season	integer	Last season with at least one member.
notes	character	Lineage decisions and source caveats.

Examples

```
try(load_mlb_groups())
```

---

load_mlb_park_dimensions

Load MLB park dimensions by season from the SportsDataverse data repo

---

Description

One row per MLB venue per season from 2001 on (regular-season, spring-training, neutral and international sites), with the fence distances, capacity, surface, roof, orientation and location **as of that season**, from the MLB Stats API venues endpoint. Published as one season-less file to the mlb_parks release tag on the sportsdataverse-data releases by sdv-reference-data.

The API lags or misses some fence moves; cited corrections (Camden Yards, Petco Park, T-Mobile Park, Comerica Park, and 2022 at Rate Field and Progressive Field) are applied and described in notes.

Usage

```
load_mlb_park_dimensions(..., dbConnection = NULL, tablename = NULL)
```

Arguments

...	Additional arguments passed to an underlying function that writes the data into a database.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A `baseballr_data` tibble:

col_name	types	description
league	character	League key (`mlb`).
season	integer	Season (calendar year, 2001 on).
venue_id	character	MLB Stats API venue id (`venue.id` in MLB game feeds and schedules).
venue_name	character	Venue name as of that season (e.g. PacBell Park 2001-03, Oracle Park 2019-).
retro_park_id	character	Retrosheet park id (e.g. `BOS07`); `NA` for most spring-training parks.
left_line_ft	integer	Feet from home plate to the fence at the left-field pole.
left_ft	integer	Feet to the fence at MLB's left-field marker.
left_center_ft	integer	Feet to the fence at MLB's left-centre marker.
center_ft	integer	Feet to the fence in straightaway centre field.
right_center_ft	integer	Feet to the fence at MLB's right-centre marker.
right_ft	integer	Feet to the fence at MLB's right-field marker.
right_line_ft	integer	Feet from home plate to the fence at the right-field pole.
capacity	integer	Seating capacity.
turf_type	character	`Grass` or `Artificial Turf`.
roof_type	character	`Open`, `Retractable` or `Dome`.
azimuth_deg	numeric	Degrees clockwise from north of the home plate to centre field line (Fenway 45).
elevation_ft	integer	Feet above sea level.
latitude	numeric	Latitude, decimal degrees.
longitude	numeric	Longitude, decimal degrees.
notes	character	`NA` unless a curated correction applies: what changed, why, and the citation.

Examples

```
try(load_mlb_park_dimensions())
```

`load_mlb_team_group_seasons`

Load MLB team league and division memberships by season from the SportsDataverse data repo

---

Description

One row per MLB team per season, with the league (`conference_id`) and division it played in that season, e.g. the Houston Astros in `mlb:nl-central` for 2012 and `mlb:al-west` from 2013. Published to the `mlb_groups` release tag on the sportsdataverse-data releases, one file per season.

Usage

```
load_mlb_team_group_seasons(
  seasons = most_recent_mlb_season(),
  ...,
```

```
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit seasons, or TRUE for every published season. (Min: 1901)
...	Additional arguments passed to an underlying function that writes the data into a database.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A baseballr_data tibble:

col_name	types	description
league	character	League key.
season	integer	Season.
team_id	character	ESPN team id where ESPN covers the team, otherwise the league's own id.
team_id_source	character	Id system of team_id (e.g. espn, mlb, ncaa_org).
team_name	character	Team name as of that season.
subdivision_id	character	SportsDataverse subdivision group id; NA where the level does not apply.
conference_id	character	SportsDataverse conference group id (for MLB, the American or National League).
division_id	character	SportsDataverse division group id; NA where the level does not apply.
source	character	Source the membership came from.
sources_agree	logical	Whether a second source agrees; NA when only one source covers the season.
notes	character	Notes, e.g. the league's own team id.

Examples

```
try(load_mlb_team_group_seasons(seasons = 2013))
```

---

load_ncaa_baseball_group_aliases

Load NCAA baseball group aliases from the SportsDataverse data repo

---

Description

Every name and id a source uses for an NCAA baseball group, with the seasons it is valid for – the crosswalk from stats.ncaa.org conference ids and names to SportsDataverse group ids. Published to the ncaa_baseball_groups release tag on the sportsdataverse-data releases.

Usage

```
load_ncaa_baseball_group_aliases(..., dbConnection = NULL, tablename = NULL)
```

Arguments

...	Additional arguments passed to an underlying function that writes the data into a database.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A baseballr_data tibble:

col_name	types	description
league	character	League key.
group_id	character	SportsDataverse group id, {league}:{slug}.
source	character	Source that uses the alias (e.g. espn, mlb, ncaa, sdv).
source_id	character	The source's own id for the group, when it has one.
name_kind	character	Alias kind: name, short_name, abbreviation, slug or code.
value	character	The alias.
valid_from	integer	First season the alias is valid (inclusive); NA = unbounded.
valid_to	integer	Last season the alias is valid (inclusive); NA = unbounded.

Examples

```
try(load_ncaa_baseball_group_aliases())
```

---

load_ncaa_baseball_group_seasons

Load NCAA baseball group names and parents by season from the SportsDataverse data repo

---

Description

One row per NCAA baseball group per season it existed, with the name, abbreviation and parent group **as of that season** (not today's). Published to the ncaa_baseball_groups release tag on the sportsdataverse-data releases. Season keys are the spring year.

Usage

```
load_ncaa_baseball_group_seasons(..., dbConnection = NULL, tablename = NULL)
```

Arguments

...	Additional arguments passed to an underlying function that writes the data into a database.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A baseballr_data tibble:

col_name	types	description
league	character	League key.
group_id	character	SportsDataverse group id, {league}:{slug}.
season	integer	Season.
level	character	Group level: league, subdivision, conference or division.
name	character	Group name as of that season.
short_name	character	Short name as of that season.
abbreviation	character	Abbreviation as of that season.
parent_group_id	character	Parent group id as of that season (division, conference, subdivision, league).
n_teams	integer	Member teams that season.

Examples

```
try(load_ncaa_baseball_group_seasons())
```

---

load_ncaa_baseball_groups

Load NCAA baseball groups (divisions and conferences) from the SportsDataverse data repo

---

Description

One row per NCAA baseball group lineage (divisions I-III and their conferences), keyed by the SportsDataverse group id. Published to the ncaa_baseball_groups release tag on the sportsdataverse-data releases by sdv-reference-data. Season keys are the spring year (2026 = the spring 2026 season).

Usage

```
load_ncaa_baseball_groups(..., dbConnection = NULL, tablename = NULL)
```

Arguments

...	Additional arguments passed to an underlying function that writes the data into a database.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A baseballr_data tibble:

col_name	types	description
league	character	League key.
group_id	character	SportsDataverse group id, {league}:{slug}; one id per lineage across renames.
level	character	Group level: league, subdivision, conference or division.
first_season	integer	First season with at least one member.
last_season	integer	Last season with at least one member.
notes	character	Lineage decisions and source caveats.

Examples

```
try(load_ncaa_baseball_groups())
```

---

load_ncaa_baseball_pbp

Load cleaned NCAA baseball play-by-play data from the baseballr data repo

---

Description

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

Usage

```
load_ncaa_baseball_pbp(
  seasons = most_recent_ncaa_baseball_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given NCAA college baseball seasons. (Min: 2022)
...	Additional arguments passed to an underlying function that writes the season data into a database.
dbConnection	A DBIConnection object, as returned by
tablename	The name of the schedule data table within the database

Value

Returns a tibble

Examples

```
try(load_ncaa_baseball_pbp(seasons = 2021))
```

---

load_ncaa_baseball_schedule

Load cleaned NCAA baseball schedule from the baseballr data repo

---

Description

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

Usage

```
load_ncaa_baseball_schedule(
  seasons = most_recent_ncaa_baseball_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given NCAA college baseball seasons. (Min: 2012)
...	Additional arguments passed to an underlying function that writes the season data into a database.
dbConnection	A DBIConnection object, as returned by
tablename	The name of the schedule data table within the database

Value

Returns a tibble

Examples

```
try(load_ncaa_baseball_schedule(seasons = 2022))
```

`load_ncaa_baseball_season_ids`

Load cleaned NCAA men's college baseball season IDs from the baseballr data repo

---

Description

helper that loads multiple seasons of season IDs from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

Usage

```
load_ncaa_baseball_season_ids(..., dbConnection = NULL, tablename = NULL)
```

Arguments

`...`	Additional arguments passed to an underlying function that writes the season data into a database.
`dbConnection`	A `DBIConnection` object, as returned by
`tablename`	The name of the data table within the database

Value

Returns a tibble

Examples

```
try(load_ncaa_baseball_season_ids())
```

load_ncaa_baseball_team_group_seasons

Load NCAA baseball team division and conference memberships by season from the SportsDataverse data repo

Description

One row per NCAA baseball team per season, with the division (subdivision_id) and conference it played in that season. team_id is the stats.ncaa.org org id. Published to the ncaa_baseball_groups release tag on the sportsdataverse-data releases, one file per season.

Usage

```
load_ncaa_baseball_team_group_seasons(
  seasons = most_recent_ncaa_baseball_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit seasons (the spring year), or TRUE for every published season. (Min: 2010)
...	Additional arguments passed to an underlying function that writes the data into a database.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A baseballr_data tibble:

col_name	types	description
league	character	League key.
season	integer	Season.
team_id	character	ESPN team id where ESPN covers the team, otherwise the league's own id.
team_id_source	character	Id system of team_id (e.g. espn, mlb, ncaa_org).
team_name	character	Team name as of that season.
subdivision_id	character	SportsDataverse subdivision group id; NA where the level does not apply.
conference_id	character	SportsDataverse conference group id (for MLB, the American or National League).
division_id	character	SportsDataverse division group id; NA where the level does not apply.
source	character	Source the membership came from.
sources_agree	logical	Whether a second source agrees; NA when only one source covers the season.
notes	character	Notes, e.g. the league's own team id.

Examples

```
try(load_ncaa_baseball_team_group_seasons(seasons = 2025))
```

---

load_ncaa_baseball_teams

Load cleaned NCAA men's college baseball teams from the baseballr data repo

---

Description

helper that loads multiple seasons of teams from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

Usage

```
load_ncaa_baseball_teams(..., dbConnection = NULL, tablename = NULL)
```

Arguments

...	Additional arguments passed to an underlying function that writes the season data into a database.
dbConnection	A DBIConnection object, as returned by
tablename	The name of the data table within the database

Value

Returns a tibble

Examples

```
try(load_ncaa_baseball_teams())
```

---

load_umpire_ids **Download a data frame of all umpires and their mlbamids for games since 2008**

Description

Download a data frame of all umpires and their mlbamids for games since 2008

Usage

```
load_umpire_ids()
```

Value

Function returns a tibble with the following columns:

- id
- position
- name
- game_pk
- game_date

Examples

```
try(load_umpire_ids())
```

`metrics` **Metrics Functions Overview**

Description

- `fip_plus()`: Calculate FIP and related metrics for any set of data.
- `woba_plus()`: Calculate wOBA and related metrics for any set of data.
- `team_consistency()`: Calculate Team-level Consistency.
- `label_statcast_imputed_data()`: Label Statcast data as imputed.
- `run_expectancy_code()`: Generate run expectancy and related measures from Baseball Savant data.
- `linear_weights_savant()`: Generate linear weight values for events using Baseball Savant data.

Details

Calculate Team-level Consistency:

```
team_consistency(year=2015)
```

Calculate FIP and related metrics for any set of data:

```
fips_plus(df)
```

Calculate wOBA and related metrics for any set of data:

```
woba_plus(df)
```

Label Statcast data as imputed:

```
statcast_df <- scrape_statcast_savant("2017-05-01", "2017-05-02")
sc_df <- label_statcast_imputed_data(statcast_df)
mean(sc_df$imputed)
```

Generate run expectancy and related measures from Baseball Savant data:

```
df <- statcast_search(start_date = "2016-04-06", end_date = "2016-04-15",
                      playerid = 621043, player_type = 'batter')
run_expectancy_code(df, level = "plate appearances")
```

Generate linear weight values for events using Baseball Savant data:

```
df <- statcast_search(start_date = "2016-04-06", end_date = "2016-04-15",
                      playerid = 621043, player_type = 'batter')
df <- run_expectancy_code(df, level = "plate appearances")
linear_weights_savant(df, level = "plate appearance")
```

`milb_batter_game_logs_fg`

(legacy) Scrape MiLB game logs for batters from FanGraphs

Description

(legacy) Scrape MiLB game logs for batters from FanGraphs

Usage

```
milb_batter_game_logs_fg(playerid, year)
```

Arguments

`playerid`	The batter's minor league ID from FanGraphs.
`year`	The season for which game logs should be returned.

Value

Returns a tibble of Minor League batter game logs.

`milb_pitcher_game_logs_fg`

(legacy) Scrape MiLB game logs for pitchers from FanGraphs

Description

(legacy) Scrape MiLB game logs for pitchers from FanGraphs

Usage

```
milb_pitcher_game_logs_fg(playerid, year)
```

Arguments

playerid	The pitcher's minor league ID from FanGraphs.com.
year	The season for which game logs should be returned.

Value

Returns a tibble of Minor League pitcher game logs.

---

mlb MLB Functions Overview

Description

- mlb_batting_orders(): Retrieve batting orders for a given MLB game.
- mlb_draft(): Retrieve draft pick information by year.
- mlb_pbp(): Acquire pitch-by-pitch data for Major and Minor League games.
- mlb_game_info(): Retrieve additional game information for major and minor league games.
- mlb_game_pks(): Get MLB Game Info by Date and Level.
- mlb_schedule(): Find game_pk values for professional baseball games (major and minor leagues).
- mlb_probables(): Retrieve probable starters for a given MLB game.

Details

Retrieve batting orders for a given MLB game:

```
mlb_batting_orders(game_pk=566001)
```

Retrieve draft pick information by year:

```
mlb_draft(year= 2018)
```

Acquire pitch-by-pitch data for Major and Minor League games:

```
mlb_pbp(game_pk = 575156)
```

Retrieve additional game information for major and minor league games:

```
mlb_game_info(game_pk = 566001)
```

Get MLB Game Info by Date and Level:

```
mlb_game_pks("2019-04-29")
```

Find game_pk values for professional baseball games (major and minor leagues):

```
mlb_schedule(season = "2019")
```

Retrieve probable starters for a given MLB game:

```
mlb_probables(566001)
```

mlb_all_star MLB All-Star Endpoint Overview

Description

- `mlb_all_star_ballots()`: Find MLB All-Star Ballots.
- `mlb_all_star_final_vote()`: Find MLB All-Star Final Vote.
- `mlb_all_star_write_ins()`: Find MLB All-Star Write-ins.

Details

MLB All-Star:
These functions retrieve MLB All-Star ballot, final vote, and write-in information from the MLB Stats API.

mlb_all_star_ballots Find MLB All-Star Ballots

Description

Find MLB All-Star Ballots

Usage

```
mlb_all_star_ballots(league_id = NULL, season = NULL)
```

Arguments

`league_id`	League ID for league all-star ballot of interest.
`season`	The season of the all-star ballot.

Value

Returns a tibble with the following columns:

col_name	types	description
player_id	integer	MLB player ID.
full_name	character	Player full name.
link	character	MLB Stats API relative resource link.
first_name	character	Player first name.
last_name	character	Player last name.
primary_number	character	Player uniform number.
birth_date	character	Birth date (YYYY-MM-DD).
current_age	integer	Current age in years.

birth_city	character	City of birth.
birth_country	character	Country of birth.
height	character	Height (feet and inches).
weight	integer	Weight in pounds.
active	logical	Whether the player is currently active.
use_name	character	Preferred first name.
use_last_name	character	Preferred last name.
middle_name	character	Player middle name.
boxscore_name	character	Name as shown in box scores.
nick_name	character	Player nickname.
gender	character	Player gender.
name_matrilineal	character	Maternal family name.
is_player	logical	Whether the person is a player.
is_verified	logical	Whether the player profile is verified.
pronunciation	character	Phonetic name pronunciation.
last_played_date	character	Date of last MLB game played.
mlb_debut_date	character	MLB debut date (YYYY-MM-DD).
name_first_last	character	Name in first-last order.
name_slug	character	URL-friendly name slug.
first_last_name	character	First and last name.
last_first_name	character	Name in last, first order.
last_init_name	character	Last name with first initial.
init_last_name	character	First initial with last name.
full_fml_name	character	Full name (first-middle-last).
full_lfm_name	character	Full name (last-first-middle).
strike_zone_top	numeric	Top of the player's strike zone (feet).
strike_zone_bottom	numeric	Bottom of the player's strike zone (feet).
birth_state_province	character	State or province of birth.
draft_year	integer	Year the player was drafted.
name_title	character	Name title.
name_suffix	character	Name suffix (e.g. Jr., III).
primary_position_code	character	Primary fielding position code.
primary_position_name	character	Primary fielding position name.
primary_position_type	character	Primary position type (e.g. Infielder).
primary_position_abbreviation	character	Primary position abbreviation.
bat_side_code	character	Batting side code (L/R/S).
bat_side_description	character	Batting side description.
pitch_hand_code	character	Throwing hand code (L/R).
pitch_hand_description	character	Throwing hand description.
league_id	numeric	MLB league ID.
season	numeric	Season (YYYY).

Examples

```
try(mlb_all_star_ballots(league_id = 103, season = 2021))
```

`mlb_all_star_final_vote`

Find MLB All-Star Final Vote

Description

Find MLB All-Star Final Vote

Usage

```
mlb_all_star_final_vote(league_id = NULL, season = NULL)
```

Arguments

`league_id`	League ID for league all-star ballot of interest.
`season`	The season of the all-star ballot.

Value

Returns a tibble with the following columns:

col_name	types	description
player_id	integer	MLB player ID.
full_name	character	Player full name.
link	character	MLB Stats API relative resource link.
first_name	character	Player first name.
last_name	character	Player last name.
primary_number	character	Player uniform number.
birth_date	character	Birth date (YYYY-MM-DD).
current_age	integer	Current age in years.
birth_city	character	City of birth.
birth_country	character	Country of birth.
height	character	Height (feet and inches).
weight	integer	Weight in pounds.
active	logical	Whether the player is currently active.
use_name	character	Preferred first name.
use_last_name	character	Preferred last name.
middle_name	character	Player middle name.
boxscore_name	character	Name as shown in box scores.
nick_name	character	Player nickname.
gender	character	Player gender.
name_matrilineal	character	Maternal family name.
is_player	logical	Whether the person is a player.
is_verified	logical	Whether the player profile is verified.
pronunciation	character	Phonetic name pronunciation.
last_played_date	character	Date of last MLB game played.
mlb_debut_date	character	MLB debut date (YYYY-MM-DD).

name_first_last	character	Name in first-last order.
name_slug	character	URL-friendly name slug.
first_last_name	character	First and last name.
last_first_name	character	Name in last, first order.
last_init_name	character	Last name with first initial.
init_last_name	character	First initial with last name.
full_fml_name	character	Full name (first-middle-last).
full_lfm_name	character	Full name (last-first-middle).
strike_zone_top	numeric	Top of the player's strike zone (feet).
strike_zone_bottom	numeric	Bottom of the player's strike zone (feet).
birth_state_province	character	State or province of birth.
name_title	character	Name title.
name_suffix	character	Name suffix (e.g. Jr., III).
draft_year	integer	Year the player was drafted.
primary_position_code	character	Primary fielding position code.
primary_position_name	character	Primary fielding position name.
primary_position_type	character	Primary position type (e.g. Infielder).
primary_position_abbreviation	character	Primary position abbreviation.
bat_side_code	character	Batting side code (L/R/S).
bat_side_description	character	Batting side description.
pitch_hand_code	character	Throwing hand code (L/R).
pitch_hand_description	character	Throwing hand description.
league_id	numeric	MLB league ID.
season	numeric	Season (YYYY).

Examples

```
try(mlb_all_star_final_vote(league_id = 103, season = 2021))
```

`mlb_all_star_write_ins`

Find MLB All-Star Write-ins

Description

Find MLB All-Star Write-ins

Usage

```
mlb_all_star_write_ins(league_id = NULL, season = NULL)
```

Arguments

`league_id`	League ID for league all-star ballot of interest.
`season`	The season of the all-star ballot.

Value

Returns a tibble with the following columns:

col_name	types	description
player_id	integer	MLB player ID.
full_name	character	Player full name.
link	character	MLB Stats API relative resource link.
first_name	character	Player first name.
last_name	character	Player last name.
primary_number	character	Player uniform number.
birth_date	character	Birth date (YYYY-MM-DD).
current_age	integer	Current age in years.
birth_city	character	City of birth.
birth_state_province	character	State or province of birth.
birth_country	character	Country of birth.
height	character	Height (feet and inches).
weight	integer	Weight in pounds.
active	logical	Whether the player is currently active.
use_name	character	Preferred first name.
use_last_name	character	Preferred last name.
middle_name	character	Player middle name.
boxscore_name	character	Name as shown in box scores.
nick_name	character	Player nickname.
gender	character	Player gender.
is_player	logical	Whether the person is a player.
is_verified	logical	Whether the player profile is verified.
draft_year	integer	Year the player was drafted.
mlb_debut_date	character	MLB debut date (YYYY-MM-DD).
name_first_last	character	Name in first-last order.
name_slug	character	URL-friendly name slug.
first_last_name	character	First and last name.
last_first_name	character	Name in last, first order.
last_init_name	character	Last name with first initial.
init_last_name	character	First initial with last name.
full_fml_name	character	Full name (first-middle-last).
full_lfm_name	character	Full name (last-first-middle).
strike_zone_top	numeric	Top of the player's strike zone (feet).
strike_zone_bottom	numeric	Bottom of the player's strike zone (feet).
pronunciation	character	Phonetic name pronunciation.
last_played_date	character	Date of last MLB game played.
name_title	character	Name title.
name_suffix	character	Name suffix (e.g. Jr., III).
name_matrilineal	character	Maternal family name.
bat_side_code	character	Batting side code (L/R/S).
bat_side_description	character	Batting side description.
pitch_hand_code	character	Throwing hand code (L/R).
pitch_hand_description	character	Throwing hand description.
league_id	numeric	MLB league ID.

season	numeric	Season (YYYY).

Examples

```
try(mlb_all_star_write_ins(league_id = 103, season = 2021))
```

`mlb_attendance` **MLB Attendance**

Description

MLB Attendance

Usage

```
mlb_attendance(
  team_id = NULL,
  league_id = NULL,
  season = NULL,
  date = NULL,
  league_list_id = NULL
)
```

Arguments

`team_id`	Return attendance information for a particular team_id(s).
`league_id`	Return attendance information for a particular league_id(s). Format: '103,104'
`season`	Return attendance information for particular year(s).
`date`	Return attendance information on a particular date. Format: MM/DD/YYYY
`league_list_id`	Unique league list identifier to return a directory of attendance for a specific league list_id Valid values include: • milb_full • milb_short • milb_complex • milb_all • milb_all_nomex • milb_all_domestic • milb_noncomp • milb_noncomp_nomex • milb_domcomp • milb_intcomp • win_noabl

- win_caribbean
- win_all
- abl
- mlb
- mlb_hist
- mlb_milb
- mlb_milb_hist
- mlb_milb_win
- baseball_all

Value

Returns a tibble with the following columns

col_name	types	description
openings_total	integer	Total number of openings (games eligible to open).
openings_total_away	integer	Total away openings.
openings_total_home	integer	Total home openings.
openings_total_lost	integer	Openings lost (e.g. to rainouts).
games_total	integer	Total games played.
games_away_total	integer	Total away games.
games_home_total	integer	Total home games.
year	character	Season year (YYYY).
attendance_average_away	integer	Average away-game attendance.
attendance_average_home	integer	Average home-game attendance.
attendance_average_ytd	integer	Year-to-date average attendance.
attendance_high	integer	Highest single-game attendance.
attendance_high_date	character	Date of the highest-attendance game.
attendance_low	integer	Lowest single-game attendance.
attendance_low_date	character	Date of the lowest-attendance game.
attendance_opening_average	integer	Average opening-day attendance.
attendance_total	integer	Total attendance for the period.
attendance_total_away	integer	Total away attendance.
attendance_total_home	integer	Total home attendance.
attendance_high_game_game_pk	integer	game_pk of the highest-attendance game.
attendance_high_game_link	character	API link to the highest-attendance game.
attendance_high_game_day_night	character	Day/night status of the highest-attendance game.
attendance_high_game_content_link	character	API content link for the highest-attendance game.
attendance_low_game_game_pk	integer	game_pk of the lowest-attendance game.
attendance_low_game_link	character	API link to the lowest-attendance game.
attendance_low_game_day_night	character	Day/night status of the lowest-attendance game.
attendance_low_game_content_link	character	API content link for the lowest-attendance game.
game_type_id	character	Game type code (e.g. R for regular season).
game_type_description	character	Game type description.
team_id	integer	MLB team ID.
team_name	character	Team name.
team_link	character	MLB Stats API relative team link.

Examples

```
try(mlb_attendance(team_id = 109, season = 2021))
```

---

mlb_award **MLB All-Star, Awards, Home Run Derby Functions**

Description

- `mlb_all_star_ballots()`: Find MLB All-Star Ballots.
- `mlb_all_star_final_vote()`: Find MLB All-Star Final Vote.
- `mlb_all_star_write_ins()`: Find MLB All-Star Write-ins.
- `mlb_awards()`: Find MLB Awards.
- `mlb_awards_recipient()`: Find MLB Award Recipients.
- `mlb_homerun_derby()`: Retrieve MLB Home Run Derby Data.
- `mlb_homerun_derby_bracket()`: Retrieve MLB Home Run Derby Bracket.
- `mlb_homerun_derby_players()`: Retrieve MLB Home Run Derby Players.

Details

Find MLB All-Star Ballots:

```
try(mlb_all_star_ballots(league_id = 103, season = 2021))
```

Find MLB All-Star Final Vote:

```
try(mlb_all_star_final_vote(league_id = 103, season = 2021))
```

Find MLB All-Star Write-ins:

```
try(mlb_all_star_write_ins(league_id = 103, season = 2021))
```

Find MLB Awards:

```
try(mlb_awards())
```

Find MLB Award Recipients:

```
try(mlb_awards_recipient(award_id = 'MLBHOF', season = 2020))
```

Retrieve MLB Home Run Derby Data:

```
try(mlb_homerun_derby(game_pk = 511101))
```

Retrieve MLB Home Run Derby Bracket:

```
 try(mlb_homerun_derby_bracket(game_pk = 511101))
```

Retrieve MLB Home Run Derby Players:

```
 try(mlb_homerun_derby_players(game_pk = 511101))
```

mlb_awards MLB Awards

Description

MLB Awards

Usage

```
mlb_awards()
```

Value

Returns a tibble with the following columns

col_name	types	description
award_id	character	Award identifier code.
award_name	character	Award name.
award_description	character	Award description.
sort_order	integer	Display sort order for the award.
active	logical	Whether the award is currently active.
notes	character	Additional notes about the award.
sport_id	integer	MLB sport ID associated with the award.
sport_link	character	MLB Stats API relative sport link.
league_id	integer	MLB league ID associated with the award.
league_link	character	MLB Stats API relative league link.

Examples

```
try(mlb_awards())
```

mlb_awards_recipient MLB Award Recipients

Description

MLB Award Recipients

Usage

```
mlb_awards_recipient(
  award_id = NULL,
  sport_id = NULL,
  league_id = NULL,
  season = NULL
)
```

Arguments

award_id	award_id to return a directory of players for a given award.
sport_id	sport_id to return a directory of players for a given aware in a specific sport.
league_id	league_id(s) to return a directory of players for a given award in a specific league. Format '103,104'
season	Year(s) to return a directory of players for a given award in a given season.

Value

Returns a tibble with the following columns

col_name	types	description
award_id	character	Award identifier code.
award_name	character	Award name.
date	character	Date the award was given (YYYY-MM-DD).
season	character	Season the award was given (YYYY).
votes	integer	Number of votes received.
notes	character	Additional notes about the recipient.
player_id	integer	MLB player ID of the recipient.
player_link	character	MLB Stats API relative player link.
player_name_first_last	character	Recipient name in first-last order.
player_primary_position_code	character	Recipient primary fielding position code.
player_primary_position_name	character	Recipient primary fielding position name.
player_primary_position_type	character	Recipient primary position type.
player_primary_position_abbreviation	character	Recipient primary position abbreviation.
team_id	integer	MLB team ID of the recipient.
team_link	character	MLB Stats API relative team link.

Examples

```
try(mlb_awards_recipient(award_id = 'MLBHOF', season = 2020))
```

---

mlb_baseball_stats MLB Baseball Stats

Description

MLB Baseball Stats

Usage

```
mlb_baseball_stats()
```

Value

Returns a tibble with the following columns:

col_name	types	description
stat_name	character	Internal stat name.
stat_lookup_param	character	Lookup parameter/abbreviation for the stat.
is_counting	logical	Whether the stat is a counting stat.
stat_label	character	Human-readable stat label.
stat_group	character	Stat group (e.g. hitting, pitching, fielding).

Examples

```
try(mlb_baseball_stats())
```

---

mlb_batting_orders Retrieve batting orders for a given MLB game

---

Description

Retrieve batting orders for a given MLB game

Usage

```
mlb_batting_orders(game_pk, type = "starting")
```

Arguments

game_pk	The unique game_pk identifier for the game
type	Whether to just return the starting lineup ('starting') or all batters that appeared ('all')

Value

Returns a tibble that includes probable starting pitchers and the home plate umpire for the game_pk requested

col_name	types	description
id	integer	MLB player ID.
fullName	character	Player full name.
abbreviation	character	Fielding position abbreviation.
batting_order	character	Spot in the batting order (1-9).
batting_position_num	character	Sub-position within the lineup spot (0 = starter).
team	character	Side of the matchup ('home' or 'away').
teamName	character	Team name.

teamID	integer	MLB team ID.

Examples

```
try(mlb_batting_orders(game_pk=566001))
```

`mlb_conferences` **View all PCL conferences**

Description

View all PCL conferences

Usage

```
mlb_conferences(conference_id = NULL, season = NULL)
```

Arguments

`conference_id`	Conference ID to return information for.
`season`	Year to return to return conference information for.

Value

Returns a tibble with the following columns

col_name	types	description
conference_id	integer	MLB conference ID.
conference_name	character	Conference name.
link	character	MLB Stats API relative conference link.
conference_abbreviation	character	Conference abbreviation.
has_wildcard	logical	Whether the conference has a wild card.
conference_name_short	character	Short conference name.
league_id	integer	MLB league ID.
league_link	character	MLB Stats API relative league link.
sport_id	integer	MLB sport ID.
sport_link	character	MLB Stats API relative sport link.

Examples

```
try(mlb_conferences())
try(mlb_conferences(conference_id =  301, season = 2020))
```

`mlb_divisions` **MLB Divisions**

Description

MLB Divisions

Usage

```
mlb_divisions(division_id = NULL, league_id = NULL, sport_id = NULL)
```

Arguments

`division_id`	Return division(s) data for a specific division
`league_id`	Return division(s) data for all divisions in a specific league
`sport_id`	Return division(s) for all divisions in a specific sport.

Value

Returns a tibble with the following columns

col_name	types	description
division_id	integer	MLB division ID.
division_name	character	Division name.
season	character	Season (YYYY).
division_name_short	character	Short division name.
division_link	character	MLB Stats API relative division link.
division_abbreviation	character	Division abbreviation.
has_wildcard	logical	Whether the division has a wild card.
sort_order	integer	Display sort order for the division.
num_playoff_teams	integer	Number of playoff teams from the division.
active	logical	Whether the division is currently active.
league_id	integer	MLB league ID.
league_link	character	MLB Stats API relative league link.
sport_id	integer	MLB sport ID.
sport_link	character	MLB Stats API relative sport link.

Examples

```
try(mlb_divisions(sport_id = 1))
```

`mlb_draft` **Retrieve draft pick information by year**

Description

Retrieve draft pick information by year

Usage

```
mlb_draft(year)
```

Arguments

`year`	The year for which to return data

Value

Returns a tibble with information for every draft pick in every round for the year requested

col_name	types	description
bis_player_id	integer	BIS (Baseball Info Solutions) player ID.
pick_round	character	Draft round.
pick_number	integer	Overall pick number.
display_pick_number	integer	Pick number as displayed.
round_pick_number	integer	Pick number within the round.
rank	integer	Prospect rank.
pick_value	character	Assigned slot/pick value (dollars).
signing_bonus	character	Signing bonus (dollars).
scouting_report	character	Link to the scouting report.
blurb	character	Prospect scouting blurb.
headshot_link	character	URL to the player's headshot image.
is_drafted	logical	Whether the prospect was drafted.
is_pass	logical	Whether the pick was a pass.
year	character	Draft year (YYYY).
home_city	character	Prospect home city.
home_state	character	Prospect home state.
home_country	character	Prospect home country.
school_name	character	School name.
school_school_class	character	School class (e.g. 4YR JR, HS SR).
school_country	character	School country.
school_state	character	School state.
person_id	integer	MLB player ID.
person_full_name	character	Player full name.
person_link	character	MLB Stats API relative player link.
person_first_name	character	Player first name.
person_last_name	character	Player last name.
person_primary_number	character	Player uniform number.

person_birth_date	character	Birth date (YYYY-MM-DD).
person_current_age	integer	Current age in years.
person_birth_city	character	City of birth.
person_birth_state_province	character	State or province of birth.
person_birth_country	character	Country of birth.
person_height	character	Height (feet and inches).
person_weight	integer	Weight in pounds.
person_active	logical	Whether the player is currently active.
person_use_name	character	Preferred first name.
person_use_last_name	character	Preferred last name.
person_middle_name	character	Player middle name.
person_boxscore_name	character	Name as shown in box scores.
person_gender	character	Player gender.
person_is_player	logical	Whether the person is a player.
person_is_verified	logical	Whether the player profile is verified.
person_draft_year	integer	Year the player was drafted.
person_mlb_debut_date	character	MLB debut date (YYYY-MM-DD).
person_name_first_last	character	Name in first-last order.
person_name_slug	character	URL-friendly name slug.
person_first_last_name	character	First and last name.
person_last_first_name	character	Name in last, first order.
person_last_init_name	character	Last name with first initial.
person_init_last_name	character	First initial with last name.
person_full_fml_name	character	Full name (first-middle-last).
person_full_lfm_name	character	Full name (last-first-middle).
person_strike_zone_top	numeric	Top of the player's strike zone (feet).
person_strike_zone_bottom	numeric	Bottom of the player's strike zone (feet).
person_pronunciation	character	Phonetic name pronunciation.
person_name_title	character	Name title.
person_name_suffix	character	Name suffix (e.g. Jr., III).
person_nick_name	character	Player nickname.
person_name_matrilineal	character	Maternal family name.
person_primary_position_code	character	Primary fielding position code.
person_primary_position_name	character	Primary fielding position name.
person_primary_position_type	character	Primary position type (e.g. Infielder).
person_primary_position_abbreviation	character	Primary position abbreviation.
person_bat_side_code	character	Batting side code (L/R/S).
person_bat_side_description	character	Batting side description.
person_pitch_hand_code	character	Throwing hand code (L/R).
person_pitch_hand_description	character	Throwing hand description.
team_all_star_status	character	Team all-star status flag.
team_id	integer	MLB team ID of the drafting team.
team_name	character	Drafting team name.
team_link	character	MLB Stats API relative team link.
team_spring_league_id	integer	Spring training league ID.
team_spring_league_name	character	Spring training league name.
team_spring_league_link	character	MLB Stats API relative spring league link.
team_spring_league_abbreviation	character	Spring training league abbreviation.

draft_type_code	character	Draft type code.
draft_type_description	character	Draft type description.

Examples

```
try(mlb_draft(year = 2020))
```

`mlb_draft_endpoints` **MLB Draft Endpoint Overview**

Description

- `mlb_draft()`: Retrieve draft pick information by year.
- `mlb_draft_latest()`: Retrieve latest draft information by year.
- `mlb_draft_prospects()`: Retrieve draft prospect information by year.

Details

MLB Draft:

These functions retrieve MLB Draft pick, latest pick, and prospect information from the MLB Stats API.

`mlb_draft_latest` **Retrieve latest draft information by year**

Description

Retrieve latest draft information by year

Usage

```
mlb_draft_latest(year)
```

Arguments

`year`	The year for which to return data

Value

Returns a tibble with the latest draft information for the year requested:

col_name	types	description
pick_round	character	Draft round.
pick_number	integer	Overall pick number.
display_pick_number	integer	Pick number as displayed.
round_pick_number	integer	Pick number within the round.
pick_value	character	Assigned slot/pick value (dollars).
signing_bonus	character	Signing bonus (dollars).
home_city	character	Prospect home city.
home_state	character	Prospect home state.
home_country	character	Prospect home country.
school_name	character	School name.
school_school_class	character	School class (e.g. 4YR JR, HS SR).
school_country	character	School country.
school_state	character	School state.
headshot_link	character	URL to the player's headshot image.
person_id	integer	MLB player ID.
person_full_name	character	Player full name.
person_link	character	MLB Stats API relative player link.
person_first_name	character	Player first name.
person_last_name	character	Player last name.
person_primary_number	character	Player uniform number.
person_birth_date	character	Birth date (YYYY-MM-DD).
person_current_age	integer	Current age in years.
person_birth_city	character	City of birth.
person_birth_state_province	character	State or province of birth.
person_birth_country	character	Country of birth.
person_height	character	Height (feet and inches).
person_weight	integer	Weight in pounds.
person_active	logical	Whether the player is currently active.
person_primary_position_code	character	Primary fielding position code.
person_primary_position_name	character	Primary fielding position name.
person_primary_position_type	character	Primary position type (e.g. Infielder).
person_primary_position_abbreviation	character	Primary position abbreviation.
person_use_name	character	Preferred first name.
person_use_last_name	character	Preferred last name.
person_middle_name	character	Player middle name.
person_boxscore_name	character	Name as shown in box scores.
person_gender	character	Player gender.
person_is_player	logical	Whether the person is a player.
person_is_verified	logical	Whether the player profile is verified.
person_draft_year	integer	Year the player was drafted.
person_mlb_debut_date	character	MLB debut date (YYYY-MM-DD).
person_bat_side_code	character	Batting side code (L/R/S).
person_bat_side_description	character	Batting side description.
person_pitch_hand_code	character	Throwing hand code (L/R).

person_pitch_hand_description	character	Throwing hand description.
person_name_first_last	character	Name in first-last order.
person_name_slug	character	URL-friendly name slug.
person_first_last_name	character	First and last name.
person_last_first_name	character	Name in last, first order.
person_last_init_name	character	Last name with first initial.
person_init_last_name	character	First initial with last name.
person_full_fml_name	character	Full name (first-middle-last).
person_full_lfm_name	character	Full name (last-first-middle).
person_strike_zone_top	numeric	Top of the player's strike zone (feet).
person_strike_zone_bottom	numeric	Bottom of the player's strike zone (feet).
person_xref_ids_xref_id	character	Cross-reference ID from an external source.
person_xref_ids_xref_type	character	Cross-reference source type (e.g. fangraphs).
person_xref_ids_season	character	Season associated with the cross-reference ID.
team_spring_league_id	integer	Spring training league ID.
team_spring_league_name	character	Spring training league name.
team_spring_league_link	character	MLB Stats API relative spring league link.
team_spring_league_abbreviation	character	Spring training league abbreviation.
team_all_star_status	character	Team all-star status flag.
team_id	integer	MLB team ID of the drafting team.
team_name	character	Drafting team name.
team_link	character	MLB Stats API relative team link.
team_season	integer	Team season (YYYY).
team_venue_id	integer	Home venue ID.
team_venue_name	character	Home venue name.
team_venue_link	character	MLB Stats API relative venue link.
team_spring_venue_id	integer	Spring training venue ID.
team_spring_venue_link	character	MLB Stats API relative spring venue link.
team_team_code	character	Team code.
team_file_code	character	Team file code.
team_abbreviation	character	Team abbreviation.
team_team_name	character	Team nickname.
team_location_name	character	Team location/city name.
team_first_year_of_play	character	First year the franchise played.
team_league_id	integer	MLB league ID.
team_league_name	character	League name.
team_league_link	character	MLB Stats API relative league link.
team_division_id	integer	Division ID.
team_division_name	character	Division name.
team_division_link	character	MLB Stats API relative division link.
team_sport_id	integer	MLB sport ID.
team_sport_link	character	MLB Stats API relative sport link.
team_sport_name	character	Sport name.
team_short_name	character	Team short name.
team_franchise_name	character	Franchise name.
team_club_name	character	Club name.
team_active	logical	Whether the team is currently active.
draft_type_code	character	Draft type code.

draft_type_description	character	Draft type description.
is_drafted	logical	Whether the prospect was drafted.
is_pass	logical	Whether the pick was a pass.
year	character	Draft year (YYYY).

Examples

```
try(mlb_draft_latest(year = 2020))
```

`mlb_draft_prospects` **Retrieve draft prospect information by year**

Description

Retrieve draft prospect information by year

Usage

```
mlb_draft_prospects(year)
```

Arguments

`year`	The year for which to return data

Value

Returns a tibble with information for every draft prospect for the year requested:

col_name	types	description
bis_player_id	integer	BIS (Baseball Info Solutions) player ID.
headshot_link	character	URL to the player's headshot image.
is_drafted	logical	Whether the prospect was drafted.
is_pass	logical	Whether the pick was a pass.
year	character	Draft year (YYYY).
pick_round	character	Draft round.
pick_number	integer	Overall pick number.
rank	integer	Prospect rank.
scouting_report	character	Link to the scouting report.
blurb	character	Prospect scouting blurb.
home_city	character	Prospect home city.
home_state	character	Prospect home state.
home_country	character	Prospect home country.
school_name	character	School name.
school_school_class	character	School class (e.g. 4YR JR, HS SR).
school_country	character	School country.

school_state	character	School state.
person_id	integer	MLB player ID.
person_full_name	character	Player full name.
person_link	character	MLB Stats API relative player link.
person_first_name	character	Player first name.
person_last_name	character	Player last name.
person_birth_date	character	Birth date (YYYY-MM-DD).
person_current_age	integer	Current age in years.
person_birth_city	character	City of birth.
person_birth_state_province	character	State or province of birth.
person_birth_country	character	Country of birth.
person_height	character	Height (feet and inches).
person_weight	integer	Weight in pounds.
person_active	logical	Whether the player is currently active.
person_use_name	character	Preferred first name.
person_use_last_name	character	Preferred last name.
person_middle_name	character	Player middle name.
person_boxscore_name	character	Name as shown in box scores.
person_gender	character	Player gender.
person_is_player	logical	Whether the person is a player.
person_is_verified	logical	Whether the player profile is verified.
person_draft_year	integer	Year the player was drafted.
person_name_first_last	character	Name in first-last order.
person_name_slug	character	URL-friendly name slug.
person_first_last_name	character	First and last name.
person_last_first_name	character	Name in last, first order.
person_last_init_name	character	Last name with first initial.
person_init_last_name	character	First initial with last name.
person_full_fml_name	character	Full name (first-middle-last).
person_full_lfm_name	character	Full name (last-first-middle).
person_strike_zone_top	numeric	Top of the player's strike zone (feet).
person_strike_zone_bottom	numeric	Bottom of the player's strike zone (feet).
person_primary_number	character	Player uniform number.
person_mlb_debut_date	character	MLB debut date (YYYY-MM-DD).
person_pronunciation	character	Phonetic name pronunciation.
person_name_matrilineal	character	Maternal family name.
person_name_title	character	Name title.
person_name_suffix	character	Name suffix (e.g. Jr., III).
person_nick_name	character	Player nickname.
person_death_date	character	Date of death (YYYY-MM-DD), if applicable.
person_death_city	character	City of death, if applicable.
person_death_state_province	character	State or province of death, if applicable.
person_death_country	character	Country of death, if applicable.
person_primary_position_code	character	Primary fielding position code.
person_primary_position_name	character	Primary fielding position name.
person_primary_position_type	character	Primary position type (e.g. Infielder).
person_primary_position_abbreviation	character	Primary position abbreviation.
person_bat_side_code	character	Batting side code (L/R/S).

person_bat_side_description	character	Batting side description.
person_pitch_hand_code	character	Throwing hand code (L/R).
person_pitch_hand_description	character	Throwing hand description.
draft_type_code	character	Draft type code.
draft_type_description	character	Draft type description.
team_all_star_status	character	Team all-star status flag.
team_id	integer	MLB team ID associated with the prospect.
team_name	character	Team name.
team_link	character	MLB Stats API relative team link.
team_season	integer	Team season (YYYY).
team_team_code	character	Team code.
team_file_code	character	Team file code.
team_abbreviation	character	Team abbreviation.
team_team_name	character	Team nickname.
team_location_name	character	Team location/city name.
team_first_year_of_play	character	First year the franchise played.
team_short_name	character	Team short name.
team_franchise_name	character	Franchise name.
team_club_name	character	Club name.
team_active	logical	Whether the team is currently active.
team_spring_league_id	integer	Spring training league ID.
team_spring_league_name	character	Spring training league name.
team_spring_league_link	character	MLB Stats API relative spring league link.
team_spring_league_abbreviation	character	Spring training league abbreviation.
team_venue_id	integer	Home venue ID.
team_venue_name	character	Home venue name.
team_venue_link	character	MLB Stats API relative venue link.
team_spring_venue_id	integer	Spring training venue ID.
team_spring_venue_link	character	MLB Stats API relative spring venue link.
team_league_id	integer	MLB league ID.
team_league_name	character	League name.
team_league_link	character	MLB Stats API relative league link.
team_division_id	integer	Division ID.
team_division_name	character	Division name.
team_division_link	character	MLB Stats API relative division link.
team_sport_id	integer	MLB sport ID.
team_sport_link	character	MLB Stats API relative sport link.
team_sport_name	character	Sport name.

Examples

```
try(mlb_draft_prospects(year = 2020))
```

`mlb_event_types` **MLB Event Types**

Description

MLB Event Types

Usage

```
mlb_event_types()
```

Value

Returns a tibble with the following columns

col_name	types	description
plate_appearance	logical	Whether the event counts as a plate appearance.
hit	logical	Whether the event is a hit.
event_code	character	Event type code.
base_running_event	logical	Whether the event is a base-running event.
event_description	character	Human-readable event description.

Examples

```
try(mlb_event_types())
```

`mlb_fielder_detail_types`

MLB Fielder Detail Types

Description

MLB Fielder Detail Types

Usage

```
mlb_fielder_detail_types()
```

Value

Returns a tibble with the following columns

col_name	types	description
stat_name	character	Internal fielder detail stat name.
code	character	Fielder detail type code.
names	list	Associated detail names for the type.
chance	logical	Whether the detail counts as a fielding chance.
error	logical	Whether the detail counts as an error.

Examples

```
try(mlb_fielder_detail_types())
```

`mlb_game_changes` **Acquire time codes for Major and Minor League games**

Description

Acquire time codes for Major and Minor League games

Usage

```
mlb_game_changes(updated_since, sport_id)
```

Arguments

`updated_since`	Updated since date time
`sport_id`	Return division(s) for all divisions in a specific sport.

Value

Returns a tibble that includes time codes from the game_pk requested

col_name	types	description
date	character	Schedule date (YYYY-MM-DD).
total_items	integer	Total items for the date.
total_events	integer	Total events for the date.
total_games	integer	Total games for the date.
total_games_in_progress	integer	Games currently in progress for the date.
game_pk	integer	Unique game identifier.
game_guid	character	Globally unique game identifier.
link	character	MLB Stats API relative game link.
game_type	character	Game type code (R, P, D, etc.).
season	character	Season (YYYY).
game_date	character	Game date-time (ISO 8601, UTC).
official_date	character	Official game date (YYYY-MM-DD).
is_tie	logical	Whether the game ended in a tie.
game_number	integer	Game number within a doubleheader.
public_facing	logical	Whether the game is public-facing.
double_header	character	Doubleheader indicator (N/Y/S).
gameday_type	character	Gameday data type code.
tiebreaker	character	Tiebreaker indicator.
calendar_event_id	character	Calendar event identifier.
season_display	character	Display season (YYYY).
day_night	character	Day/night designation.

description	character	Game description.
scheduled_innings	integer	Number of scheduled innings.
reverse_home_away_status	logical	Whether home/away designation is reversed.
inning_break_length	integer	Length of the inning break (seconds).
games_in_series	integer	Total games in the series.
series_game_number	integer	Game number within the series.
series_description	character	Series description.
record_source	character	Source of the record data.
if_necessary	character	Whether the game is played only if necessary.
if_necessary_description	character	If-necessary description.
status_abstract_game_state	character	Abstract game state (e.g. Final).
status_coded_game_state	character	Coded game state.
status_detailed_state	character	Detailed game state.
status_status_code	character	Game status code.
status_start_time_tbd	logical	Whether the start time is TBD.
status_abstract_game_code	character	Abstract game code.
teams_away_score	integer	Away team score.
teams_away_is_winner	logical	Whether the away team won.
teams_away_split_squad	logical	Whether the away team is a split squad.
teams_away_series_number	integer	Away team series number.
teams_away_team_id	integer	Away team MLB ID.
teams_away_team_name	character	Away team name.
teams_away_team_link	character	MLB Stats API relative away team link.
teams_away_league_record_wins	integer	Away team league-record wins.
teams_away_league_record_losses	integer	Away team league-record losses.
teams_away_league_record_ties	integer	Away team league-record ties.
teams_away_league_record_pct	character	Away team winning percentage.
teams_home_score	integer	Home team score.
teams_home_is_winner	logical	Whether the home team won.
teams_home_split_squad	logical	Whether the home team is a split squad.
teams_home_series_number	integer	Home team series number.
teams_home_team_id	integer	Home team MLB ID.
teams_home_team_name	character	Home team name.
teams_home_team_link	character	MLB Stats API relative home team link.
teams_home_league_record_wins	integer	Home team league-record wins.
teams_home_league_record_losses	integer	Home team league-record losses.
teams_home_league_record_ties	integer	Home team league-record ties.
teams_home_league_record_pct	character	Home team winning percentage.
venue_id	integer	Venue ID.
venue_name	character	Venue name.
venue_link	character	MLB Stats API relative venue link.
content_link	character	MLB Stats API relative game content link.
status_reason	character	Reason for the game status, if any.
rescheduled_from	character	Original scheduled date-time if rescheduled.
rescheduled_from_date	character	Original scheduled date if rescheduled.
resumed_from	character	Original date-time if the game was resumed.
resumed_from_date	character	Original date if the game was resumed.
events	list	Nested list of change events for the game.

Examples

```
try(mlb_game_changes(updated_since = "2021-08-10T19:08:24.000004Z", sport_id = 1))
```

`mlb_game_content` **Retrieve additional game content for major and minor league games**

Description

Retrieve additional game content for major and minor league games

Usage

```
mlb_game_content(game_pk)
```

Arguments

`game_pk`	The unique game_pk identifier for the game

Value

Returns a tibble of game content data with the following columns:

col_name	types	description
title	character	Media/EPG title (e.g. MLBTV).
call_letters	character	Broadcaster call letters.
espn_auth_required	logical	Whether ESPN authentication is required.
tbs_auth_required	logical	Whether TBS authentication is required.
espn2auth_required	logical	Whether ESPN2 authentication is required.
game_date	character	Game date associated with the content.
content_id	character	Content identifier.
fs1auth_required	logical	Whether FS1 authentication is required.
media_id	character	Media identifier.
media_feed_type	character	Media feed type (HOME/AWAY/NATIONAL).
mlbn_auth_required	logical	Whether MLB Network authentication is required.
fox_auth_required	logical	Whether FOX authentication is required.
media_feed_sub_type	character	Media feed sub-type code.
free_game	logical	Whether the broadcast is a free game.
epg_id	integer	Electronic programming guide identifier.
media_state	character	Media state (e.g. MEDIA_ARCHIVE).
abc_auth_required	logical	Whether ABC authentication is required.
rendition_name	character	Media rendition name.
description	character	Content description.

language	character	Broadcast language.
type	character	Content/media type.

Examples

```
try(mlb_game_content(game_pk = 566001))
```

`mlb_game_context_metrics`

Acquire game context metrics for Major and Minor League games

---

Description

Acquire game context metrics for Major and Minor League games

Usage

```
mlb_game_context_metrics(game_pk, timecode)
```

Arguments

`game_pk`	The game_pk for the game requested
`timecode`	The time code for the MLB game (format: MMDDYYYY_HHMMSS)

Value

Returns a tibble that includes time codes from the game_pk requested

col_name	types	description
game_pk	integer	Unique game identifier.
game_guid	character	Globally unique game identifier.
link	character	MLB Stats API relative game link.
game_type	character	Game type code (R, P, etc.).
season	character	Season (YYYY).
game_date	character	Game date-time (ISO 8601, UTC).
official_date	character	Official game date (YYYY-MM-DD).
status_abstract_game_state	character	Abstract game state (e.g. Final).
status_coded_game_state	character	Coded game state.
status_detailed_state	character	Detailed game state.
status_status_code	character	Game status code.
status_start_time_tbd	logical	Whether the start time is TBD.
status_abstract_game_code	character	Abstract game code.
teams_away_team_id	integer	Away team MLB ID.
teams_away_team_name	character	Away team name.
teams_away_team_link	character	MLB Stats API relative away team link.

teams_away_league_record_wins	integer	Away team league-record wins.
teams_away_league_record_losses	integer	Away team league-record losses.
teams_away_league_record_ties	integer	Away team league-record ties.
teams_away_league_record_pct	character	Away team winning percentage.
teams_away_score	integer	Away team score.
teams_away_is_winner	logical	Whether the away team won.
teams_away_probable_pitcher_id	integer	Away probable pitcher MLB ID.
teams_away_probable_pitcher_full_name	character	Away probable pitcher name.
teams_away_probable_pitcher_link	character	MLB Stats API relative away pitcher link.
teams_away_split_squad	logical	Whether the away team is a split squad.
teams_away_series_number	integer	Away team series number.
teams_home_team_id	integer	Home team MLB ID.
teams_home_team_name	character	Home team name.
teams_home_team_link	character	MLB Stats API relative home team link.
teams_home_league_record_wins	integer	Home team league-record wins.
teams_home_league_record_losses	integer	Home team league-record losses.
teams_home_league_record_ties	integer	Home team league-record ties.
teams_home_league_record_pct	character	Home team winning percentage.
teams_home_score	integer	Home team score.
teams_home_is_winner	logical	Whether the home team won.
teams_home_probable_pitcher_id	integer	Home probable pitcher MLB ID.
teams_home_probable_pitcher_full_name	character	Home probable pitcher name.
teams_home_probable_pitcher_link	character	MLB Stats API relative home pitcher link.
teams_home_split_squad	logical	Whether the home team is a split squad.
teams_home_series_number	integer	Home team series number.
venue_id	integer	Venue ID.
venue_name	character	Venue name.
venue_link	character	MLB Stats API relative venue link.
link_1	character	MLB Stats API relative game content link.
is_tie	logical	Whether the game ended in a tie.
game_number	integer	Game number within a doubleheader.
public_facing	logical	Whether the game is public-facing.
double_header	character	Doubleheader indicator (N/Y/S).
gameday_type	character	Gameday data type code.
tiebreaker	character	Tiebreaker indicator.
calendar_event_id	character	Calendar event identifier.
season_display	character	Display season (YYYY).
day_night	character	Day/night designation.
scheduled_innings	integer	Number of scheduled innings.
reverse_home_away_status	logical	Whether home/away designation is reversed.
inning_break_length	integer	Length of the inning break (seconds).
games_in_series	integer	Total games in the series.
series_game_number	integer	Game number within the series.
series_description	character	Series description.
record_source	character	Source of the record data.
if_necessary	character	Whether the game is played only if necessary.
if_necessary_description	character	If-necessary description.
game_id	character	Human-readable game ID slug.

home_win_probability	numeric	Home team win probability (percent).
away_win_probability	numeric	Away team win probability (percent).

Examples

```
try(mlb_game_context_metrics(game_pk = 531060, timecode = "20180803_182458"))
```

`mlb_game_endpoints` **MLB Game Endpoint Overview**

Description

- `mlb_game_info()`: Retrieve additional game information for major and minor league games.
- `mlb_game_pks()`: Get MLB Game Info by Date and Level.
- `mlb_game_content()`: Retrieve additional game content for major and minor league games.
- `mlb_game_linescore()`: Retrieve game linescores for major and minor league games.
- `mlb_game_wp()`: Acquire win probability for Major and Minor League games.
- `mlb_game_pace()`: Retrieve game pace metrics for major and minor league.
- `mlb_game_changes()`: Acquire time codes for Major and Minor League games.
- `mlb_game_context_metrics()`: Acquire game context metrics for Major and Minor League games.
- `mlb_pbp()`: Acquire pitch-by-pitch data for Major and Minor League games.
- `mlb_pbp_diff()`: Acquire pitch-by-pitch data between two timecodes for Major and Minor League games.

Details

MLB Game:

These functions retrieve MLB game information, content, linescores, win probability, pace, changes, context metrics, and pitch-by-pitch data from the MLB Stats API.

`mlb_game_info` **Retrieve additional game information for major and minor league games**

Description

Retrieve additional game information for major and minor league games

Usage

```
mlb_game_info(game_pk)
```

Arguments

`game_pk`	The unique game_pk identifier for the game

Value

Returns a tibble that includes supplemental information, such as weather, official scorer, attendance, etc., for the game_pk provided

col_name	types	description
game_date	character	Game date (YYYY-MM-DD).
game_pk	numeric	Unique game identifier.
venue_name	character	Stadium name.
venue_id	integer	Venue ID.
temperature	character	Game-time temperature (degrees F).
other_weather	character	Weather condition description.
wind	character	Wind speed and direction.
attendance	character	Reported game attendance.
start_time	character	First-pitch local start time.
elapsed_time	character	Total elapsed game time (H:MM).
game_id	character	Human-readable game ID slug.
game_type	character	Game type code (R, P, etc.).
home_sport_code	character	Home sport code (always 'mlb').
official_scorer	character	Official scorer name.
date	character	Long-form game date label.
status_ind	character	Game status code.
home_league_id	integer	Home team league ID.
gameday_sw	character	Gameday data type code.

Examples

```
try(mlb_game_info(game_pk = 566001))
```

`mlb_game_linescore` **Retrieve game linescores for major and minor league games**

Description

Retrieve game linescores for major and minor league games

Usage

```
mlb_game_linescore(game_pk)
```

Arguments

`game_pk`	The unique game_pk identifier for the game

Value

Returns a tibble with the following columns

col_name	types	description
game_pk	numeric	Unique game identifier.
home_team_id	character	Home team MLB ID.
home_team_name	character	Home team name.
away_team_id	character	Away team MLB ID.
away_team_name	character	Away team name.
num	integer	Inning number.
ordinal_num	character	Inning ordinal label (e.g. 1st).
home_runs	integer	Home runs scored in the inning.
home_hits	integer	Home hits in the inning.
home_errors	integer	Home errors in the inning.
home_left_on_base	integer	Home runners left on base in the inning.
away_runs	integer	Away runs scored in the inning.
away_hits	integer	Away hits in the inning.
away_errors	integer	Away errors in the inning.
away_left_on_base	integer	Away runners left on base in the inning.
home_team_all_star_status	character	Home team all-star status flag.
home_team_link	character	MLB Stats API relative home team link.
home_team_season	character	Home team season (YYYY).
home_team_venue_id	character	Home team venue ID.
home_team_venue_name	character	Home team venue name.
home_team_venue_link	character	MLB Stats API relative home venue link.
home_team_team_code	character	Home team code.
home_team_file_code	character	Home team file code.
home_team_abbreviation	character	Home team abbreviation.
home_team_team_name	character	Home team nickname.
home_team_location_name	character	Home team location/city name.
home_team_first_year_of_play	character	Home franchise first year of play.

home_team_league_id	character	Home team league ID.
home_team_league_name	character	Home team league name.
home_team_league_link	character	MLB Stats API relative home league link.
home_team_division_id	character	Home team division ID.
home_team_division_name	character	Home team division name.
home_team_division_link	character	MLB Stats API relative home division link.
home_team_sport_id	character	Home team sport ID.
home_team_sport_link	character	MLB Stats API relative home sport link.
home_team_sport_name	character	Home team sport name.
home_team_short_name	character	Home team short name.
home_team_record_games_played	character	Home team games played.
home_team_record_wild_card_games_back	character	Home team games back in the wild card.
home_team_record_league_games_back	character	Home team games back in the league.
home_team_record_spring_league_games_back	character	Home team games back in the spring league.
home_team_record_sport_games_back	character	Home team games back in the sport.
home_team_record_division_games_back	character	Home team games back in the division.
home_team_record_conference_games_back	character	Home team games back in the conference.
home_team_record_league_record_wins	character	Home team league-record wins.
home_team_record_league_record_losses	character	Home team league-record losses.
home_team_record_league_record_ties	character	Home team league-record ties.
home_team_record_league_record_pct	character	Home team winning percentage.
home_team_record_division_leader	character	Whether the home team leads its division.
home_team_record_wins	character	Home team wins.
home_team_record_losses	character	Home team losses.
home_team_record_winning_percentage	character	Home team winning percentage.
home_team_franchise_name	character	Home franchise name.
home_team_club_name	character	Home club name.
home_team_active	character	Whether the home team is active.
away_team_all_star_status	character	Away team all-star status flag.
away_team_link	character	MLB Stats API relative away team link.
away_team_season	character	Away team season (YYYY).
away_team_venue_id	character	Away team venue ID.
away_team_venue_name	character	Away team venue name.
away_team_venue_link	character	MLB Stats API relative away venue link.
away_team_team_code	character	Away team code.
away_team_file_code	character	Away team file code.
away_team_abbreviation	character	Away team abbreviation.
away_team_team_name	character	Away team nickname.
away_team_location_name	character	Away team location/city name.
away_team_first_year_of_play	character	Away franchise first year of play.
away_team_league_id	character	Away team league ID.
away_team_league_name	character	Away team league name.
away_team_league_link	character	MLB Stats API relative away league link.
away_team_division_id	character	Away team division ID.
away_team_division_name	character	Away team division name.
away_team_division_link	character	MLB Stats API relative away division link.
away_team_sport_id	character	Away team sport ID.
away_team_sport_link	character	MLB Stats API relative away sport link.

away_team_sport_name	character	Away team sport name.
away_team_short_name	character	Away team short name.
away_team_record_games_played	character	Away team games played.
away_team_record_wild_card_games_back	character	Away team games back in the wild card.
away_team_record_league_games_back	character	Away team games back in the league.
away_team_record_spring_league_games_back	character	Away team games back in the spring league.
away_team_record_sport_games_back	character	Away team games back in the sport.
away_team_record_division_games_back	character	Away team games back in the division.
away_team_record_conference_games_back	character	Away team games back in the conference.
away_team_record_league_record_wins	character	Away team league-record wins.
away_team_record_league_record_losses	character	Away team league-record losses.
away_team_record_league_record_ties	character	Away team league-record ties.
away_team_record_league_record_pct	character	Away team winning percentage.
away_team_record_division_leader	character	Whether the away team leads its division.
away_team_record_wins	character	Away team wins.
away_team_record_losses	character	Away team losses.
away_team_record_winning_percentage	character	Away team winning percentage.
away_team_franchise_name	character	Away franchise name.
away_team_club_name	character	Away club name.
away_team_active	character	Whether the away team is active.

Examples

```
try(mlb_game_linescore(game_pk = 566001))
```

`mlb_game_pace` **Retrieve game pace metrics for major and minor league**

Description

Retrieve game pace metrics for major and minor league

Usage

```
mlb_game_pace(
  season,
  league_ids = NULL,
  sport_ids = NULL,
  team_ids = NULL,
  game_type = NULL,
  venue_ids = NULL,
  org_type = NULL,
  start_date = NULL,
  end_date = NULL
)
```

Arguments

season	Year for which to return information (*Required*).
league_ids	The league_id(s) for which to return information.
sport_ids	The sport_id(s) for which to return information.
team_ids	The team_id(s) for which to return information.
game_type	The game_type for which to return information.
venue_ids	Venue directorial information based venue_id.
org_type	pace of game metrics based on team ('T'), league ('L') or sport('S')
start_date	Date of first game for which you want data. Format must be in MM/DD/YYYY format.
end_date	Date of last game for which you want data. Format must be in MM/DD/YYYY format.

Value

Returns a tibble with the following columns

col_name	types	description
hits_per9inn	numeric	Hits per 9 innings.
runs_per9inn	numeric	Runs per 9 innings.
pitches_per9inn	numeric	Pitches per 9 innings.
plate_appearances_per9inn	numeric	Plate appearances per 9 innings.
hits_per_game	numeric	Hits per game.
runs_per_game	numeric	Runs per game.
innings_played_per_game	numeric	Innings played per game.
pitches_per_game	numeric	Pitches per game.
pitchers_per_game	numeric	Pitchers used per game.
plate_appearances_per_game	numeric	Plate appearances per game.
total_game_time	character	Total game time (HHH:MM:SS).
total_innings_played	numeric	Total innings played.
total_hits	integer	Total hits.
total_runs	integer	Total runs.
total_plate_appearances	integer	Total plate appearances.
total_pitchers	integer	Total pitchers used.
total_pitches	integer	Total pitches thrown.
total_games	integer	Total games.
total7inn_games	integer	Total 7-inning games.
total9inn_games	integer	Total 9-inning games.
total_extra_inn_games	integer	Total extra-inning games.
time_per_game	character	Average time per game (HH:MM:SS).
time_per_pitch	character	Average time per pitch (HH:MM:SS).
time_per_hit	character	Average time per hit (HH:MM:SS).
time_per_run	character	Average time per run (HH:MM:SS).
time_per_plate_appearance	character	Average time per plate appearance (HH:MM:SS).
time_per9inn	character	Average time per 9 innings (HH:MM:SS).

time_per77plate_appearances	character	Average time per 77 plate appearances.
total_extra_inn_time	character	Total extra-inning time (HHH:MM:SS).
time_per7inn_game	character	Average time per 7-inning game (HH:MM:SS).
time_per7inn_game_without_extra_inn	character	Average time per 7-inning game excl. extras.
total7inn_games_scheduled	integer	Total 7-inning games scheduled.
total7inn_games_without_extra_inn	integer	Total 7-inning games without extra innings.
total9inn_games_without_extra_inn	integer	Total 9-inning games without extra innings.
total9inn_games_scheduled	integer	Total 9-inning games scheduled.
hits_per_run	numeric	Hits per run.
pitches_per_pitcher	numeric	Pitches per pitcher.
season	character	Season (YYYY).
total9inn_games_completed_early	integer	9-inning games completed early.
total7inn_games_completed_early	integer	7-inning games completed early.
sport_id	integer	MLB sport ID.
sport_code	character	Sport code (e.g. mlb, aaa).
sport_link	character	MLB Stats API relative sport link.
pr_portal_calculated_fields_total7inn_games	integer	Portal-calculated total 7-inning games.
pr_portal_calculated_fields_total9inn_games	integer	Portal-calculated total 9-inning games.
pr_portal_calculated_fields_total_extra_inn_games	integer	Portal-calculated total extra-inning games.
pr_portal_calculated_fields_time_per7inn_game	character	Portal-calculated time per 7-inning game.
pr_portal_calculated_fields_time_per9inn_game	character	Portal-calculated time per 9-inning game.
pr_portal_calculated_fields_time_per_extra_inn_game	character	Portal-calculated time per extra-inning game.

Examples

```
try(mlb_game_pace(season = 2021, start_date = "09/14/2021", end_date = "09/16/2021"))
```

`mlb_game_pks` **Get MLB Game Info by Date and Level**

Description

Find game_pk values for professional baseball games (major and minor leagues) via the MLB api https://www.mlb.com/

Usage

```
mlb_game_pks(date, level_ids = c(1))
```

Arguments

`date`	The date for which you want to find game_pk values for MLB games
`level_ids`	A numeric vector with ids for each level where game_pks are desired. See below for a reference of level ids.

Details

Level IDs:

The following IDs can be passed to the level_ids argument:

1 = MLB 11 = Triple-A 12 = Doubl-A 13 = Class A Advanced 14 = Class A 15 = Class A Short Season 5442 = Rookie Advanced 16 = Rookie 17 = Winter League

Value

Returns a tibble that includes game_pk values and additional information for games scheduled or played with the following columns:

col_name	types	description
game_pk	integer	Unique game identifier.
gameGuid	character	Globally unique game identifier.
link	character	MLB Stats API relative game link.
gameType	character	Game type code (R, P, etc.).
season	character	Season (YYYY).
gameDate	character	Game date-time (ISO 8601, UTC).
officialDate	character	Official game date (YYYY-MM-DD).
isTie	logical	Whether the game ended in a tie.
gameNumber	integer	Game number within a doubleheader.
publicFacing	logical	Whether the game is public-facing.
doubleHeader	character	Doubleheader indicator (N/Y/S).
gamedayType	character	Gameday data type code.
tiebreaker	character	Tiebreaker indicator.
calendarEventID	character	Calendar event identifier.
seasonDisplay	character	Display season (YYYY).
dayNight	character	Day/night designation.
scheduledInnings	integer	Number of scheduled innings.
reverseHomeAwayStatus	logical	Whether home/away designation is reversed.
inningBreakLength	integer	Length of the inning break (seconds).
gamesInSeries	integer	Total games in the series.
seriesGameNumber	integer	Game number within the series.
seriesDescription	character	Series description.
recordSource	character	Source of the record data.
ifNecessary	character	Whether the game is played only if necessary.
ifNecessaryDescription	character	If-necessary description.
status.abstractGameState	character	Abstract game state (e.g. Final).
status.codedGameState	character	Coded game state.
status.detailedState	character	Detailed game state.
status.statusCode	character	Game status code.
status.startTimeTBD	logical	Whether the start time is TBD.
status.abstractGameCode	character	Abstract game code.
teams.away.score	integer	Away team score.
teams.away.isWinner	logical	Whether the away team won.
teams.away.splitSquad	logical	Whether the away team is a split squad.
teams.away.seriesNumber	integer	Away team series number.

teams.away.team.id	integer	Away team MLB ID.
teams.away.team.name	character	Away team name.
teams.away.team.link	character	MLB Stats API relative away team link.
teams.away.leagueRecord.wins	integer	Away team league-record wins.
teams.away.leagueRecord.losses	integer	Away team league-record losses.
teams.away.leagueRecord.ties	integer	Away team league-record ties.
teams.away.leagueRecord.pct	character	Away team winning percentage.
teams.home.score	integer	Home team score.
teams.home.isWinner	logical	Whether the home team won.
teams.home.splitSquad	logical	Whether the home team is a split squad.
teams.home.seriesNumber	integer	Home team series number.
teams.home.team.id	integer	Home team MLB ID.
teams.home.team.name	character	Home team name.
teams.home.team.link	character	MLB Stats API relative home team link.
teams.home.leagueRecord.wins	integer	Home team league-record wins.
teams.home.leagueRecord.losses	integer	Home team league-record losses.
teams.home.leagueRecord.ties	integer	Home team league-record ties.
teams.home.leagueRecord.pct	character	Home team winning percentage.
venue.id	integer	Venue ID.
venue.name	character	Venue name.
venue.link	character	MLB Stats API relative venue link.
content.link	character	MLB Stats API relative game content link.

Examples

```
try(mlb_game_pks("2019-04-29"))
```

---

mlb_game_status_codes MLB Game Status Codes

Description

MLB Game Status Codes

Usage

```
mlb_game_status_codes()
```

Value

Returns a tibble with the following columns

col_name	types	description
abstract_game_state	character	Abstract game state grouping (e.g. 'Preview', 'Live', 'Final').
coded_game_state	character	Single-letter coded game state (e.g. 'S', 'P', 'I', 'F').

detailed_state	character	Detailed status description (e.g. 'Scheduled', 'Pre-Game', 'In Progress').
status_code	character	Status code identifier (e.g. 'S', 'P', 'I', 'F').
reason	character	Reason text for the status when applicable (e.g. delay/postponement).
abstract_game_code	character	Single-letter abstract game code (e.g. 'P', 'L', 'F').

Examples

```
try(mlb_game_status_codes())
```

---

mlb_game_timecodes Acquire time codes for Major and Minor League games

---

Description

Acquire time codes for Major and Minor League games

Usage

```
mlb_game_timecodes(game_pk)
```

Arguments

game_pk	The game_pk for the game requested

Value

Returns a tibble that includes time codes from the game_pk requested

col_name	types	description
timecodes	character	Play snapshot time code in 'YYYYMMDD_HHMMSS' format.

Examples

```
try(mlb_game_timecodes(game_pk = 632970))
```

mlb_game_types MLB Game Types

Description

MLB Game Types

Usage

```
mlb_game_types()
```

Value

Returns a tibble with the following columns

col_name	types	description
game_type_id	character	Single-letter game type code (e.g. 'S', 'R', 'P', 'W').
game_type_description	character	Game type description (e.g. 'Spring Training', 'Regular Season').

Examples

```
try(mlb_game_types())
```

mlb_game_wp Acquire win probability for Major and Minor League games

Description

Acquire win probability for Major and Minor League games

Usage

```
mlb_game_wp(game_pk, timecode = NULL)
```

Arguments

game_pk	The game_pk for the game requested
timecode	The time code for the MLB game (format: MMDDYYYY_HHMMSS)

Value

Returns a tibble that includes time codes from the game_pk requested

col_name	types	description
home_team_win_probability	numeric	Home team win probability (percent) entering the at-bat.
away_team_win_probability	numeric	Away team win probability (percent) entering the at-bat.
home_team_win_probability_added	numeric	Change in home team win probability attributed to the at-bat.
at_bat_index	integer	Zero-based index of the at-bat within the game.
leverage_index	numeric	Leverage index quantifying the importance of the at-bat situation.

Examples

```
try(mlb_game_wp(game_pk = 531060))
```

`mlb_high_low_stats` **Acquire high/low stats for Major and Minor Leagues**

Description

Acquire high/low stats for Major and Minor Leagues

Usage

```
mlb_high_low_stats(
  org_type,
  season,
  sort_stat,
  team_ids = NULL,
  league_ids = NULL,
  sport_ids = NULL,
  game_type = NULL,
  stat_group = NULL,
  limit = NULL
)
```

Arguments

`org_type` The organization type for return information (*Required*). Valid values include:

- player
- team
- division
- league
- sport

`season` The season for which you want to return information (*Required*).

`sort_stat` The stat to sort the return (*Required*). Valid values can be found from 'stat_lookup_param' below

stat_name	stat_lookup_param	is_counting	stat_label	stat_groups
at_bats	atBats	TRUE	At bats	hitting , pitching
total_plate_appearances	plateAppearances	TRUE	Total plate appearances	hitting
runs	runs	TRUE	Runs	hitting
runs_batted_in	rbi	TRUE	Runs batted in	hitting
home_team_runs	runs	TRUE	Home team runs	hitting
away_team_runs	runs	TRUE	Away team runs	hitting
hits	hits	TRUE	Hits	hitting
hits_risp	hitsRisp	TRUE	Hits risp	hitting
home_team_hits	hits	TRUE	Home team hits	hitting
away_team_hits	hits	TRUE	Away team hits	hitting
total_bases	totalBases	TRUE	Total bases	hitting , pitching
doubles	doubles	TRUE	Doubles	hitting , pitching
triples	triples	TRUE	Triples	hitting
home_runs	homeRuns	TRUE	Home runs	hitting , pitching
extra_base_hits	extraBaseHits	TRUE	Extra base hits	hitting
walks	baseOnBalls	TRUE	Walks	hitting , pitching
strikeouts	strikeouts	TRUE	Strikeouts	hitting , pitching
stolen_bases	stolenBases	TRUE	Stolen bases	hitting
caught_stealing	caughtStealing	TRUE	Caught stealing	hitting , pitching, fielding
sacrifice_flies	sacFlies	TRUE	Sacrifice flies	hitting
sacrifice_bunts	sacBunts	TRUE	Sacrifice bunts	hitting
hit_by_pitches	hitByPitch	TRUE	Hit by pitches	hitting , pitching
left_on_base	leftOnBase	TRUE	Left on base	hitting
ground_into_double_plays	groundIntoDoublePlay	TRUE	Ground into double plays	hitting , pitching
strikes	strikes	TRUE	Strikes	pitching
pitches	pitchesThrown	TRUE	Pitches	pitching
balks	balks	TRUE	Balks	pitching
innings_pitched	inningsPitched	TRUE	Innings pitched	pitching
errors	errors	TRUE	Errors	fielding
home_team_errors	errors	TRUE	Home team errors	fielding
away_team_errors	errors	TRUE	Away team errors	fielding
chances	chances	TRUE	Chances	fielding
put_outs	putOuts	TRUE	Put outs	fielding
assists	assists	TRUE	Assists	fielding
double_plays	doublePlays	TRUE	Double plays	fielding
attendance	attendance	TRUE	Attendance	game
game_time	gameDuration	TRUE	Game time	game
delay_time	gameDuration	TRUE	Delay time	game
longest	gameDuration	TRUE	Longest	game
shortest	gameDuration	TRUE	Shortest	game
inning	innings	TRUE	Inning	game
win_streak	winStreak	TRUE	Win streak	streak
loss_streak	lossStreak	TRUE	Loss streak	streak

team_ids	The team_id(s) for which to return information.
league_ids	The league_id(s) for which to return information.
sport_ids	The sport_id(s) for which to return information.
game_type	The game_type for which to return information.
stat_group	Stat group for which to return information. Valid values include:

stat_group
hitting
pitching
fielding
catching
running
game
team
streak

limit	Number of records as the limit of the return.

Value

Returns a tibble with the following columns

col_name	types	description
total_splits	integer	Total number of split records matching the query.
season	integer	Season year for the split.
date	character	Date of the game (YYYY-MM-DD).
is_home	logical	Whether the subject team was the home team.
rank	integer	Rank of the split within the high/low leaderboard.
game_innings	integer	Number of innings played in the game.
stat_at_bats	integer	Value of the sorted statistic (here at bats) for the split.
team_id	integer	MLB team id for the subject team.
team_name	character	Subject team name.
team_link	character	API relative link to the subject team.
opponent_id	integer	MLB team id for the opponent.
opponent_name	character	Opponent team name.
opponent_link	character	API relative link to the opponent team.
game_pk	integer	MLB game primary key.
game_link	character	API relative link to the game live feed.
game_number	integer	Game number within a day (1 unless a doubleheader).
game_day_night	character	Day/night designation of the game ('day' or 'night').
game_content_link	character	API relative link to the game content endpoint.
home_team_id	integer	Home team id (populated for game-level org types).
home_team_name	character	Home team name (populated for game-level org types).
home_team_link	character	API relative link to the home team.
away_team_id	integer	Away team id (populated for game-level org types).
away_team_name	character	Away team name (populated for game-level org types).

away_team_link	character	API relative link to the away team.
combined_stats	logical	Whether the stat combines multiple split sources.
group_display_name	character	Stat group display name (e.g. 'hitting').
game_type_id	character	Single-letter game type code (e.g. 'R').
game_type_description	character	Game type description (e.g. 'Regular Season').
sort_stat_name	character	Snake-case name of the sorted statistic (e.g. 'at_bats').
sort_stat_lookup_param	character	API lookup parameter for the sorted statistic (e.g. 'atBats').
sort_stat_is_counting	logical	Whether the sorted statistic is a counting stat.
sort_stat_label	character	Human-readable label of the sorted statistic (e.g. 'At bats').

Examples

```
try(mlb_high_low_stats(org_type = 'Team', season = 2020, sort_stat = 'atBats'))
```

`mlb_high_low_types` **MLB Stat High/Low Types**

Description

MLB Stat High/Low Types

Usage

```
mlb_high_low_types()
```

Value

Returns a tibble with the following columns

col_name	types	description
stat_name	character	Snake-case name of the statistic (e.g. 'at_bats').
stat_lookup_param	character	API lookup parameter for the statistic (e.g. 'atBats').
is_counting	logical	Whether the statistic is a counting stat.
stat_label	character	Human-readable label of the statistic (e.g. 'At bats').
stat_groups	list	List-column of stat group display names the stat belongs to.
org_types	list	List-column of organization types the stat applies to (e.g. PLAYER).
high_low_types	list	List-column of high/low aggregation types (e.g. PLAYER, TEAM, GAME).

Examples

```
try(mlb_high_low_types())
```

mlb_hit_trajectories MLB Hit Trajectories

Description

MLB Hit Trajectories

Usage

```
mlb_hit_trajectories()
```

Value

Returns a tibble with the following columns

col_name	types	description
hit_trajectory_code	character	Hit trajectory code (e.g. 'bunt_grounder', 'bunt_popup').
hit_trajectory_description	character	Hit trajectory description (e.g. 'Bunt - Ground Ball', 'Bunt - Popup').

Examples

```
try(mlb_hit_trajectories())
```

mlb_homerun_derby Retrieve Homerun Derby data

Description

Retrieve Homerun Derby data

Usage

```
mlb_homerun_derby(game_pk)
```

Arguments

game_pk	The game_pk for which you want to return data

Value

Returns a tibble with the following columns

col_name	types	description
game_pk	integer	MLB game primary key for the Home Run Derby event.
event_name	character	Event name (e.g. 'All-Star Workout Day: Home Run Derby'
event_date	character	Event date-time in ISO 8601 (e.g. '2017-07-11T00:00:00Z')
event_type_code	character	Single-letter event type code (e.g. 'O').
event_type_name	character	Event type name (e.g. 'Other').
venue_id	integer	MLB venue id hosting the event.
venue_name	character	Venue name (e.g. 'Marlins Park').
round	integer	Derby round number for the matchup.
batter	character	Full name of the batter for this swing record.
batter_id	integer	MLB player id of the batter.
batter_link	character	API relative link to the batter.
top_seed_complete	logical	Whether the top seed's turn in the matchup is complete.
top_seed_started	logical	Whether the top seed's turn in the matchup has started.
top_seed_winner	logical	Whether the top seed won the matchup.
bonus_time	logical	Whether the swing occurred during bonus time.
home_run	logical	Whether the swing was scored a home run.
tie_breaker	logical	Whether the swing occurred during a tie-breaker.
is_home_run	logical	Whether the recorded hit is a home run.
time_remaining	character	Time remaining on the clock when the swing occurred.
is_bonus_time	logical	Whether the swing counted toward bonus time.
is_tie_breaker	logical	Whether the swing counted toward a tie-breaker.
hit_data_launch_speed	integer	Exit velocity of the home run swing (mph).
hit_data_launch_angle	integer	Launch angle of the batted ball (degrees).
hit_data_total_distance	integer	Projected total distance of the batted ball (feet).
hit_data_coordinates_coord_x	numeric	Hit location x-coordinate on the field overlay.
hit_data_coordinates_coord_y	numeric	Hit location y-coordinate on the field overlay.
hit_data_coordinates_landing_pos_x	numeric	Landing position x-coordinate of the batted ball.
hit_data_coordinates_landing_pos_y	numeric	Landing position y-coordinate of the batted ball.
hit_data_trajectory_data_trajectory_polynomial_x	list	Polynomial coefficients of the x trajectory.
hit_data_trajectory_data_trajectory_polynomial_y	list	Polynomial coefficients of the y trajectory.
hit_data_trajectory_data_trajectory_polynomial_z	list	Polynomial coefficients of the z trajectory.
hit_data_trajectory_data_valid_time_interval	list	Valid time interval for the trajectory fit (seconds).
top_seed_seed	integer	Bracket seed number of the top seed.
top_seed_is_winner	logical	Whether the top seed is the matchup winner.
top_seed_is_complete	logical	Whether the top seed's turn is complete.
top_seed_is_started	logical	Whether the top seed's turn has started.
top_seed_num_home_runs	integer	Number of home runs hit by the top seed.
top_seed_player_id	integer	MLB player id of the top seed.
top_seed_player_full_name	character	Full name of the top seed.
top_seed_player_link	character	API relative link to the top seed player.
top_seed_top_derby_hit_data_launch_speed	integer	Top seed's hardest-hit exit velocity in the round (mph).
top_seed_top_derby_hit_data_total_distance	integer	Top seed's longest projected distance in the round (feet).
bottom_seed_complete	logical	Whether the bottom seed's turn in the matchup is complete.
bottom_seed_started	logical	Whether the bottom seed's turn in the matchup has started.

bottom_seed_winner	logical	Whether the bottom seed won the matchup.
bottom_seed_seed	integer	Bracket seed number of the bottom seed.
bottom_seed_is_winner	logical	Whether the bottom seed is the matchup winner.
bottom_seed_is_complete	logical	Whether the bottom seed's turn is complete.
bottom_seed_is_started	logical	Whether the bottom seed's turn has started.
bottom_seed_num_home_runs	integer	Number of home runs hit by the bottom seed.
bottom_seed_player_id	integer	MLB player id of the bottom seed.
bottom_seed_player_full_name	character	Full name of the bottom seed.
bottom_seed_player_link	character	API relative link to the bottom seed player.
bottom_seed_top_derby_hit_data_launch_speed	integer	Bottom seed's hardest-hit exit velocity in the round (mph).
bottom_seed_top_derby_hit_data_total_distance	integer	Bottom seed's longest projected distance in the round (feet).
venue_link	character	API relative link to the event venue.
is_multi_day	logical	Whether the event spans multiple days.
is_primary_calendar	logical	Whether the event is on the primary calendar.
file_code	character	Internal file code for the event.
event_number	integer	Event number identifier.
public_facing	logical	Whether the event is public facing.

Examples

```
try(mlb_homerun_derby(game_pk = 511101))
```

`mlb_homerun_derby_bracket`

Retrieve Homerun Derby Bracket

Description

Retrieve Homerun Derby Bracket

Usage

```
mlb_homerun_derby_bracket(game_pk)
```

Arguments

game_pk	The game_pk for which you want to return data

Value

Returns a tibble with the following columns

col_name	types	description
game_pk	integer	MLB game primary key for the Home Run Derby event.
event_name	character	Event name (e.g. 'All-Star Workout Day: Home Run Derby').

event_type_code	character	Single-letter event type code (e.g. 'O').
event_type_name	character	Event type name (e.g. 'Other').
event_date	character	Event date-time in ISO 8601 (e.g. '2017-07-11T00:00:00Z').
venue_id	integer	MLB venue id hosting the event.
venue_name	character	Venue name (e.g. 'Marlins Park').
venue_link	character	API relative link to the event venue.
is_multi_day	logical	Whether the event spans multiple days.
is_primary_calendar	logical	Whether the event is on the primary calendar.
file_code	character	Internal file code for the event.
event_number	integer	Event number identifier.
public_facing	logical	Whether the event is public facing.
round	integer	Derby bracket round number.
top_seed_complete	logical	Whether the top seed's turn in the matchup is complete.
top_seed_started	logical	Whether the top seed's turn in the matchup has started.
top_seed_winner	logical	Whether the top seed won the matchup.
top_seed_seed	integer	Bracket seed number of the top seed.
top_seed_is_winner	logical	Whether the top seed is the matchup winner.
top_seed_is_complete	logical	Whether the top seed's turn is complete.
top_seed_is_started	logical	Whether the top seed's turn has started.
top_seed_num_home_runs	integer	Number of home runs hit by the top seed.
top_seed_player_id	integer	MLB player id of the top seed.
top_seed_player_full_name	character	Full name of the top seed.
top_seed_player_link	character	API relative link to the top seed player.
top_seed_top_derby_hit_data_launch_speed	integer	Top seed's hardest-hit exit velocity in the round (mph).
top_seed_top_derby_hit_data_total_distance	integer	Top seed's longest projected distance in the round (feet).
bottom_seed_complete	logical	Whether the bottom seed's turn in the matchup is complete.
bottom_seed_started	logical	Whether the bottom seed's turn in the matchup has started.
bottom_seed_winner	logical	Whether the bottom seed won the matchup.
bottom_seed_seed	integer	Bracket seed number of the bottom seed.
bottom_seed_is_winner	logical	Whether the bottom seed is the matchup winner.
bottom_seed_is_complete	logical	Whether the bottom seed's turn is complete.
bottom_seed_is_started	logical	Whether the bottom seed's turn has started.
bottom_seed_num_home_runs	integer	Number of home runs hit by the bottom seed.
bottom_seed_player_id	integer	MLB player id of the bottom seed.
bottom_seed_player_full_name	character	Full name of the bottom seed.
bottom_seed_player_link	character	API relative link to the bottom seed player.
bottom_seed_top_derby_hit_data_launch_speed	integer	Bottom seed's hardest-hit exit velocity in the round (mph).
bottom_seed_top_derby_hit_data_total_distance	integer	Bottom seed's longest projected distance in the round (feet).

Examples

```
try(mlb_homerun_derby_bracket(game_pk = 511101))
```

`mlb_homerun_derby_endpoints`

MLB Home Run Derby Endpoint Overview

Description

- `mlb_homerun_derby()`: Retrieve Homerun Derby data.
- `mlb_homerun_derby_bracket()`: Retrieve Homerun Derby Bracket.
- `mlb_homerun_derby_players()`: Retrieve Homerun Derby Players.

Details

MLB Home Run Derby:

These functions retrieve MLB Home Run Derby data, bracket, and player information from the MLB Stats API.

`mlb_homerun_derby_players`

Retrieve Homerun Derby Players

Description

Retrieve Homerun Derby Players

Usage

```
mlb_homerun_derby_players(game_pk)
```

Arguments

`game_pk`	The game_pk for which you want to return data

Value

Returns a tibble with the following columns

col_name	types	description
game_pk	integer	MLB game primary key for the Home Run Derby event.
event_name	character	Event name (e.g. 'All-Star Workout Day: Home Run Derby')
event_date	character	Event date-time in ISO 8601 (e.g. '2017-07-11T00:00:00Z').
event_type_code	character	Single-letter event type code (e.g. 'O').
event_type_name	character	Event type name (e.g. 'Other').
venue_id	integer	MLB venue id hosting the event.
venue_name	character	Venue name (e.g. 'Marlins Park').
player_id	integer	MLB player id of the participant.
player_full_name	character	Participant full name.
player_link	character	API relative link to the player.
player_first_name	character	Participant first name.
player_last_name	character	Participant last name.
player_primary_number	character	Participant primary jersey number.
player_birth_date	character	Participant birth date (YYYY-MM-DD).

player_current_age	integer	Participant current age in years.
player_birth_city	character	Participant birth city.
player_birth_state_province	character	Participant birth state or province.
player_birth_country	character	Participant birth country.
player_height	character	Participant height (e.g. "6' 5\"").
player_weight	integer	Participant weight in pounds.
player_active	logical	Whether the participant is currently an active player.
player_use_name	character	Participant preferred display first name.
player_middle_name	character	Participant middle name.
player_boxscore_name	character	Participant short box score name.
player_nick_name	character	Participant nickname.
player_gender	character	Participant gender code (e.g. 'M').
player_is_player	logical	Whether the person is classified as a player.
player_is_verified	logical	Whether the player profile is verified.
player_draft_year	integer	Year the participant was drafted.
player_pronunciation	character	Phonetic pronunciation of the participant's name.
player_mlb_debut_date	character	Participant MLB debut date (YYYY-MM-DD).
player_name_first_last	character	Participant name in first-last order.
player_name_slug	character	URL slug for the participant (name plus id).
player_first_last_name	character	Participant name in first-last order.
player_last_first_name	character	Participant name in last, first order.
player_last_init_name	character	Participant name as last, first initial.
player_init_last_name	character	Participant name as first initial last.
player_full_fml_name	character	Participant full first-middle-last name.
player_full_lfm_name	character	Participant full last, first-middle name.
player_strike_zone_top	numeric	Top of the participant's strike zone (feet).
player_strike_zone_bottom	numeric	Bottom of the participant's strike zone (feet).
player_name_matrilineal	character	Participant matrilineal name when provided.
player_current_team_id	integer	Participant current team id.
player_current_team_name	character	Participant current team name.
player_current_team_link	character	API relative link to the current team.
player_current_team_season	integer	Season of the current team reference.
player_current_team_team_code	character	Current team three-letter team code.
player_current_team_file_code	character	Current team file code.
player_current_team_abbreviation	character	Current team abbreviation (e.g. 'NYY').
player_current_team_team_name	character	Current team short team name (e.g. 'Yankees').
player_current_team_location_name	character	Current team location name.
player_current_team_first_year_of_play	character	Franchise first year of play.
player_current_team_short_name	character	Current team short name.
player_current_team_franchise_name	character	Current team franchise name.
player_current_team_club_name	character	Current team club name.
player_current_team_all_star_status	character	Current team all-star status flag.
player_current_team_active	logical	Whether the current team is active.
player_current_team_parent_org_name	character	Parent organization name (minors).
player_current_team_parent_org_id	integer	Parent organization id (minors).
player_current_team_venue_id	integer	Current team home venue id.
player_current_team_venue_name	character	Current team home venue name.
player_current_team_venue_link	character	API relative link to the team venue.

player_current_team_spring_venue_id	integer	Current team spring training venue id.
player_current_team_spring_venue_link	character	API relative link to the spring venue.
player_current_team_league_id	integer	Current team league id (e.g. 103, 104).
player_current_team_league_name	character	Current team league name.
player_current_team_league_link	character	API relative link to the league.
player_current_team_division_id	integer	Current team division id.
player_current_team_division_name	character	Current team division name.
player_current_team_division_link	character	API relative link to the division.
player_current_team_sport_id	integer	Current team sport id (1 for MLB).
player_current_team_sport_link	character	API relative link to the sport.
player_current_team_sport_name	character	Current team sport name.
player_current_team_spring_league_id	integer	Spring league id.
player_current_team_spring_league_name	character	Spring league name (e.g. 'Grapefruit League').
player_current_team_spring_league_link	character	API relative link to the spring league.
player_current_team_spring_league_abbreviation	character	Spring league abbreviation (e.g. 'GL').
player_primary_position_code	character	Participant primary position code.
player_primary_position_name	character	Participant primary position name.
player_primary_position_type	character	Participant primary position type (e.g. 'Hitter').
player_primary_position_abbreviation	character	Participant primary position abbreviation (e.g. 'DH').
player_bat_side_code	character	Participant batting side code (e.g. 'R').
player_bat_side_description	character	Participant batting side description (e.g. 'Right').
player_pitch_hand_code	character	Participant throwing hand code (e.g. 'R').
player_pitch_hand_description	character	Participant throwing hand description (e.g. 'Right').
venue_link	character	API relative link to the event venue.
is_multi_day	logical	Whether the event spans multiple days.
is_primary_calendar	logical	Whether the event is on the primary calendar.
file_code	character	Internal file code for the event.
event_number	integer	Event number identifier.
public_facing	logical	Whether the event is public facing.

Examples

```
try(mlb_homerun_derby_players(game_pk = 511101))
```

`mlb_job_types` **MLB Job Types**

Description

MLB Job Types

Usage

```
mlb_job_types()
```

Value

Returns a tibble with the following columns

col_name	types	description
job_code	character	Four-letter job type code (e.g. 'UMPR', 'UDIR').
job	character	Job title (e.g. 'Umpire', 'Director of Instant Replay').
sort_order	integer	Display sort order for the job type.

Examples

```
try(mlb_job_types())
```

---

mlb_jobs MLB Jobs

Description

MLB Jobs

Usage

```
mlb_jobs(job_type = "UMPR", sport_id = NULL, date = NULL)
```

Arguments

job_type	Return information for a given job_type. See `mlb_job_types()`
sport_id	Return information for a given sport_id.
date	Return information for a given date.

Value

Returns a tibble with the following columns

col_name	types	description
jersey_number	character	Jersey number worn (often blank for non-uniformed roles).
job	character	Job title (e.g. 'Umpire').
job_code	character	Four-letter job type code (e.g. 'UMPR').
title	character	Specific role title for the assignment.
person_id	integer	MLB person id for the individual.
person_full_name	character	Full name of the individual.
person_link	character	API relative link to the person.

Examples

```
try(mlb_jobs(job_type='UMPR'))
```

mlb_jobs_datacasters MLB Jobs Datacasters

Description

MLB Jobs Datacasters

Usage

```
mlb_jobs_datacasters(sport_id = NULL, date = NULL)
```

Arguments

sport_id	Return information for a given sport_id.
date	Return information for a given date.

Value

Returns a tibble with the following columns

col_name	types	description
jersey_number	character	Jersey number (typically blank for datacasters).
job	character	Job title (e.g. 'Stringer').
job_code	character	Four-letter job type code (e.g. 'MSTR').
title	character	Specific role title for the assignment.
person_id	integer	MLB person id for the datacaster.
person_full_name	character	Full name of the datacaster.
person_link	character	API relative link to the person.

Examples

```
try(mlb_jobs_datacasters(sport_id=1))
```

mlb_jobs_endpoints MLB Jobs Endpoint Overview

Description

- `mlb_jobs()`: MLB Jobs.
- `mlb_jobs_datacasters()`: MLB Jobs Datacasters.
- `mlb_jobs_official_scorers()`: MLB Jobs Official Scorers.
- `mlb_jobs_umpires()`: MLB Jobs Umpires.
- `mlb_job_types()`: MLB Job Types.

Details

MLB Jobs:

These functions retrieve MLB job, datacaster, official scorer, umpire, and job-type information from the MLB Stats API.

`mlb_jobs_official_scorers`

MLB Jobs Official Scorers

Description

MLB Jobs Official Scorers

Usage

```
mlb_jobs_official_scorers(sport_id = NULL, date = NULL)
```

Arguments

`sport_id`	Return information for a given sport_id.
`date`	Return information for a given date.

Value

Returns a tibble with the following columns

col_name	types	description
jersey_number	character	Jersey number (typically blank for official scorers).
job	character	Job title (e.g. 'Official Scorer').
job_code	character	Four-letter job type code (e.g. 'SCOR').
title	character	Specific role title for the assignment.
person_id	integer	MLB person id for the official scorer.
person_full_name	character	Full name of the official scorer.
person_link	character	API relative link to the person.

Examples

```
try(mlb_jobs_official_scorers(sport_id=1))
```

mlb_jobs_umpires MLB Jobs Umpires

Description

MLB Jobs Umpires

Usage

```
mlb_jobs_umpires(sport_id = NULL, date = NULL)
```

Arguments

sport_id	Return information for a given sport_id.
date	Return information for a given date.

Value

Returns a tibble with the following columns

col_name	types	description
jersey_number	character	Umpire jersey number.
job	character	Job title (e.g. 'Umpire').
job_code	character	Four-letter job type code (e.g. 'UMPR').
title	character	Specific role title for the assignment.
person_id	integer	MLB person id for the umpire.
person_full_name	character	Full name of the umpire.
person_link	character	API relative link to the person.

Examples

```
try(mlb_jobs_umpires(sport_id=1))
```

mlb_languages MLB API Language Options

Description

MLB API Language Options

Usage

```
mlb_languages()
```

Value

Returns a tibble with the following columns

col_name	types	description
language_id	integer	Numeric language identifier.
language_code	character	Short language code (e.g. 'en', 'xe').
language_name	character	Language display name (e.g. 'English', 'Elias').
locale	character	Locale string for the language (e.g. 'en_US').

Examples

```
try(mlb_languages())
```

`mlb_league` **MLB Leagues**

Description

MLB Leagues

Usage

```
mlb_league(seasons = NULL, sport_id = NULL, league_id = NULL)
```

Arguments

`seasons`	Year(s) to return to return league information for.
`sport_id`	The sport_id to return league information for.
`league_id`	The league_id(s) to return league information for.

Value

Returns a tibble with the following columns

col_name	types	description
league_id	integer	MLB league id (e.g. 103 for AL, 104 for NL).
league_name	character	League name (e.g. 'American League').
league_link	character	API relative link to the league.
league_abbreviation	character	League abbreviation (e.g. 'AL').
league_name_short	character	Short league name (e.g. 'American').
league_season_state	character	Season state (e.g. 'offseason', 'regular').
league_has_wild_card	logical	Whether the league uses a wild card.
league_has_split_season	logical	Whether the league has a split season.
league_num_games	integer	Scheduled number of regular season games.

league_has_playoff_points	logical	Whether the league awards playoff points.
league_num_teams	integer	Number of teams in the league.
league_num_wildcard_teams	integer	Number of wild card teams.
league_season	character	Season year for the league record.
league_org_code	character	Organization code (e.g. 'AL').
league_conferences_in_use	logical	Whether conferences are used.
league_divisions_in_use	logical	Whether divisions are used.
league_sort_order	integer	Display sort order for the league.
league_active	logical	Whether the league is active.
season_date_info_season_id	character	Season identifier for the date info block.
season_date_info_pre_season_start_date	character	Preseason start date (YYYY-MM-DD).
season_date_info_pre_season_end_date	character	Preseason end date (YYYY-MM-DD).
season_date_info_season_start_date	character	Season start date (YYYY-MM-DD).
season_date_info_spring_start_date	character	Spring training start date (YYYY-MM-DD).
season_date_info_spring_end_date	character	Spring training end date (YYYY-MM-DD).
season_date_info_regular_season_start_date	character	Regular season start date (YYYY-MM-DD).
season_date_info_last_date1st_half	character	Last date of the first half (YYYY-MM-DD).
season_date_info_all_star_date	character	All-Star Game date (YYYY-MM-DD).
season_date_info_first_date2nd_half	character	First date of the second half (YYYY-MM-DD).
season_date_info_regular_season_end_date	character	Regular season end date (YYYY-MM-DD).
season_date_info_post_season_start_date	character	Postseason start date (YYYY-MM-DD).
season_date_info_post_season_end_date	character	Postseason end date (YYYY-MM-DD).
season_date_info_season_end_date	character	Season end date (YYYY-MM-DD).
season_date_info_offseason_start_date	character	Offseason start date (YYYY-MM-DD).
season_date_info_off_season_end_date	character	Offseason end date (YYYY-MM-DD).
season_date_info_season_level_gameday_type	character	Season-level Gameday data type code.
season_date_info_game_level_gameday_type	character	Game-level Gameday data type code.
season_date_info_qualifier_plate_appearances	numeric	Plate appearances per game needed to qualify.
season_date_info_qualifier_outs_pitched	integer	Outs pitched per game needed to qualify.
sport_id	integer	Sport id associated with the league (1 for MLB).
sport_link	character	API relative link to the sport.

Examples

```
try(mlb_league(seasons = 2021, sport_id = 1))
```

`mlb_league_leader_types`

MLB League Leader Types

Description

MLB League Leader Types

Usage

```
mlb_league_leader_types()
```

Value

Returns a tibble with the following columns

col_name	types	description
leader_type	character	League leader category display name (e.g. 'assists', 'shutouts').

Examples

```
try(mlb_league_leader_types())
```

---

mlb_logical_events MLB Logical Events

Description

MLB Logical Events

Usage

```
mlb_logical_events()
```

Value

Returns a tibble with the following columns

col_name	types	description
event_code	character	Logical event code used by the MLB Gameday feed (e.g. 'newBatter').

Examples

```
try(mlb_logical_events())
```

mlb_metrics MLB Metrics

Description

MLB Metrics

Usage

```
mlb_metrics()
```

Value

Returns a tibble with the following columns

col_name	types	description
metric_name	character	Metric name (e.g. 'releaseSpinRate').
metric_id	integer	Numeric metric identifier.
stat_group	character	Stat group the metric belongs to (e.g. 'pitching').
metric_unit	character	Unit of measure for the metric (e.g. 'RPM').

Examples

```
try(mlb_metrics())
```

mlb_model_loaders Load pre-computed MLB model datasets from the SportsDataverse data repo

Description

Season-level loaders for the modeled MLB datasets published on the sportsdataverse-data releases, mirroring sportsdataverse-py's `load_mlb_*` loader surface:

- `load_mlb_expected_stats()` / `load_mlb_expected_hr()` / `load_mlb_batter_projection()` – hitting models (xBA/xwOBA-style expected stats, expected home runs, and blended batter projections).
- `load_mlb_stuff_plus()` / `load_mlb_command_plus()` / `load_mlb_xera()` – pitching models (Stuff+, Command+, and expected ERA).
- `load_mlb_oaa()` / `load_mlb_catcher_framing()` – fielding models (outs above average and catcher framing runs).
- `load_mlb_re24_matrix()` / `load_mlb_we_table()` / `load_mlb_wpa()` – game-state references (run-expectancy matrix, win-expectancy table, and per-play win probability added).

Coverage starts in 2015 (2016 for `load_mlb_batter_projection()`) and runs through the most recent season.

Usage

```
load_mlb_expected_stats(
  seasons = most_recent_mlb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_mlb_expected_hr(
  seasons = most_recent_mlb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_mlb_batter_projection(
  seasons = most_recent_mlb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_mlb_stuff_plus(
  seasons = most_recent_mlb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_mlb_command_plus(
  seasons = most_recent_mlb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_mlb_xera(
  seasons = most_recent_mlb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_mlb_oaa(
  seasons = most_recent_mlb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
```

```
)

load_mlb_catcher_framing(
  seasons = most_recent_mlb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_mlb_re24_matrix(
  seasons = most_recent_mlb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_mlb_we_table(
  seasons = most_recent_mlb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_mlb_wpa(
  seasons = most_recent_mlb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit seasons, or TRUE for every published season.
...	Additional arguments passed to the underlying database write.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A baseballr_data tibble (one row per player-season, or per game-state cell for the game-state references).

Examples

```
try(load_mlb_expected_stats(2024))
```

`mlb_pbp` **Acquire pitch-by-pitch data for Major and Minor League games**

Description

Acquire pitch-by-pitch data for Major and Minor League games

Usage

```
mlb_pbp(game_pk, add_base_state = FALSE)
```

Arguments

`game_pk`	The date for which you want to find game_pk values for MLB games
`add_base_state`	If `TRUE`, append per-event pre-pitch base-occupancy columns `pre_on_1b` / `pre_on_2b` / `pre_on_3b` (runner MLBAM ids, `NA` when the base is empty), reconstructed from the feed's runner-movement records. The API itself only publishes end-of-plate-appearance base state (`matchup.postOn*`); this derives the state before each pitch. Defaults to `FALSE`.

Value

Returns a tibble that includes over 100 columns of data provided by the MLB Stats API at a pitch level.

Some data will vary depending on the park and the league level, as most sensor data is not available in minor league parks via this API. Note that the column names have mostly been left as-is and there are likely duplicate columns in terms of the information they provide. I plan to clean the output up down the road, but for now I am leaving the majority as-is.

Both major and minor league pitch-by-pitch data can be pulled with this function.

col_name	types	description
game_pk	numeric	MLB game primary key.
game_date	character	Game date (YYYY-MM-DD).
index	integer	Index of the play event within the at-bat.
startTime	character	Event start timestamp (ISO 8601).
endTime	character	Event end timestamp (ISO 8601).
isPitch	logical	Whether the event is a pitch.
type	character	Play event type (e.g. 'pitch', 'action').
playId	character	Unique play event identifier (UUID).
pitchNumber	integer	Pitch number within the at-bat.
details.description	character	Pitch/event description (e.g. 'Swinging Strike').
details.event	character	Event name for non-pitch actions.
details.awayScore	integer	Away score recorded at the event.
details.homeScore	integer	Home score recorded at the event.
details.isScoringPlay	logical	Whether the event is a scoring play.
details.hasReview	logical	Whether the event was reviewed.

details.code	character	Pitch/result code (e.g. 'S', 'C', 'B').
details.ballColor	character	Gameday ball color rgba string.
details.isInPlay	logical	Whether the ball was put in play.
details.isStrike	logical	Whether the pitch was a strike.
details.isBall	logical	Whether the pitch was a ball.
details.call.code	character	Umpire call code.
details.call.description	character	Umpire call description.
count.balls.start	integer	Ball count before the pitch.
count.strikes.start	integer	Strike count before the pitch.
count.outs.start	integer	Out count before the pitch.
player.id	integer	Player id for action-event participant.
player.link	character	API relative link to the action player.
pitchData.strikeZoneTop	numeric	Top of the batter strike zone (feet).
pitchData.strikeZoneBottom	numeric	Bottom of the batter strike zone (feet).
details.fromCatcher	logical	Whether the event originated from the catcher.
pitchData.coordinates.x	numeric	Pitch x pixel coordinate (Gameday).
pitchData.coordinates.y	numeric	Pitch y pixel coordinate (Gameday).
hitData.trajectory	character	Batted ball trajectory.
hitData.hardness	character	Batted ball hardness.
hitData.location	character	Fielding position where the ball was hit.
hitData.coordinates.coordX	numeric	Batted ball landing x coordinate.
hitData.coordinates.coordY	numeric	Batted ball landing y coordinate.
actionPlayId	character	Identifier of an associated action play.
details.eventType	character	Event type slug for non-pitch actions.
details.runnerGoing	logical	Whether a runner was going on the pitch.
position.code	character	Fielding position code for the player.
position.name	character	Fielding position name.
position.type	character	Fielding position type.
position.abbreviation	character	Fielding position abbreviation.
battingOrder	character	Batting order slot.
atBatIndex	character	At-bat index within the game (factor).
result.type	character	Result type (e.g. 'atBat').
result.event	character	At-bat result event (e.g. 'Strikeout').
result.eventType	character	At-bat result event slug.
result.description	character	Narrative description of the at-bat result.
result.rbi	integer	Runs batted in on the at-bat.
result.awayScore	integer	Away score after the at-bat.
result.homeScore	integer	Home score after the at-bat.
about.atBatIndex	integer	At-bat index (numeric).
about.halfInning	character	Half inning ('top' or 'bottom').
about.inning	integer	Inning number.
about.startTime	character	At-bat start timestamp (ISO 8601).
about.endTime	character	At-bat end timestamp (ISO 8601).
about.isComplete	logical	Whether the at-bat is complete.
about.isScoringPlay	logical	Whether the at-bat is a scoring play.
about.hasReview	logical	Whether the at-bat had a review.
about.hasOut	logical	Whether the at-bat produced an out.
about.captivatingIndex	integer	MLB captivating index for the play.

count.balls.end	integer	Ball count after the pitch.
count.strikes.end	integer	Strike count after the pitch.
count.outs.end	integer	Out count after the pitch.
matchup.batter.id	integer	Batter player id.
matchup.batter.fullName	character	Batter full name (factor).
matchup.batter.link	character	API relative link to the batter.
matchup.batSide.code	character	Batter handedness code (e.g. 'L', 'R').
matchup.batSide.description	character	Batter handedness description.
matchup.pitcher.id	integer	Pitcher player id.
matchup.pitcher.fullName	character	Pitcher full name (factor).
matchup.pitcher.link	character	API relative link to the pitcher.
matchup.pitchHand.code	character	Pitcher throwing hand code (e.g. 'R').
matchup.pitchHand.description	character	Pitcher throwing hand description.
matchup.splits.batter	character	Batter platoon split (e.g. 'vs_RHP').
matchup.splits.pitcher	character	Pitcher platoon split (e.g. 'vs_LHB').
matchup.splits.menOnBase	character	Men on base split (e.g. 'Empty', 'Men_On').
batted.ball.result	factor	Categorized batted ball result.
home_team	character	Home team name.
home_level_id	integer	Home team level/sport id (1 for MLB).
home_level_name	character	Home team level/sport name.
home_parentOrg_id	integer	Home team parent organization id (minors).
home_parentOrg_name	character	Home team parent organization name (minors).
home_league_id	integer	Home team league id.
home_league_name	character	Home team league name.
away_team	character	Away team name.
away_level_id	integer	Away team level/sport id (1 for MLB).
away_level_name	character	Away team level/sport name.
away_parentOrg_id	integer	Away team parent organization id (minors).
away_parentOrg_name	character	Away team parent organization name (minors).
away_league_id	integer	Away team league id.
away_league_name	character	Away team league name.
batting_team	character	Team batting on the play (factor).
fielding_team	character	Team fielding on the play (factor).
last.pitch.of.ab	character	Whether the pitch was the last of the at-bat (factor).
pfxId	character	Pitch f/x tracking identifier.
details.trailColor	character	Gameday pitch trail color rgba string.
details.type.code	character	Pitch type code (e.g. 'CU', 'SI').
details.type.description	character	Pitch type description (e.g. 'Curveball').
pitchData.startSpeed	numeric	Pitch release speed (mph).
pitchData.endSpeed	numeric	Pitch speed crossing the plate (mph).
pitchData.zone	integer	Strike zone region of the pitch.
pitchData.typeConfidence	numeric	Pitch type classification confidence.
pitchData.plateTime	numeric	Time from release to plate (seconds).
pitchData.extension	numeric	Pitcher release extension (feet).
pitchData.coordinates.aY	numeric	Pitch acceleration in y (ft/s^2).
pitchData.coordinates.aZ	numeric	Pitch acceleration in z (ft/s^2).
pitchData.coordinates.pfxX	numeric	Horizontal pitch movement (inches).
pitchData.coordinates.pfxZ	numeric	Vertical pitch movement (inches).

pitchData.coordinates.pX	numeric	Horizontal pitch location at plate (feet).
pitchData.coordinates.pZ	numeric	Vertical pitch location at plate (feet).
pitchData.coordinates.vX0	numeric	Pitch initial velocity in x (ft/s).
pitchData.coordinates.vY0	numeric	Pitch initial velocity in y (ft/s).
pitchData.coordinates.vZ0	numeric	Pitch initial velocity in z (ft/s).
pitchData.coordinates.x0	numeric	Pitch initial x position (feet).
pitchData.coordinates.y0	numeric	Pitch initial y position (feet).
pitchData.coordinates.z0	numeric	Pitch initial z position (feet).
pitchData.coordinates.aX	numeric	Pitch acceleration in x (ft/s^2).
pitchData.breaks.breakAngle	numeric	Pitch break angle (degrees).
pitchData.breaks.breakLength	numeric	Pitch break length (inches).
pitchData.breaks.breakY	numeric	Distance from plate where break is measured.
pitchData.breaks.spinRate	integer	Pitch spin rate (RPM).
pitchData.breaks.spinDirection	integer	Pitch spin direction (degrees).
hitData.launchSpeed	numeric	Batted ball exit velocity (mph).
hitData.launchAngle	numeric	Batted ball launch angle (degrees).
hitData.totalDistance	numeric	Batted ball total distance (feet).
injuryType	character	Injury type when the event is injury-related.
umpire.id	integer	Umpire person id for the event.
umpire.link	character	API relative link to the umpire.
details.isOut	logical	Whether the pitch/event resulted in an out.
pitchData.breaks.breakVertical	numeric	Total vertical break (inches).
pitchData.breaks.breakVerticalInduced	numeric	Induced vertical break (inches).
pitchData.breaks.breakHorizontal	numeric	Horizontal break (inches).
details.disengagementNum	integer	Pitcher disengagement number on the play.
isBaseRunningPlay	logical	Whether the event is a base running play.
isSubstitution	logical	Whether the event is a substitution.
replacedPlayer.id	integer	Player id replaced on a substitution.
replacedPlayer.link	character	API relative link to the replaced player.
result.isOut	logical	Whether the at-bat resulted in an out.
about.isTopInning	logical	Whether the play occurred in the top of the inning.
matchup.postOnFirst.id	integer	Runner id on first base after the play.
matchup.postOnFirst.fullName	character	Runner name on first base after the play.
matchup.postOnFirst.link	character	API relative link to the first base runner.
matchup.postOnSecond.id	integer	Runner id on second base after the play.
matchup.postOnSecond.fullName	character	Runner name on second base after the play.
matchup.postOnSecond.link	character	API relative link to the second base runner.
matchup.postOnThird.id	integer	Runner id on third base after the play.
matchup.postOnThird.fullName	character	Runner name on third base after the play.
matchup.postOnThird.link	character	API relative link to the third base runner.

Examples

```
try(mlb_pbp(game_pk = 632970))
```

`mlb_pbp_diff` **Acquire pitch-by-pitch data between two timecodes for Major and Minor League games**

Description

Acquire pitch-by-pitch data between two timecodes for Major and Minor League games

Usage

```
mlb_pbp_diff(game_pk, start_timecode, end_timecode)
```

Arguments

`game_pk`	The date for which you want to find game_pk values for MLB games
`start_timecode`	The start time code for the MLB game (format: MMDDYYYY_HHMMSS)
`end_timecode`	The end time code for the MLB game (format: MMDDYYYY_HHMMSS)

Value

Returns a tibble that includes over 100 columns of data provided by the MLB Stats API at a pitch level between the start_timecode and end_timecode

col_name	types	description
game_pk	numeric	MLB game primary key.
game_date	character	Game date (YYYY-MM-DD).
index	integer	Index of the play event within the at-bat.
startTime	character	Event start timestamp (ISO 8601).
endTime	character	Event end timestamp (ISO 8601).
isPitch	logical	Whether the event is a pitch.
type	character	Play event type (e.g. 'pitch', 'action').
playId	character	Unique play event identifier (UUID).
pitchNumber	integer	Pitch number within the at-bat.
details.description	character	Pitch/event description (e.g. 'Foul', 'Ball').
details.event	character	Event name for non-pitch actions.
details.awayScore	integer	Away score recorded at the event.
details.homeScore	integer	Home score recorded at the event.
details.isScoringPlay	logical	Whether the event is a scoring play.
details.hasReview	logical	Whether the event was reviewed.
details.code	character	Pitch/result code (e.g. 'F', 'B').
details.ballColor	character	Gameday ball color rgba string.
details.isInPlay	logical	Whether the ball was put in play.
details.isStrike	logical	Whether the pitch was a strike.
details.isBall	logical	Whether the pitch was a ball.
details.call.code	character	Umpire call code.
details.call.description	character	Umpire call description.

count.balls.start	integer	Ball count before the pitch.
count.strikes.start	integer	Strike count before the pitch.
count.outs.start	integer	Out count before the pitch.
player.id	integer	Player id for action-event participant.
player.link	character	API relative link to the action player.
pitchData.strikeZoneTop	numeric	Top of the batter strike zone (feet).
pitchData.strikeZoneBottom	numeric	Bottom of the batter strike zone (feet).
details.fromCatcher	logical	Whether the event originated from the catcher.
pitchData.coordinates.x	numeric	Pitch x pixel coordinate (Gameday).
pitchData.coordinates.y	numeric	Pitch y pixel coordinate (Gameday).
hitData.trajectory	character	Batted ball trajectory.
hitData.hardness	character	Batted ball hardness.
hitData.location	character	Fielding position where the ball was hit.
hitData.coordinates.coordX	numeric	Batted ball landing x coordinate.
hitData.coordinates.coordY	numeric	Batted ball landing y coordinate.
actionPlayId	character	Identifier of an associated action play.
details.eventType	character	Event type slug for non-pitch actions.
details.runnerGoing	logical	Whether a runner was going on the pitch.
position.code	character	Fielding position code for the player.
position.name	character	Fielding position name.
position.type	character	Fielding position type.
position.abbreviation	character	Fielding position abbreviation.
battingOrder	character	Batting order slot.
atBatIndex	character	At-bat index within the game (factor).
result.type	character	Result type (e.g. 'atBat').
result.event	character	At-bat result event.
result.eventType	character	At-bat result event slug.
result.description	character	Narrative description of the at-bat result.
result.rbi	integer	Runs batted in on the at-bat.
result.awayScore	integer	Away score after the at-bat.
result.homeScore	integer	Home score after the at-bat.
about.atBatIndex	integer	At-bat index (numeric).
about.halfInning	character	Half inning ('top' or 'bottom').
about.inning	integer	Inning number.
about.startTime	character	At-bat start timestamp (ISO 8601).
about.endTime	character	At-bat end timestamp (ISO 8601).
about.isComplete	logical	Whether the at-bat is complete.
about.isScoringPlay	logical	Whether the at-bat is a scoring play.
about.hasReview	logical	Whether the at-bat had a review.
about.hasOut	logical	Whether the at-bat produced an out.
about.captivatingIndex	integer	MLB captivating index for the play.
count.balls.end	integer	Ball count after the pitch.
count.strikes.end	integer	Strike count after the pitch.
count.outs.end	integer	Out count after the pitch.
matchup.batter.id	integer	Batter player id.
matchup.batter.fullName	character	Batter full name (factor).
matchup.batter.link	character	API relative link to the batter.
matchup.batSide.code	character	Batter handedness code (e.g. 'L', 'R').

matchup.batSide.description	character	Batter handedness description.
matchup.pitcher.id	integer	Pitcher player id.
matchup.pitcher.fullName	character	Pitcher full name (factor).
matchup.pitcher.link	character	API relative link to the pitcher.
matchup.pitchHand.code	character	Pitcher throwing hand code (e.g. 'R').
matchup.pitchHand.description	character	Pitcher throwing hand description.
matchup.splits.batter	character	Batter platoon split (e.g. 'vs_RHP').
matchup.splits.pitcher	character	Pitcher platoon split (e.g. 'vs_RHB').
matchup.splits.menOnBase	character	Men on base split (e.g. 'Men_On').
batted.ball.result	factor	Categorized batted ball result.
home_team	character	Home team name.
home_level_id	integer	Home team level/sport id (1 for MLB).
home_level_name	character	Home team level/sport name.
home_parentOrg_id	integer	Home team parent organization id (minors).
home_parentOrg_name	character	Home team parent organization name (minors).
home_league_id	integer	Home team league id.
home_league_name	character	Home team league name.
away_team	character	Away team name.
away_level_id	integer	Away team level/sport id (1 for MLB).
away_level_name	character	Away team level/sport name.
away_parentOrg_id	integer	Away team parent organization id (minors).
away_parentOrg_name	character	Away team parent organization name (minors).
away_league_id	integer	Away team league id.
away_league_name	character	Away team league name.
batting_team	character	Team batting on the play (factor).
fielding_team	character	Team fielding on the play (factor).
last.pitch.of.ab	character	Whether the pitch was the last of the at-bat (factor).
pfxId	character	Pitch f/x tracking identifier.
details.trailColor	character	Gameday pitch trail color rgba string.
details.type.code	character	Pitch type code (e.g. 'SI', 'CH').
details.type.description	character	Pitch type description (e.g. 'Sinker', 'Changeup').
pitchData.startSpeed	numeric	Pitch release speed (mph).
pitchData.endSpeed	numeric	Pitch speed crossing the plate (mph).
pitchData.zone	integer	Strike zone region of the pitch.
pitchData.typeConfidence	numeric	Pitch type classification confidence.
pitchData.plateTime	numeric	Time from release to plate (seconds).
pitchData.extension	numeric	Pitcher release extension (feet).
pitchData.coordinates.aY	numeric	Pitch acceleration in y (ft/s^2).
pitchData.coordinates.aZ	numeric	Pitch acceleration in z (ft/s^2).
pitchData.coordinates.pfxX	numeric	Horizontal pitch movement (inches).
pitchData.coordinates.pfxZ	numeric	Vertical pitch movement (inches).
pitchData.coordinates.pX	numeric	Horizontal pitch location at plate (feet).
pitchData.coordinates.pZ	numeric	Vertical pitch location at plate (feet).
pitchData.coordinates.vX0	numeric	Pitch initial velocity in x (ft/s).
pitchData.coordinates.vY0	numeric	Pitch initial velocity in y (ft/s).
pitchData.coordinates.vZ0	numeric	Pitch initial velocity in z (ft/s).
pitchData.coordinates.x0	numeric	Pitch initial x position (feet).
pitchData.coordinates.y0	numeric	Pitch initial y position (feet).

pitchData.coordinates.z0	numeric	Pitch initial z position (feet).
pitchData.coordinates.aX	numeric	Pitch acceleration in x (ft/s^2).
pitchData.breaks.breakAngle	numeric	Pitch break angle (degrees).
pitchData.breaks.breakLength	numeric	Pitch break length (inches).
pitchData.breaks.breakY	numeric	Distance from plate where break is measured.
pitchData.breaks.spinRate	integer	Pitch spin rate (RPM).
pitchData.breaks.spinDirection	integer	Pitch spin direction (degrees).
hitData.launchSpeed	numeric	Batted ball exit velocity (mph).
hitData.launchAngle	numeric	Batted ball launch angle (degrees).
hitData.totalDistance	numeric	Batted ball total distance (feet).
injuryType	character	Injury type when the event is injury-related.
umpire.id	integer	Umpire person id for the event.
umpire.link	character	API relative link to the umpire.
details.isOut	logical	Whether the pitch/event resulted in an out.
pitchData.breaks.breakVertical	numeric	Total vertical break (inches).
pitchData.breaks.breakVerticalInduced	numeric	Induced vertical break (inches).
pitchData.breaks.breakHorizontal	numeric	Horizontal break (inches).
details.disengagementNum	integer	Pitcher disengagement number on the play.
result.isOut	logical	Whether the at-bat resulted in an out.
about.isTopInning	logical	Whether the play occurred in the top of the inning.
matchup.postOnFirst.id	integer	Runner id on first base after the play.
matchup.postOnFirst.fullName	character	Runner name on first base after the play.
matchup.postOnFirst.link	character	API relative link to the first base runner.

Examples

```
try(mlb_pbp_diff(game_pk = 632970,
                 start_timecode = "20210808_231704",
                 end_timecode = "20210808_233711"))
```

`mlb_people` **Find Biographical Information for MLB Players**

Description

Find Biographical Information for MLB Players

Usage

```
mlb_people(person_ids = NULL)
```

Arguments

`person_ids`	MLBAMIDs for players of interest. Multiple IDs should be provided in a vector separated by a comma.

Value

Returns a tibble with the following columns:

col_name	types	description
id	integer	MLB person id (MLBAMID).
full_name	character	Player full name.
link	character	API relative link to the player.
first_name	character	Player first name.
last_name	character	Player last name.
primary_number	character	Player primary jersey number.
birth_date	character	Player birth date (YYYY-MM-DD).
current_age	integer	Player current age in years.
birth_city	character	Player birth city.
birth_state_province	character	Player birth state or province.
birth_country	character	Player birth country.
height	character	Player height (e.g. "6' 2\"").
weight	integer	Player weight in pounds.
active	logical	Whether the player is currently active.
use_name	character	Player preferred display first name.
use_last_name	character	Player preferred display last name.
middle_name	character	Player middle name.
boxscore_name	character	Player short box score name.
nick_name	character	Player nickname.
gender	character	Player gender code (e.g. 'M').
is_player	logical	Whether the person is classified as a player.
is_verified	logical	Whether the player profile is verified.
draft_year	integer	Year the player was drafted.
mlb_debut_date	character	Player MLB debut date (YYYY-MM-DD).
name_first_last	character	Player name in first-last order.
name_slug	character	URL slug for the player (name plus id).
first_last_name	character	Player name in first-last order.
last_first_name	character	Player name in last, first order.
last_init_name	character	Player name as last, first initial.
init_last_name	character	Player name as first initial last.
full_fml_name	character	Player full first-middle-last name.
full_lfm_name	character	Player full last, first-middle name.
strike_zone_top	numeric	Top of the player's strike zone (feet).
strike_zone_bottom	numeric	Bottom of the player's strike zone (feet).
pronunciation	character	Phonetic pronunciation of the player's name.
last_played_date	character	Date the player last played (YYYY-MM-DD), if inactive.
primary_position_code	character	Primary position code.
primary_position_name	character	Primary position name (e.g. 'First Base').
primary_position_type	character	Primary position type (e.g. 'Infielder').
primary_position_abbreviation	character	Primary position abbreviation (e.g. '1B').
bat_side_code	character	Batting side code (e.g. 'R').
bat_side_description	character	Batting side description (e.g. 'Right').
pitch_hand_code	character	Throwing hand code (e.g. 'R').
pitch_hand_description	character	Throwing hand description (e.g. 'Right').

Examples

```
try(mlb_people(person_ids = 502671))
try(mlb_people(person_ids = c(502671,605151)))
```

`mlb_people_free_agents`

Find Information About MLB Free Agents

Description

Find Information About MLB Free Agents

Usage

```
mlb_people_free_agents(season = NULL)
```

Arguments

`season`	Season preceding free agency

Value

Returns a tibble with the following columns:

col_name	types	description
date_declared	character	Date the player declared free agency (YYYY-MM-DD).
notes	character	Notes on the signing (e.g. 'One-year contract').
date_signed	character	Date the player signed a new contract (YYYY-MM-DD).
sort_order	integer	Display sort order for the free agent record.
player_id	integer	MLB player id of the free agent.
player_full_name	character	Free agent full name.
player_link	character	API relative link to the player.
original_team_id	integer	Team id the player left.
original_team_name	character	Name of the team the player left.
original_team_link	character	API relative link to the original team.
position_code	character	Player position code.
position_name	character	Player position name (e.g. 'Relief Pitcher').
position_type	character	Player position type (e.g. 'Pitcher').
position_abbreviation	character	Player position abbreviation (e.g. 'RP').
new_team_id	integer	Team id the player signed with.
new_team_name	character	Name of the team the player signed with.
new_team_link	character	API relative link to the new team.

Examples

```
try(mlb_people_free_agents(season = 2018))
```

`mlb_pitch_codes` **MLB Pitch Codes**

Description

MLB Pitch Codes

Usage

```
mlb_pitch_codes()
```

Value

Returns a tibble with the following columns

col_name	types	description
pitch_code	character	Single-character code identifying the pitch result.
pitch_description	character	Human-readable description of the pitch code.
swing_status	logical	Whether the code represents a swing.
swing_miss_status	logical	Whether the code represents a swinging strike (miss).
swing_contact_status	logical	Whether the code represents a swing that made contact.
sort_order	integer	Display sort order for the pitch code.
strike_status	logical	Whether the code counts as a strike.
ball_status	logical	Whether the code counts as a ball.
pitch_status	logical	Whether the code represents a pitch (vs. non-pitch event).
pitch_result_text	character	Display text for the pitch result.
bunt_attempt_status	logical	Whether the code represents a bunt attempt.
contact_status	logical	Whether the code represents bat-ball contact.

Examples

```
try(mlb_pitch_codes())
```

mlb_pitch_types MLB Pitch Types

Description

MLB Pitch Types

Usage

```
mlb_pitch_types()
```

Value

Returns a tibble with the following columns

col_name	types	description
pitch_type_code	character	Short code identifying the pitch type (e.g. 'FA').
pitch_type_description	character	Full name of the pitch type (e.g. 'Fastball').

Examples

```
try(mlb_pitch_types())
```

mlb_player_game_stats Find MLB Player Game Stats

Description

Find MLB Player Game Stats

Usage

```
mlb_player_game_stats(person_id = NULL, game_pk = NULL)
```

Arguments

person_id	MLBAMIDs for player of interest.
game_pk	The game_pk to return game_log statistics for a specific player in a specific game and to complete the call.

Value

Returns a tibble with one row per stat group (fielding, hitting, pitching) for the player in the game, with the following columns:

col_name	types	description
type	character	Stat type returned (e.g. 'gameLog').
group	character	Stat group: fielding, hitting, or pitching.
caught_stealing	integer	Runners caught stealing.
stolen_bases	integer	Stolen bases.
stolen_base_percentage	character	Stolen base success rate.
caught_stealing_percentage	character	Caught-stealing rate (catcher fielding).
assists	integer	Fielding assists.
put_outs	integer	Fielding putouts.
errors	integer	Fielding errors.
chances	integer	Total fielding chances.
fielding	character	Fielding percentage.
passed_ball	integer	Passed balls (catcher).
pickoffs	integer	Pickoffs.
summary	character	Text summary line of the player's game.
games_played	integer	Games played.
games_started	integer	Games started.
fly_outs	integer	Fly-ball outs.
ground_outs	integer	Ground-ball outs.
air_outs	integer	Air outs (fly outs + line outs + pop outs).
runs	integer	Runs.
doubles	integer	Doubles.
triples	integer	Triples.
home_runs	integer	Home runs.
strike_outs	integer	Strikeouts.
base_on_balls	integer	Walks.
intentional_walks	integer	Intentional walks.
hits	integer	Hits.
hit_by_pitch	integer	Hit by pitch.
at_bats	integer	At-bats.
number_of_pitches	integer	Number of pitches seen or thrown.
innings_pitched	character	Innings pitched.
wins	integer	Pitcher wins.
losses	integer	Pitcher losses.
saves	integer	Saves.
save_opportunities	integer	Save opportunities.
holds	integer	Holds.
blown_saves	integer	Blown saves.
earned_runs	integer	Earned runs allowed.
batters_faced	integer	Batters faced.
outs	integer	Outs recorded.
games_pitched	integer	Games pitched.
complete_games	integer	Complete games.
shutouts	integer	Shutouts.

pitches_thrown	integer	Pitches thrown.
balls	integer	Balls thrown.
strikes	integer	Strikes thrown.
strike_percentage	character	Share of pitches that were strikes.
hit_batsmen	integer	Batters hit by pitch (pitcher).
balks	integer	Balks.
wild_pitches	integer	Wild pitches.
rbi	integer	Runs batted in.
games_finished	integer	Games finished.
runs_scored_per9	character	Runs scored per nine innings.
home_runs_per9	character	Home runs allowed per nine innings.
inherited_runners	integer	Inherited runners.
inherited_runners_scored	integer	Inherited runners who scored.
catchers_interference	integer	Catcher's interference.
sac_bunts	integer	Sacrifice bunts.
sac_flies	integer	Sacrifice flies.
ground_into_double_play	integer	Grounded into double plays.
ground_into_triple_play	integer	Grounded into triple plays.
plate_appearances	integer	Plate appearances.
total_bases	integer	Total bases.
left_on_base	integer	Runners left on base.
at_bats_per_home_run	character	At-bats per home run.
total_splits	integer	Number of stat splits returned.
type_display_name	character	Display name of the stat type.
group_display_name	character	Display name of the stat group.
player_id	numeric	MLBAM player ID supplied in the request.
game_pk	numeric	Game ID supplied in the request.

Examples

```
try(mlb_player_game_stats(person_id = 605151, game_pk = 531368))
```

`mlb_player_game_stats_current`

Find MLB Player Game Stats - Current Game

Description

Find MLB Player Game Stats - Current Game

Usage

```
mlb_player_game_stats_current(person_id = NULL)
```

Arguments

person_id	MLBAMIDs for player of interest.

Value

Returns a tibble with the following columns:

col_name	types	description
type	character	Stat type/category (e.g. "gameLog").
group	character	Stat group (e.g. "hitting", "pitching", "fielding").
stat_assists	integer	Assists.
stat_put_outs	integer	Putouts.
stat_errors	integer	Errors.
stat_chances	integer	Total chances (fielding).
stat_fielding	character	Fielding percentage.
stat_caught_stealing	integer	Runners caught stealing.
stat_passed_ball	integer	Passed balls.
stat_stolen_bases	integer	Stolen bases allowed (catcher/fielding).
stat_stolen_base_percentage	character	Stolen-base percentage.
stat_pickoffs	integer	Pickoffs.
stat_games_played	integer	Games played.
stat_games_started	integer	Games started.
stat_fly_outs	integer	Fly outs.
stat_ground_outs	integer	Ground outs.
stat_air_outs	integer	Air outs (fly + line outs).
stat_runs	integer	Runs.
stat_doubles	integer	Doubles.
stat_triples	integer	Triples.
stat_home_runs	integer	Home runs.
stat_strike_outs	integer	Strikeouts.
stat_base_on_balls	integer	Walks (bases on balls).
stat_intentional_walks	integer	Intentional walks.
stat_hits	integer	Hits.
stat_hit_by_pitch	integer	Hit by pitch.
stat_at_bats	integer	At-bats.
stat_number_of_pitches	integer	Number of pitches.
stat_innings_pitched	character	Innings pitched.
stat_wins	integer	Wins.
stat_losses	integer	Losses.
stat_saves	integer	Saves.
stat_save_opportunities	integer	Save opportunities.
stat_holds	integer	Holds.
stat_blown_saves	integer	Blown saves.
stat_earned_runs	integer	Earned runs.
stat_batters_faced	integer	Batters faced.
stat_outs	integer	Outs recorded.
stat_games_pitched	integer	Games pitched.
stat_complete_games	integer	Complete games.

stat_shutouts	integer	Shutouts.
stat_pitches_thrown	integer	Pitches thrown.
stat_balls	integer	Balls thrown.
stat_strikes	integer	Strikes thrown.
stat_strike_percentage	character	Strike percentage.
stat_hit_batsmen	integer	Hit batsmen.
stat_balks	integer	Balks.
stat_wild_pitches	integer	Wild pitches.
stat_rbi	integer	Runs batted in.
stat_games_finished	integer	Games finished.
stat_runs_scored_per9	character	Runs scored per nine innings.
stat_home_runs_per9	character	Home runs allowed per nine innings.
stat_inherited_runners	integer	Inherited runners.
stat_inherited_runners_scored	integer	Inherited runners who scored.
stat_catchers_interference	integer	Catcher's interference.
stat_sac_bunts	integer	Sacrifice bunts.
stat_sac_flies	integer	Sacrifice flies.
stat_ground_into_double_play	integer	Grounded into double plays.
stat_ground_into_triple_play	integer	Grounded into triple plays.
stat_plate_appearances	integer	Plate appearances.
stat_total_bases	integer	Total bases.
stat_left_on_base	integer	Runners left on base.
stat_at_bats_per_home_run	character	At-bats per home run.
game_type	character	Game type (e.g. regular season, postseason).
num_teams	integer	Number of teams represented in the split.
stat_avg	character	Batting average.
stat_obp	character	On-base percentage.
stat_slg	character	Slugging percentage.
stat_ops	character	On-base plus slugging.
stat_outs_pitched	integer	Outs pitched.
stat_whip	character	Walks plus hits per inning pitched.
stat_ground_outs_to_airouts	character	Ground-out to air-out ratio.
stat_pitches_per_inning	character	Pitches per inning.
stat_strikeout_walk_ratio	character	Strikeout-to-walk ratio.
stat_strikeouts_per9inn	character	Strikeouts per nine innings.
stat_walks_per9inn	character	Walks per nine innings.
stat_hits_per9inn	character	Hits per nine innings.
team_id	integer	Team id (MLBAM).
team_name	character	Team name.
team_link	character	MLB Stats API relative link for the team.
opponent_id	integer	Opponent team id.
opponent_name	character	Opponent team name.
opponent_link	character	MLB Stats API relative link for the opponent.
pitcher_id	integer	Pitcher MLBAMID.
pitcher_full_name	character	Pitcher full name.
pitcher_link	character	MLB Stats API relative link for the pitcher.
pitcher_first_name	character	Pitcher first name.
pitcher_last_name	character	Pitcher last name.

batter_id	integer	Batter MLBAMID.
batter_full_name	character	Batter full name.
batter_link	character	MLB Stats API relative link for the batter.
batter_first_name	character	Batter first name.
batter_last_name	character	Batter last name.
total_splits	integer	Number of stat splits returned.
type_display_name	character	Display name of the stat type.
group_display_name	character	Display name of the stat group.
player_id	numeric	Player MLBAMID.
game_pk	numeric	Game primary key (MLBAM game id).

Examples

```
try(mlb_player_game_stats_current(person_id = 660271))
```

`mlb_player_status_codes`

MLB Player Status Codes

Description

MLB Player Status Codes

Usage

```
mlb_player_status_codes()
```

Value

Returns a tibble with the following columns

col_name	types	description
player_status_code	character	Short code for the player status (e.g. 'A').
player_status_description	character	Description of the player status (e.g. 'Active').

Examples

```
try(mlb_player_status_codes())
```

mlb_positions MLB Positions

Description

MLB Positions

Usage

```
mlb_positions()
```

Value

Returns a tibble with the following columns

col_name	types	description
position_short_name	character	Short position name (e.g. 'Pitcher').
position_full_name	character	Full position name.
position_abbreviation	character	Position abbreviation (e.g. 'P', 'SS').
position_code	character	Numeric scorekeeping position code.
position_type	character	Position category (e.g. 'Pitcher', 'Infielder').
position_formal_name	character	Formal position name.
position_display_name	character	Display name for the position.
outfield	logical	Whether the position is an outfield position.
game_position	logical	Whether it is an on-field game position.
pitcher	logical	Whether the position is a pitcher.
fielder	logical	Whether the position is a fielder.

Examples

```
try(mlb_positions())
```

mlb_probables Retrieve probable starters for a given MLB game

Description

Retrieve probable starters for a given MLB game

Usage

```
mlb_probables(game_pk)
```

Arguments

game_pk	The unique game_pk identifier for the game

Value

Returns a tiible that includes probable starting pitchers and the home plate umpire for the game_pk requested including the following columns:

col_name	types	description
game_pk	integer	Unique game identifier.
game_date	character	Date of the game (YYYY-MM-DD).
fullName	character	Full name of the probable starting pitcher.
id	integer	MLBAM player ID of the probable starting pitcher.
team	character	Team name for the probable pitcher.
team_id	integer	MLBAM team ID for the probable pitcher.
home_plate_full_name	character	Full name of the home plate umpire.
home_plate_id	integer	MLBAM ID of the home plate umpire.

Examples

```
try(mlb_probables(566001))
```

---

mlb_review_reasons MLB Review Reasons

Description

MLB Review Reasons

Usage

```
mlb_review_reasons()
```

Value

Returns a tibble with the following columns

col_name	types	description
review_reason_code	character	Short code for the replay review reason.
review_reason_description	character	Description of the review reason (e.g. 'Tag play').

Examples

```
try(mlb_review_reasons())
```

mlb_roster_types MLB Roster Types

Description

MLB Roster Types

Usage

```
mlb_roster_types()
```

Value

Returns a tibble with the following columns

col_name	types	description
roster_type_description	character	Description of the roster type.
roster_type_lookup_name	character	Lookup name for the roster type.
roster_type_parameter	character	Parameter value to pass as `roster_type` in API calls.

Examples

```
try(mlb_roster_types())
```

mlb_rosters Find MLB Rosters by Roster Type

Description

Find MLB Rosters by Roster Type

Usage

```
mlb_rosters(team_id = NULL, season = NULL, date = NULL, roster_type = NULL)
```

Arguments

`team_id`	team_id to return team roster information for a particular club. Look up ids with `mlb_teams()` – e.g. `mlb_teams(season = 2025, sport_ids = 1)` returns `team_id` alongside `team_full_name`.
`season`	Year to return team roster information for a particular club in a specific season.
`date`	Date to return team roster and their coaching staff directorial information for a particular team.
`roster_type`	roster_type to return team directorial information for. See `mlb_roster_types()` for more options. Valid options include: '40Man', 'fullSeason', 'fullRoster', 'nonRosterInvitees', 'active', 'allTime', 'depthChart', 'gameday', 'coach'

Value

Returns a tibble with one row per roster member with the following columns (player roster types). The `coach` roster type instead returns `job`, `job_id`, and `title` columns in place of the position/status columns:

col_name	types	description
jersey_number	character	Player's uniform number.
person_id	integer	MLBAM player ID.
person_full_name	character	Player's full name.
person_link	character	API link to the player resource.
position_code	character	Numeric scorekeeping position code.
position_name	character	Full position name.
position_type	character	Position category (e.g. 'Infielder').
position_abbreviation	character	Position abbreviation (e.g. 'SS').
status_code	character	Roster status code (e.g. 'A').
status_description	character	Roster status description (e.g. 'Active').
link	character	API link to the team roster resource.
team_id	integer	MLBAM team ID.
roster_type	character	Roster type returned.
season	numeric	Season requested.
date	character	Date requested, or NA if not supplied.

Examples

```
try(mlb_rosters(team_id = 109, season = 2018, roster_type = 'active'))
try(mlb_rosters(team_id = 109, season = 2018, roster_type = 'coach'))
```

`mlb_runner_detail_types`

MLB Runner Detail Types

Description

MLB Runner Detail Types

Usage

```
mlb_runner_detail_types()
```

Value

Returns a tibble with the following columns

col_name	types	description
stat_name	character	Name of the runner detail stat (e.g. 'r_force_out').

Examples

```
try(mlb_runner_detail_types())
```

`mlb_schedule` **Find game_pk values for professional baseball games (major and minor leagues)**

Description

Find game_pk values for professional baseball games (major and minor leagues)

Usage

```
mlb_schedule(season = 2019, level_ids = "1")
```

Arguments

`season`	The season for which you want to find game_pk values for MLB games
`level_ids`	A numeric vector with ids for each level where game_pks are desired. See below for a reference of level ids.

sport_id	sport_code	sport_link	sport_name	sport_abbreviation	sort_order	active
1	mlb	/api/v1/sports/1	Major League Baseball	MLB	11	TRUE
11	aaa	/api/v1/sports/11	Triple-A	AAA	101	TRUE
12	aax	/api/v1/sports/12	Double-A	AA	201	TRUE
13	afa	/api/v1/sports/13	High-A	A+	301	TRUE
14	afx	/api/v1/sports/14	Low-A	A	401	TRUE
16	rok	/api/v1/sports/16	Rookie	ROK	701	TRUE
17	win	/api/v1/sports/17	Winter Leagues	WIN	1301	TRUE
8	bbl	/api/v1/sports/8	Organized Baseball	Pros	1401	TRUE
21	min	/api/v1/sports/21	Minor League Baseball	Minors	1402	TRUE
23	ind	/api/v1/sports/23	Independent Leagues	IND	2101	TRUE
51	int	/api/v1/sports/51	International Baseball	INT	3501	TRUE
508	nat	/api/v1/sports/508	International Baseball (Collegiate)	INTC	3502	TRUE
509	nae	/api/v1/sports/509	International Baseball (18 and under)	18U	3503	TRUE
510	nas	/api/v1/sports/510	International Baseball (16 and under)	16U	3505	TRUE
22	bbc	/api/v1/sports/22	College Baseball	College	5101	TRUE
586	hsb	/api/v1/sports/586	High School Baseball	H.S.	6201	TRUE

Value

Returns a tibble which includes `game_pk` values and additional information for games scheduled or played with the following columns:

col_name	types	description
date	character	Calendar date for the schedule entry.
total_items	integer	Total schedule items on the date.
total_events	integer	Total non-game events on the date.
total_games	integer	Total games on the date.
total_games_in_progress	integer	Games currently in progress on the date.
game_pk	integer	Unique game identifier.
game_guid	character	Globally unique game identifier (GUID).
link	character	API link to the game feed.
game_type	character	Game type code (e.g. 'R', 'S', 'W').
season	character	Season the game belongs to.
game_date	character	Game date-time in UTC (ISO 8601).
official_date	character	Official game date (YYYY-MM-DD).
game_number	integer	Game number within a doubleheader.
public_facing	logical	Whether the game is public-facing.
double_header	character	Doubleheader indicator ('N', 'S', 'Y').
gameday_type	character	Gameday data feed type.
tiebreaker	character	Whether the game is a tiebreaker.
calendar_event_id	character	Calendar event identifier.
season_display	character	Display string for the season.
day_night	character	Day or night game indicator.
scheduled_innings	integer	Scheduled number of innings.
reverse_home_away_status	logical	Whether home/away teams are reversed.
inning_break_length	integer	Length of inning breaks in seconds.
games_in_series	integer	Number of games in the series.
series_game_number	integer	Game number within the series.
series_description	character	Description of the series.
record_source	character	Source of the schedule record.
if_necessary	character	Whether the game is played only if necessary.
if_necessary_description	character	Description of the if-necessary status.
status_abstract_game_state	character	Abstract game state (e.g. 'Final').
status_coded_game_state	character	Coded game state.
status_detailed_state	character	Detailed game state (e.g. 'Cancelled').
status_status_code	character	Status code for the game.
status_start_time_tbd	logical	Whether the start time is TBD.
status_reason	character	Reason for the game status (e.g. 'Rain').
status_abstract_game_code	character	Abstract game state code.
teams_away_split_squad	logical	Whether the away team is a split squad.
teams_away_series_number	integer	Away team's series number.
teams_away_team_id	integer	Away team MLBAM ID.
teams_away_team_name	character	Away team name.
teams_away_team_link	character	API link to the away team.
teams_away_league_record_wins	integer	Away team league-record wins.
teams_away_league_record_losses	integer	Away team league-record losses.

teams_away_league_record_ties	integer	Away team league-record ties.
teams_away_league_record_pct	character	Away team winning percentage.
teams_home_split_squad	logical	Whether the home team is a split squad.
teams_home_series_number	integer	Home team's series number.
teams_home_team_id	integer	Home team MLBAM ID.
teams_home_team_name	character	Home team name.
teams_home_team_link	character	API link to the home team.
teams_home_league_record_wins	integer	Home team league-record wins.
teams_home_league_record_losses	integer	Home team league-record losses.
teams_home_league_record_ties	integer	Home team league-record ties.
teams_home_league_record_pct	character	Home team winning percentage.
venue_id	integer	MLBAM venue ID.
venue_name	character	Venue name.
venue_link	character	API link to the venue.
content_link	character	API link to the game content.
is_tie	logical	Whether the game ended in a tie.
description	character	Game description (often for exhibition games).
teams_away_score	integer	Away team final score.
teams_away_is_winner	logical	Whether the away team won.
teams_home_score	integer	Home team final score.
teams_home_is_winner	logical	Whether the home team won.
reschedule_date	character	Reschedule date-time, if rescheduled.
reschedule_game_date	character	Reschedule game date, if rescheduled.
rescheduled_from	character	Original date-time the game was rescheduled from.
rescheduled_from_date	character	Original date the game was rescheduled from.
resume_date	character	Resume date-time, if suspended/resumed.
resume_game_date	character	Resume game date, if suspended/resumed.
resumed_from	character	Date-time the game was resumed from.
resumed_from_date	character	Date the game was resumed from.
events	list	Nested list of non-game events.

Level IDs

The following IDs can be passed to the level_ids argument:

1 = MLB
11 = Triple-A
12 = Doubl-A
13 = Class A Advanced
14 = Class A
15 = Class A Short Season
5442 = Rookie Advanced
16 = Rookie
17 = Winter League

Examples

```
try(mlb_schedule(season = "2019"))
```

mlb_schedule_endpoints

MLB Schedule Endpoint Overview

Description

- `mlb_schedule()`: Find game_pk values for professional baseball games (major and minor leagues).
- `mlb_schedule_postseason()`: Find game_pk values for professional baseball postseason games (major and minor leagues).
- `mlb_schedule_postseason_series()`: Find game_pk values for professional baseball postseason series games (major and minor leagues).
- `mlb_schedule_games_tied()`: Find game_pk values for professional baseball games (major and minor leagues) that are tied.
- `mlb_schedule_event_types()`: MLB Schedule Event Types.

Details

MLB Schedule:

These functions retrieve MLB schedule, postseason, tied-game, and event-type information from the MLB Stats API.

mlb_schedule_event_types

MLB Schedule Event Types

Description

MLB Schedule Event Types

Usage

```
mlb_schedule_event_types()
```

Value

Returns a tibble with the following columns

col_name	types	description
schedule_event_type_code	character	Short code for the schedule event type.
schedule_event_type_name	character	Name of the event type (e.g. 'All-Star Weekend Event').

Examples

```
try(mlb_schedule_event_types())
```

`mlb_schedule_games_tied`

Find game_pk values for professional baseball games (major and minor leagues) that are tied

---

Description

Find game_pk values for professional baseball games (major and minor leagues) that are tied

Usage

```
mlb_schedule_games_tied(season = 2021, game_type = "S")
```

Arguments

`season`	The season for which you want to find game_pk values for MLB games
`game_type`	game_type to return schedule information for all tied games in a particular game_type

game_type_id	game_type_description
S	Spring Training
R	Regular Season
F	Wild Card Game
D	Division Series
L	League Championship Series
W	World Series
C	Championship
N	Nineteenth Century Series
P	Playoffs
A	All-Star Game
I	Intrasquad
E	Exhibition

Value

Returns a tibble that includes game_pk values and additional information for games scheduled or played

col_name	types	description
date	character	Calendar date for the schedule entry.
total_items	integer	Total schedule items on the date.

total_events	integer	Total non-game events on the date.
total_games	integer	Total games on the date.
total_games_in_progress	integer	Games currently in progress on the date.
game_pk	integer	Unique game identifier.
game_guid	character	Globally unique game identifier (GUID).
link	character	API link to the game feed.
game_type	character	Game type code (e.g. 'R', 'S').
season	character	Season the game belongs to.
game_date	character	Game date-time in UTC (ISO 8601).
official_date	character	Official game date (YYYY-MM-DD).
is_tie	logical	Whether the game ended in a tie.
game_number	integer	Game number within a doubleheader.
public_facing	logical	Whether the game is public-facing.
double_header	character	Doubleheader indicator ('N', 'S', 'Y').
gameday_type	character	Gameday data feed type.
tiebreaker	character	Whether the game is a tiebreaker.
calendar_event_id	character	Calendar event identifier.
season_display	character	Display string for the season.
day_night	character	Day or night game indicator.
scheduled_innings	integer	Scheduled number of innings.
reverse_home_away_status	logical	Whether home/away teams are reversed.
games_in_series	integer	Number of games in the series.
series_game_number	integer	Game number within the series.
series_description	character	Description of the series.
record_source	character	Source of the schedule record.
if_necessary	character	Whether the game is played only if necessary.
if_necessary_description	character	Description of the if-necessary status.
status_abstract_game_state	character	Abstract game state (e.g. 'Final').
status_coded_game_state	character	Coded game state.
status_detailed_state	character	Detailed game state.
status_status_code	character	Status code for the game.
status_start_time_tbd	logical	Whether the start time is TBD.
status_reason	character	Reason for the game status (e.g. 'Tied').
status_abstract_game_code	character	Abstract game state code.
teams_away_score	integer	Away team score.
teams_away_split_squad	logical	Whether the away team is a split squad.
teams_away_series_number	integer	Away team's series number.
teams_away_team_id	integer	Away team MLBAM ID.
teams_away_team_name	character	Away team name.
teams_away_team_link	character	API link to the away team.
teams_away_league_record_wins	integer	Away team league-record wins.
teams_away_league_record_losses	integer	Away team league-record losses.
teams_away_league_record_ties	integer	Away team league-record ties.
teams_away_league_record_pct	character	Away team winning percentage.
teams_home_score	integer	Home team score.
teams_home_split_squad	logical	Whether the home team is a split squad.
teams_home_series_number	integer	Home team's series number.
teams_home_team_id	integer	Home team MLBAM ID.

teams_home_team_name	character	Home team name.
teams_home_team_link	character	API link to the home team.
teams_home_league_record_wins	integer	Home team league-record wins.
teams_home_league_record_losses	integer	Home team league-record losses.
teams_home_league_record_ties	integer	Home team league-record ties.
teams_home_league_record_pct	character	Home team winning percentage.
venue_id	integer	MLBAM venue ID.
venue_name	character	Venue name.
venue_link	character	API link to the venue.
content_link	character	API link to the game content.
inning_break_length	integer	Length of inning breaks in seconds.
events	list	Nested list of non-game events.

Examples

```
try(mlb_schedule_games_tied(season = 2021))
```

`mlb_schedule_postseason`

Find game_pk values for professional baseball postseason games (major and minor leagues)

Description

Find game_pk values for professional baseball postseason games (major and minor leagues)

Usage

```
mlb_schedule_postseason(
  season = 2021,
  game_type = NULL,
  series_number = NULL,
  sport_id = 1,
  team_id = NULL
)
```

Arguments

`season`	The season for which you want to find game_pk values for MLB games
`game_type`	game_type to return schedule information for all tied games in a particular game_type
`series_number`	The Series number to return schedule information for all tied games in a particular series number
`sport_id`	The sport_id to return schedule information for.

`team_id` The team_id to return schedule information for.

game_type_id	game_type_description
S	Spring Training
R	Regular Season
F	Wild Card Game
D	Division Series
L	League Championship Series
W	World Series
C	Championship
N	Nineteenth Century Series
P	Playoffs
A	All-Star Game
I	Intrasquad
E	Exhibition

Value

Returns a tibble that includes game_pk values and additional information for games scheduled or played

col_name	types	description
date	character	Calendar date for the schedule entry.
total_items	integer	Total schedule items on the date.
total_events	integer	Total non-game events on the date.
total_games	integer	Total games on the date.
total_games_in_progress	integer	Games currently in progress on the date.
game_pk	integer	Unique game identifier.
game_guid	character	Globally unique game identifier (GUID).
link	character	API link to the game feed.
game_type	character	Postseason game type code (e.g. 'F', 'D', 'W').
season	character	Season the game belongs to.
game_date	character	Game date-time in UTC (ISO 8601).
official_date	character	Official game date (YYYY-MM-DD).
is_tie	logical	Whether the game ended in a tie.
is_featured_game	logical	Whether the game is a featured game.
game_number	integer	Game number within a doubleheader.
public_facing	logical	Whether the game is public-facing.
double_header	character	Doubleheader indicator ('N', 'S', 'Y').
gameday_type	character	Gameday data feed type.
tiebreaker	character	Whether the game is a tiebreaker.
calendar_event_id	character	Calendar event identifier.
season_display	character	Display string for the season.
day_night	character	Day or night game indicator.
description	character	Series/round description (e.g. 'AL Wild Card Game').
scheduled_innings	integer	Scheduled number of innings.
reverse_home_away_status	logical	Whether home/away teams are reversed.
games_in_series	integer	Number of games in the series.

series_game_number	integer	Game number within the series.
series_description	character	Description of the series.
record_source	character	Source of the schedule record.
if_necessary	character	Whether the game is played only if necessary.
if_necessary_description	character	Description of the if-necessary status.
status_abstract_game_state	character	Abstract game state (e.g. 'Final').
status_coded_game_state	character	Coded game state.
status_detailed_state	character	Detailed game state.
status_status_code	character	Status code for the game.
status_start_time_tbd	logical	Whether the start time is TBD.
status_abstract_game_code	character	Abstract game state code.
teams_away_score	integer	Away team score.
teams_away_is_winner	logical	Whether the away team won.
teams_away_split_squad	logical	Whether the away team is a split squad.
teams_away_series_number	integer	Away team's series number.
teams_away_team_id	integer	Away team MLBAM ID.
teams_away_team_name	character	Away team name.
teams_away_team_link	character	API link to the away team.
teams_away_league_record_wins	integer	Away team series-record wins.
teams_away_league_record_losses	integer	Away team series-record losses.
teams_away_league_record_pct	character	Away team winning percentage.
teams_home_score	integer	Home team score.
teams_home_is_winner	logical	Whether the home team won.
teams_home_split_squad	logical	Whether the home team is a split squad.
teams_home_series_number	integer	Home team's series number.
teams_home_team_id	integer	Home team MLBAM ID.
teams_home_team_name	character	Home team name.
teams_home_team_link	character	API link to the home team.
teams_home_league_record_wins	integer	Home team series-record wins.
teams_home_league_record_losses	integer	Home team series-record losses.
teams_home_league_record_pct	character	Home team winning percentage.
venue_id	integer	MLBAM venue ID.
venue_name	character	Venue name.
venue_link	character	API link to the venue.
content_link	character	API link to the game content.
inning_break_length	integer	Length of inning breaks in seconds.
reschedule_date	character	Reschedule date-time, if rescheduled.
reschedule_game_date	character	Reschedule game date, if rescheduled.
status_reason	character	Reason for the game status (e.g. 'Rain').
rescheduled_from	character	Original date-time the game was rescheduled from.
rescheduled_from_date	character	Original date the game was rescheduled from.
events	list	Nested list of non-game events.

Examples

```
try(mlb_schedule_postseason(season = 2021))
```

`mlb_schedule_postseason_series` **Find game_pk values for professional baseball postseason series games (major and minor leagues)**

Description

Find game_pk values for professional baseball postseason series games (major and minor leagues)

Usage

```
mlb_schedule_postseason_series(
  season = 2021,
  game_type = NULL,
  series_number = NULL,
  sport_id = 1,
  team_id = NULL
)
```

Arguments

`season`	The season for which you want to find game_pk values for MLB games
`game_type`	game_type to return schedule information for all tied games in a particular game_type
`series_number`	The Series number to return schedule information for all tied games in a particular series number
`sport_id`	The sport_id to return schedule information for.
`team_id`	The team_id to return schedule information for.

game_type_id	game_type_description
S	Spring Training
R	Regular Season
F	Wild Card Game
D	Division Series
L	League Championship Series
W	World Series
C	Championship
N	Nineteenth Century Series
P	Playoffs
A	All-Star Game
I	Intrasquad
E	Exhibition

Value

Returns a tibble that includes game_pk values and additional information for games scheduled or played

col_name	types	description
total_items	integer	Total games in the series.
total_games	integer	Total games in the series.
total_games_in_progress	integer	Games currently in progress.
game_pk	integer	Unique game identifier.
game_guid	character	Globally unique game identifier (GUID).
link	character	API link to the game feed.
game_type	character	Postseason game type code (e.g. 'W', 'L', 'D').
season	character	Season the game belongs to.
game_date	character	Game date-time in UTC (ISO 8601).
official_date	character	Official game date (YYYY-MM-DD).
is_tie	logical	Whether the game ended in a tie.
is_featured_game	logical	Whether the game is a featured game.
game_number	integer	Game number within a doubleheader.
public_facing	logical	Whether the game is public-facing.
double_header	character	Doubleheader indicator ('N', 'S', 'Y').
gameday_type	character	Gameday data feed type.
tiebreaker	character	Whether the game is a tiebreaker.
calendar_event_id	character	Calendar event identifier.
season_display	character	Display string for the season.
day_night	character	Day or night game indicator.
description	character	Series/game description (e.g. 'World Series Game 1').
scheduled_innings	integer	Scheduled number of innings.
reverse_home_away_status	logical	Whether home/away teams are reversed.
inning_break_length	integer	Length of inning breaks in seconds.
games_in_series	integer	Number of games in the series.
series_game_number	integer	Game number within the series.
series_description	character	Description of the series.
record_source	character	Source of the schedule record.
if_necessary	character	Whether the game is played only if necessary.
if_necessary_description	character	Description of the if-necessary status.
status_abstract_game_state	character	Abstract game state (e.g. 'Final').
status_coded_game_state	character	Coded game state.
status_detailed_state	character	Detailed game state.
status_status_code	character	Status code for the game.
status_start_time_tbd	logical	Whether the start time is TBD.
status_abstract_game_code	character	Abstract game state code.
teams_away_score	integer	Away team score.
teams_away_is_winner	logical	Whether the away team won.
teams_away_split_squad	logical	Whether the away team is a split squad.
teams_away_series_number	integer	Away team's series number.
teams_away_team_id	integer	Away team MLBAM ID.
teams_away_team_name	character	Away team name.
teams_away_team_link	character	API link to the away team.

teams_away_league_record_wins	integer	Away team series-record wins.
teams_away_league_record_losses	integer	Away team series-record losses.
teams_away_league_record_pct	character	Away team winning percentage.
teams_home_score	integer	Home team score.
teams_home_is_winner	logical	Whether the home team won.
teams_home_split_squad	logical	Whether the home team is a split squad.
teams_home_series_number	integer	Home team's series number.
teams_home_team_id	integer	Home team MLBAM ID.
teams_home_team_name	character	Home team name.
teams_home_team_link	character	API link to the home team.
teams_home_league_record_wins	integer	Home team series-record wins.
teams_home_league_record_losses	integer	Home team series-record losses.
teams_home_league_record_pct	character	Home team winning percentage.
venue_id	integer	MLBAM venue ID.
venue_name	character	Venue name.
venue_link	character	API link to the venue.
content_link	character	API link to the game content.
reschedule_date	character	Reschedule date-time, if rescheduled.
reschedule_game_date	character	Reschedule game date, if rescheduled.
rescheduled_from	character	Original date-time the game was rescheduled from.
rescheduled_from_date	character	Original date the game was rescheduled from.
status_reason	character	Reason for the game status (e.g. 'Rain').
sort_order	integer	Sort order within the series listing.
series_id	character	Series identifier (e.g. 'W_1').
series_sort_number	integer	Sort number for the series.
series_is_default	logical	Whether the series is the default series.
series_game_type	character	Game type code for the series.

Examples

```
try(mlb_schedule_postseason_series(season = 2021, sport_id = 1))
```

`mlb_seasons` **Find MLB Seasons**

Description

Find MLB Seasons

Usage

```
mlb_seasons(sport_id = 1, with_game_type_dates = TRUE)
```

Arguments

sport_id	The sport_id to return season information for.
with_game_type_dates	with_game_type_dates to return season information

Value

Returns a tibble with the following columns:

col_name	types	description
season_id	character	Season year identifier.
has_wildcard	logical	Whether the season has a wild card round.
pre_season_start_date	character	Pre-season start date.
pre_season_end_date	character	Pre-season end date.
season_start_date	character	Season start date.
spring_start_date	character	Spring training start date.
spring_end_date	character	Spring training end date.
regular_season_start_date	character	Regular season start date.
last_date1st_half	character	Last date of the first half.
all_star_date	character	All-Star Game date.
first_date2nd_half	character	First date of the second half.
regular_season_end_date	character	Regular season end date.
post_season_start_date	character	Post-season start date.
post_season_end_date	character	Post-season end date.
season_end_date	character	Season end date.
offseason_start_date	character	Off-season start date.
off_season_end_date	character	Off-season end date.
season_level_gameday_type	character	Season-level Gameday data feed type.
game_level_gameday_type	character	Game-level Gameday data feed type.
qualifier_plate_appearances	numeric	Plate appearances per team game to qualify.
qualifier_outs_pitched	integer	Outs pitched per team game to qualify.

Examples

```
try(mlb_seasons(sport_id = 1))
```

---

mlb_seasons_all **Find MLB Seasons all**

Description

Find MLB Seasons all

Usage

```
mlb_seasons_all(
  sport_id = 1,
  division_id = NULL,
  league_id = NULL,
  with_game_type_dates = TRUE
)
```

Arguments

sport_id	The sport_id to return season information for.
division_id	The division_id to return season information for.
league_id	The league_id to return season information for.
with_game_type_dates	with_game_type_dates to return season information for.

Value

Returns a tibble with the following columns:

col_name	types	description
season_id	character	Season year identifier.
has_wildcard	logical	Whether the season has a wild card round.
pre_season_start_date	character	Pre-season start date.
season_start_date	character	Season start date.
regular_season_start_date	character	Regular season start date.
regular_season_end_date	character	Regular season end date.
season_end_date	character	Season end date.
offseason_start_date	character	Off-season start date.
off_season_end_date	character	Off-season end date.
season_level_gameday_type	character	Season-level Gameday data feed type.
game_level_gameday_type	character	Game-level Gameday data feed type.
qualifier_plate_appearances	numeric	Plate appearances per team game to qualify.
qualifier_outs_pitched	integer	Outs pitched per team game to qualify.
post_season_start_date	character	Post-season start date.
post_season_end_date	character	Post-season end date.
last_date1st_half	character	Last date of the first half.
all_star_date	character	All-Star Game date.
first_date2nd_half	character	First date of the second half.
pre_season_end_date	character	Pre-season end date.
spring_start_date	character	Spring training start date.
spring_end_date	character	Spring training end date.

Examples

```
try(mlb_seasons_all(sport_id = 1))
```

mlb_situation_codes MLB Situation Codes

Description

MLB Situation Codes

Usage

```
mlb_situation_codes()
```

Value

Returns a tibble with the following columns

col_name	types	description
situation_code	character	Code identifying the game situation.
sort_order	integer	Display sort order for the situation code.
navigation_menu	character	Navigation menu grouping (e.g. 'Game').
situation_code_description	character	Description of the situation (e.g. 'Home Games').
team	logical	Whether the situation applies to team stats.
batting	logical	Whether the situation applies to batting stats.
fielding	logical	Whether the situation applies to fielding stats.
pitching	logical	Whether the situation applies to pitching stats.

Examples

```
try(mlb_situation_codes())
```

mlb_sky MLB Sky (Weather) Codes

Description

MLB Sky (Weather) Codes

Usage

```
mlb_sky()
```

Value

Returns a tibble with the following columns

col_name	types	description
sky_code	character	Code for the sky/weather condition.
sky_description	character	Description of the sky condition (e.g. 'Clear').

Examples

```
try(mlb_sky())
```

---

mlb_sports MLB Sport IDs

Description

MLB Sport IDs

Usage

```
mlb_sports(sport_id = NULL)
```

Arguments

sport_id	The sport_id to return information for.

Value

Returns a tibble with the following columns

col_name	types	description
sport_id	integer	MLBAM sport (level) identifier.
sport_code	character	Short sport code (e.g. 'mlb', 'aaa').
sport_link	character	API link to the sport resource.
sport_name	character	Full sport/level name.
sport_abbreviation	character	Sport abbreviation (e.g. 'MLB').
sort_order	integer	Display sort order for the sport.
active_status	logical	Whether the sport/level is active.

and the following values:

sport_id	sport_code	sport_link	sport_name	sport_abbreviation	sort_order	active
1	mlb	/api/v1/sports/1	Major League Baseball	MLB	11	TRUE

11	aaa	/api/v1/sports/11	Triple-A	AAA	101	TRUE
12	aax	/api/v1/sports/12	Double-A	AA	201	TRUE
13	afa	/api/v1/sports/13	High-A	A+	301	TRUE
14	afx	/api/v1/sports/14	Low-A	A	401	TRUE
16	rok	/api/v1/sports/16	Rookie	ROK	701	TRUE
17	win	/api/v1/sports/17	Winter Leagues	WIN	1301	TRUE
8	bbl	/api/v1/sports/8	Organized Baseball	Pros	1401	TRUE
21	min	/api/v1/sports/21	Minor League Baseball	Minors	1402	TRUE
23	ind	/api/v1/sports/23	Independent Leagues	IND	2101	TRUE
51	int	/api/v1/sports/51	International Baseball	INT	3501	TRUE
508	nat	/api/v1/sports/508	International Baseball (Collegiate)	INTC	3502	TRUE
509	nae	/api/v1/sports/509	International Baseball (18 and under)	18U	3503	TRUE
510	nas	/api/v1/sports/510	International Baseball (16 and under)	16U	3505	TRUE
22	bbc	/api/v1/sports/22	College Baseball	College	5101	TRUE
586	hsb	/api/v1/sports/586	High School Baseball	H.S.	6201	TRUE

Examples

```
try(mlb_sports())
```

`mlb_sports_info` **MLB Sport IDs Information**

Description

MLB Sport IDs Information

Usage

```
mlb_sports_info(sport_id = 1)
```

Arguments

`sport_id`	The sport_id to return information for.

Value

Returns a tibble with the following columns

col_name	types	description
sport_id	integer	MLBAM sport (level) identifier.
sport_code	character	Short sport code (e.g. 'mlb', 'aaa').
sport_link	character	API link to the sport resource.
sport_name	character	Full sport/level name.
sport_abbreviation	character	Sport abbreviation (e.g. 'MLB').

sort_order	integer	Display sort order for the sport.
active_status	logical	Whether the sport/level is active.

Examples

```
try(mlb_sports_info(sport_id = 1))
```

`mlb_sports_players` **MLB Sport Players**

Description

MLB Sport Players

Usage

```
mlb_sports_players(sport_id = 1, season = 2021)
```

Arguments

`sport_id`	The sport_id to return information for.
`season`	The season to return information for.

Value

Returns a tibble with the following columns:

col_name	types	description
player_id	integer	MLBAM player ID.
full_name	character	Player full name.
link	character	API link to the player resource.
first_name	character	Player first name.
last_name	character	Player last name.
primary_number	character	Primary uniform number.
birth_date	character	Date of birth (YYYY-MM-DD).
current_age	integer	Current age in years.
birth_city	character	City of birth.
birth_country	character	Country of birth.
height	character	Listed height (feet and inches).
weight	integer	Listed weight in pounds.
active	logical	Whether the player is currently active.
use_name	character	Preferred first name for display.
use_last_name	character	Preferred last name for display.
middle_name	character	Player middle name.
boxscore_name	character	Name as shown in box scores.

nick_name	character	Player nickname.
gender	character	Player gender code.
is_player	logical	Whether the person is a player.
is_verified	logical	Whether the profile is verified.
pronunciation	character	Phonetic pronunciation of the name.
mlb_debut_date	character	MLB debut date (YYYY-MM-DD).
name_first_last	character	Name in first-last order.
name_slug	character	URL slug for the player.
first_last_name	character	First and last name display.
last_first_name	character	Last, first name display.
last_init_name	character	Last name with first initial.
init_last_name	character	First initial with last name.
full_fml_name	character	Full first-middle-last name.
full_lfm_name	character	Full last-first-middle name.
strike_zone_top	numeric	Top of the player's strike zone (feet).
strike_zone_bottom	numeric	Bottom of the player's strike zone (feet).
birth_state_province	character	State or province of birth.
draft_year	integer	Year the player was drafted.
name_matrilineal	character	Matrilineal (maternal) surname.
last_played_date	character	Date of last MLB appearance.
name_title	character	Name title prefix.
name_suffix	character	Name suffix (e.g., Jr., III).
death_date	character	Date of death (YYYY-MM-DD).
death_city	character	City of death.
death_country	character	Country of death.
current_team_id	integer	Current team MLBAM ID.
current_team_name	character	Current team name.
current_team_link	character	API link to the current team.
primary_position_code	character	Primary position code.
primary_position_name	character	Primary position name.
primary_position_type	character	Primary position type.
primary_position_abbreviation	character	Primary position abbreviation.
bat_side_code	character	Batting side code (L/R/S).
bat_side_description	character	Batting side description.
pitch_hand_code	character	Throwing hand code (L/R).
pitch_hand_description	character	Throwing hand description.

Examples

```
try(mlb_sports_players(sport_id = 1, season = 2021))
```

`mlb_standings` **MLB Standings**

Description

MLB Standings

Usage

```
mlb_standings(
  season = NULL,
  date = NULL,
  standings_type = NULL,
  league_id = NULL
)
```

Arguments

season	Year(s) to return to return standings information for.
date	Date to return to return standings information for.
standings_type	The standings_type(s) to return standings information for. **Description of all standings_types** 1. regularSeason - Regular Season Standings 2. wildCard - Wild card standings 3. divisionLeaders - Division Leader standings 4. wildCardWithLeaders - Wild card standings with Division Leaders 5. firstHalf - First half standings. Only valid for leagues with a split season (Mexican League). 6. secondHalf - Second half standings. Only valid for leagues with a split season (Mexican League). 7. springTraining - Spring Training Standings 8. postseason - Postseason Standings 9. byDivision - Standings by Division 10. byConference - Standings by Conference 11. byLeague - Standings by League
league_id	The league_id(s) to return standings information for.

Value

Returns a tibble with the following columns

col_name	types	description
standings_type	character	Type of standings returned (e.g., regularSeason).
last_updated	character	Timestamp the standings record was last updated.
team_records_season	character	Season for the team record.
team_records_clinch_indicator	character	Clinch status indicator code.
team_records_division_rank	character	Rank within the division.
team_records_league_rank	character	Rank within the league.
team_records_sport_rank	character	Rank across the sport.
team_records_games_played	integer	Games played.

team_records_games_back	character	Games back of the division leader.
team_records_wild_card_games_back	character	Games back of the wild card.
team_records_league_games_back	character	Games back within the league.
team_records_spring_league_games_back	character	Games back within the spring league.
team_records_sport_games_back	character	Games back across the sport.
team_records_division_games_back	character	Games back within the division.
team_records_conference_games_back	character	Games back within the conference.
team_records_last_updated	character	Timestamp the team record was last updated.
team_records_runs_allowed	integer	Total runs allowed.
team_records_runs_scored	integer	Total runs scored.
team_records_division_champ	logical	Whether the team clinched the division.
team_records_division_leader	logical	Whether the team leads its division.
team_records_has_wildcard	logical	Whether the team holds a wild card spot.
team_records_clinched	logical	Whether the team has clinched a playoff berth.
team_records_elimination_number	character	Overall elimination number.
team_records_elimination_number_sport	character	Elimination number across the sport.
team_records_elimination_number_league	character	Elimination number within the league.
team_records_elimination_number_division	character	Elimination number within the division.
team_records_elimination_number_conference	character	Elimination number within the conference.
team_records_wild_card_elimination_number	character	Wild card elimination number.
team_records_magic_number	character	Magic number to clinch.
team_records_wins	integer	Total wins.
team_records_losses	integer	Total losses.
team_records_run_differential	integer	Run differential (runs scored minus allowed).
team_records_winning_percentage	character	Winning percentage.
team_records_wild_card_rank	character	Rank in the wild card race.
team_records_wild_card_leader	logical	Whether the team leads the wild card race.
team_records_team_id	integer	Team MLBAM ID.
team_records_team_name	character	Team name.
team_records_team_link	character	API link to the team.
team_records_streak_streak_code	character	Current streak code (e.g., W3, L1).
team_records_streak_streak_type	character	Streak type (wins or losses).
team_records_streak_streak_number	integer	Length of the current streak.
team_records_league_record_wins	integer	Wins in league play.
team_records_league_record_losses	integer	Losses in league play.
team_records_league_record_ties	integer	Ties in league play.
team_records_league_record_pct	character	League play winning percentage.
team_records_records_split_records	list	Nested split records (home/away/etc.).
team_records_records_division_records	list	Nested records by division.
team_records_records_overall_records	list	Nested overall records.
team_records_records_league_records	list	Nested records by league.
team_records_records_expected_records	list	Nested expected (Pythagorean) records.
league_id	integer	League MLBAM ID.
league_link	character	API link to the league.
division_id	integer	Division MLBAM ID.
division_link	character	API link to the division.
sport_id	integer	Sport MLBAM ID.
sport_link	character	API link to the sport.

round_robin_status	character	Round robin status indicator.

Examples

```
try(mlb_standings(season = 2021, league_id = 103))
```

`mlb_standings_types` **MLB Standings Types**

Description

MLB Standings Types

Usage

```
mlb_standings_types()
```

Value

Returns a tibble with the following columns

col_name	types	description
standings_type_name	character	Standings type identifier (e.g., wildCard).
standings_type_description	character	Human-readable description of the type.

Examples

```
try(mlb_standings_types())
```

`mlb_stat_groups` **MLB Stat Groups**

Description

MLB Stat Groups

Usage

```
mlb_stat_groups()
```

Value

Returns a tibble with the following columns

col_name	types	description
stat_group_name	character	Stat group display name (e.g., hitting).

Examples

```
try(mlb_stat_groups())
```

`mlb_stat_types` **MLB Stat Types**

Description

MLB Stat Types

Usage

```
mlb_stat_types()
```

Value

Returns a tibble with the following columns

col_name	types	description
stat_type_name	character	Stat type display name (e.g., projected).

Examples

```
try(mlb_stat_types())
```

mlb_stats **MLB Stats**

Description

MLB Stats

Usage

```
mlb_stats(
  stat_type = NULL,
  player_pool = NULL,
  game_type = NULL,
  team_id = NULL,
  position = NULL,
  stat_group = NULL,
  season = NULL,
  league_id = NULL,
  sport_ids = NULL,
  sort_stat = NULL,
  order = NULL,
  limit = 1000,
  offset = NULL,
  sit_codes = NULL
)
```

Arguments

stat_type	Stat type to return statistics for.
player_pool	There are 4 different types of player pools to return statistics for a particular player pool across a sport. Acceptable values include: All, Qualified, Rookies, or Qualified_rookies
game_type	Game type to return information for a particular statistic in a particular game type.
team_id	Team ID to return information and ranking for a particular statistic for a particular team.
position	Position to return statistics for a given position. Default to "Qualified" player pool Acceptable values include: • P • C • 1B • 2B • 3B • SS • LF

- CF
- RF
- DH
- PH
- PR
- BR
- OF
- IF
- SP
- RP
- CP
- UT
- UI
- UO
- RHP
- LHP
- RHS
- LHS
- LHR
- RHR
- B
- X

`stat_group` Stat group to return information and ranking for a particular statistic in a particular group.

`season` Year to return information and ranking for a particular statistic in a given year.

`league_id` League ID to return statistics for a given league. Default to "Qualified" player pool.

`sport_ids` The sport_id(s) to return information and ranking information for.

`sort_stat` Sort return based on stat.

`order` Order return based on either desc or asc.

`limit` A limit to limit return to a particular number of records.

`offset` An offset to returns i+1 as the first record in the set of players.

`sit_codes` Situational split code(s) to filter on when `stat_type = "statSplits"` – e.g. `"vl"` (vs left), `"vr"` (vs right), `"h"` (home), `"a"` (away), `"risp"` (runners in scoring position). Multiple codes may be passed as a vector; see the MLB Stats API `situationCodes` endpoint for the full list.

Value

Returns a tibble with the following columns

col_name	types	description

total_splits	integer	Total number of splits in the response.
season	character	Season year for the statistic.
num_teams	integer	Number of teams the player appeared for.
rank	integer	Rank of the player for the sorted statistic.
age	integer	Player age during the season.
games_played	integer	Games played.
ground_outs	integer	Ground outs.
air_outs	integer	Air outs (fly outs).
runs	integer	Runs scored.
doubles	integer	Doubles.
triples	integer	Triples.
home_runs	integer	Home runs.
strike_outs	integer	Strikeouts.
base_on_balls	integer	Walks (bases on balls).
intentional_walks	integer	Intentional walks.
hits	integer	Hits.
hit_by_pitch	integer	Times hit by pitch.
avg	character	Batting average.
at_bats	integer	At bats.
obp	character	On-base percentage.
slg	character	Slugging percentage.
ops	character	On-base plus slugging.
caught_stealing	integer	Times caught stealing.
stolen_bases	integer	Stolen bases.
stolen_base_percentage	character	Stolen base success percentage.
caught_stealing_percentage	character	Caught stealing percentage.
ground_into_double_play	integer	Grounded into double plays.
number_of_pitches	integer	Total pitches seen.
plate_appearances	integer	Plate appearances.
total_bases	integer	Total bases.
rbi	integer	Runs batted in.
left_on_base	integer	Runners left on base.
sac_bunts	integer	Sacrifice bunts.
sac_flies	integer	Sacrifice flies.
babip	character	Batting average on balls in play.
ground_outs_to_airouts	character	Ratio of ground outs to air outs.
catchers_interference	integer	Times reached on catcher's interference.
at_bats_per_home_run	character	At bats per home run.
team_id	integer	Team MLBAM ID.
team_name	character	Team name.
team_link	character	API link to the team.
player_id	integer	Player MLBAM ID.
player_full_name	character	Player full name.
player_link	character	API link to the player.
player_first_name	character	Player first name.
player_last_name	character	Player last name.
league_id	integer	League MLBAM ID.
league_name	character	League name.

league_link	character	API link to the league.
sport_id	integer	Sport MLBAM ID.
sport_link	character	API link to the sport.
sport_abbreviation	character	Sport abbreviation (e.g., MLB).
position_code	character	Primary position code.
position_name	character	Primary position name.
position_type	character	Primary position type.
position_abbreviation	character	Primary position abbreviation.
splits_tied_with_offset	list	Players tied at the offset boundary.
splits_tied_with_limit	list	Players tied at the limit boundary.
player_pool	character	Player pool used (e.g., QUALIFIED).
type_display_name	character	Stat type display name.
group_display_name	character	Stat group display name.

Examples

```
try(mlb_stats(stat_type = 'season', stat_group = 'hitting', season = 2021))
```

`mlb_stats_endpoints` **MLB Stats Endpoint Overview**

Description

- `mlb_stats()`: MLB Stats.
- `mlb_stats_leaders()`: MLB Stats Leaders.
- `mlb_stats_streaks()`: MLB Stats Streaks.
- `mlb_stat_groups()`: MLB Stat Groups.
- `mlb_stat_types()`: MLB Stat Types.
- `mlb_baseball_stats()`: MLB Baseball Stats.

Details

MLB Stats:

These functions retrieve MLB statistics, leaders, streaks, stat groups, stat types, and baseball stat metadata from the MLB Stats API.

`mlb_stats_leaders` **MLB Stats Leaders**

Description

MLB Stats Leaders

Usage

```
mlb_stats_leaders(
  leader_categories = NULL,
  player_pool = NULL,
  leader_game_types = NULL,
  sit_codes = NULL,
  position = NULL,
  stat_group = NULL,
  season = NULL,
  league_id = NULL,
  sport_id = NULL,
  start_date = NULL,
  end_date = NULL,
  stat_type = NULL,
  limit = 1000
)
```

Arguments

`leader_categories`
: League leader category to return information and ranking for a particular statistic.

`player_pool`
: There are 4 different types of player pools to return statistics for a particular player pool across a sport. Acceptable values include: All, Qualified, Rookies, or Qualified_rookies

`leader_game_types`
: Game type to return information and ranking for a particular statistic in a particular game type.

`sit_codes`
: Situation code to return information and ranking for a particular statistic in a particular game type.

`position`
: Position to return statistics for a given position. Default to "Qualified" player pool Acceptable values include:

- P
- C
- 1B
- 2B
- 3B

- SS
- LF
- CF
- RF
- DH
- PH
- PR
- BR
- OF
- IF
- SP
- RP
- CP
- UT
- UI
- UO
- RHP
- LHP
- RHS
- LHS
- LHR
- RHR
- B
- X

`stat_group` Stat group to return information and ranking for a particular statistic in a particular group.

`season` Year to return information and ranking for a particular statistic in a given year.

`league_id` League ID to return statistics for a given league. Default to "Qualified" player pool.

`sport_id` The sport_id to return information and ranking information for.

`start_date` Start date to return information and ranking for a particular statistic for a particular date range. Format: MM/DD/YYYY *start_date must be coupled with end_date and byDateRange stat_type*

`end_date` End date to return information and ranking for a particular statistic for a particular date range. Format: MM/DD/YYYY *end_date must be coupled with start_date and byDateRange stat_type*

`stat_type` The stat_type to return information and ranking for a particular statistic for a particular stat type.

`limit` A limit to limit return to a particular number of records.

Value

Returns a tibble with the following columns

col_name	types	description
leader_category	character	Statistical leader category (e.g., homeRuns).
rank	integer	Rank within the leaderboard.
value	character	Statistic value for the leader.
season	character	Season year.
num_teams	integer	Number of teams the player appeared for.
team_id	integer	Team MLBAM ID.
team_name	character	Team name.
team_link	character	API link to the team.
league_id	integer	League MLBAM ID.
league_name	character	League name.
league_link	character	API link to the league.
person_id	integer	Player MLBAM ID.
person_full_name	character	Player full name.
person_link	character	API link to the player.
person_first_name	character	Player first name.
person_last_name	character	Player last name.
sport_id	integer	Sport MLBAM ID.
sport_link	character	API link to the sport.
sport_abbreviation	character	Sport abbreviation (e.g., MLB).
stat_group	character	Stat group (e.g., hitting).
total_splits	integer	Total number of splits in the leaderboard.
game_type_id	character	Game type code (e.g., R for regular season).
game_type_description	character	Game type description.

Examples

```
try(mlb_stats_leaders(leader_categories='homeRuns',sport_id=1, season = 2021))
```

`mlb_team_affiliates` **MLB Team Affiliates**

Description

MLB Team Affiliates

Usage

```
mlb_team_affiliates(team_ids = NULL, sport_ids = NULL, season = NULL)
```

Arguments

team_ids	The team_id(s) to return affiliates data for.
sport_ids	The sport_id to return team affiliates information for.
season	The season to return team affiliates data for the particular season.

Value

Returns a tibble with the following columns

col_name	types	description
all_star_status	character	All-star status flag.
team_id	integer	Team MLBAM ID.
team_full_name	character	Full team name.
link	character	API link to the team.
season	integer	Season year.
team_code	character	Internal team code.
file_code	character	File code abbreviation.
team_abbreviation	character	Team abbreviation.
team_name	character	Short team name.
location_name	character	Team location (city).
first_year_of_play	character	First year the franchise played.
short_name	character	Short display name.
franchise_name	character	Franchise name.
club_name	character	Club name.
active	logical	Whether the team is active.
parent_org_name	character	Parent organization name.
parent_org_id	integer	Parent organization MLBAM ID.
spring_league_id	integer	Spring league MLBAM ID.
spring_league_name	character	Spring league name.
spring_league_link	character	API link to the spring league.
spring_league_abbreviation	character	Spring league abbreviation.
venue_id	integer	Home venue MLBAM ID.
venue_name	character	Home venue name.
venue_link	character	API link to the venue.
spring_venue_id	integer	Spring training venue MLBAM ID.
spring_venue_link	character	API link to the spring venue.
league_id	integer	League MLBAM ID.
league_name	character	League name.
league_link	character	API link to the league.
division_id	integer	Division MLBAM ID.
division_name	character	Division name.
division_link	character	API link to the division.
sport_id	integer	Sport MLBAM ID.
sport_link	character	API link to the sport.
sport_name	character	Sport name (e.g., Major League Baseball).

Examples

```
try(mlb_team_affiliates(team_ids = 147))
```

`mlb_team_alumni` **MLB Team Alumni**

Description

MLB Team Alumni

Usage

```
mlb_team_alumni(team_id = NULL, stat_group = NULL, season = NULL)
```

Arguments

`team_id`	Team ID to return information and ranking for a particular statistic for a particular team.
`stat_group`	Stat group to return information and ranking for a particular statistic in a particular group.
`season`	Year to return information and ranking for a particular statistic in a given year.

Value

Returns a tibble with the following columns

col_name	types	description
player_id	integer	MLBAM player ID.
player_full_name	character	Player full name.
link	character	API link to the player resource.
first_name	character	Player first name.
last_name	character	Player last name.
primary_number	character	Primary uniform number.
birth_date	character	Date of birth (YYYY-MM-DD).
current_age	integer	Current age in years.
birth_city	character	City of birth.
birth_country	character	Country of birth.
height	character	Listed height (feet and inches).
weight	integer	Listed weight in pounds.
active	logical	Whether the player is currently active.
use_name	character	Preferred first name for display.
use_last_name	character	Preferred last name for display.
middle_name	character	Player middle name.
boxscore_name	character	Name as shown in box scores.
nick_name	character	Player nickname.

gender	character	Player gender code.
name_matrilineal	character	Matrilineal (maternal) surname.
is_player	logical	Whether the person is a player.
is_verified	logical	Whether the profile is verified.
pronunciation	character	Phonetic pronunciation of the name.
last_played_date	character	Date of last MLB appearance.
mlb_debut_date	character	MLB debut date (YYYY-MM-DD).
name_first_last	character	Name in first-last order.
name_slug	character	URL slug for the player.
first_last_name	character	First and last name display.
last_first_name	character	Last, first name display.
last_init_name	character	Last name with first initial.
init_last_name	character	First initial with last name.
full_fml_name	character	Full first-middle-last name.
full_lfm_name	character	Full last-first-middle name.
strike_zone_top	numeric	Top of the player's strike zone (feet).
strike_zone_bottom	numeric	Bottom of the player's strike zone (feet).
alumni_last_season	character	Last season the player was with the team.
birth_state_province	character	State or province of birth.
draft_year	integer	Year the player was drafted.
primary_position_code	character	Primary position code.
primary_position_name	character	Primary position name.
primary_position_type	character	Primary position type.
primary_position_abbreviation	character	Primary position abbreviation.
bat_side_code	character	Batting side code (L/R/S).
bat_side_description	character	Batting side description.
pitch_hand_code	character	Throwing hand code (L/R).
pitch_hand_description	character	Throwing hand description.

Examples

```
try(mlb_team_alumni(team_id = 137, stat_group = 'hitting', season = 2021))
```

`mlb_team_coaches` **MLB Team Coaches**

Description

MLB Team Coaches

Usage

```
mlb_team_coaches(team_id = NULL, date = NULL, season = NULL)
```

Arguments

team_id	Team ID to return team coach information for.
date	Date to return team coach information for.
season	Year to return team coach information for.

Value

Returns a tibble with the following columns

col_name	types	description
jersey_number	character	Coach uniform number.
job	character	Job name (e.g., Manager).
job_id	character	Job code identifier.
title	character	Full coaching title.
person_id	integer	Coach MLBAM person ID.
person_full_name	character	Coach full name.
person_link	character	API link to the coach.

Examples

```
try(mlb_team_coaches(team_id = 137, season = 2021))
```

---

mlb_team_endpoints MLB Teams Endpoint Overview

Description

- mlb_teams(): MLB Teams.
- mlb_team_info(): MLB Team Info.
- mlb_team_affiliates(): MLB Team Affiliates.
- mlb_team_alumni(): MLB Team Alumni.
- mlb_team_coaches(): MLB Team Coaches.
- mlb_team_history(): MLB Teams History.
- mlb_team_leaders(): MLB Team Leaders.
- mlb_team_personnel(): MLB Team Personnel.
- mlb_team_stats(): MLB Team Individual Stats.
- mlb_teams_stats(): MLB Teams Stats.
- mlb_teams_stats_leaders(): MLB Teams Stats Leaders.

Details

MLB Teams:
These functions retrieve MLB team, affiliate, alumni, coach, history, leader, personnel, and stats information from the MLB Stats API.

`mlb_team_history` **MLB Teams History**

Description

MLB Teams History

Usage

```
mlb_team_history(team_ids = NULL, start_season = NULL, end_season = NULL)
```

Arguments

`team_ids`	The team_id(s) to return historical data for.
`start_season`	The start_season to return historical data for from the given year to present.
`end_season`	The end_season to return historical data for from the the creation to the given year.

Value

Returns a tibble with the following columns

col_name	types	description
all_star_status	character	All-star status flag.
team_id	integer	Team MLBAM ID.
team_full_name	character	Full team name.
link	character	API link to the team.
season	integer	Season year for the historical record.
team_code	character	Internal team code.
file_code	character	File code abbreviation.
team_abbreviation	character	Team abbreviation.
team_name	character	Short team name.
location_name	character	Team location (city).
first_year_of_play	character	First year the franchise played.
short_name	character	Short display name.
franchise_name	character	Franchise name.
club_name	character	Club name.
active	logical	Whether the team is active.
venue_id	integer	Home venue MLBAM ID for that season.
venue_name	character	Home venue name for that season.
venue_link	character	API link to the venue.
spring_venue_id	integer	Spring training venue MLBAM ID.
spring_venue_link	character	API link to the spring venue.
league_id	integer	League MLBAM ID.
league_name	character	League name.
league_link	character	API link to the league.

sport_id	integer	Sport MLBAM ID.
sport_link	character	API link to the sport.
sport_name	character	Sport name (e.g., Major League Baseball).

Examples

```
try(mlb_team_history(team_ids = 147))
```

`mlb_team_info` **MLB Team Info**

Description

MLB Team Info

Usage

```
mlb_team_info(team_id = NULL, season = NULL, sport_id = NULL)
```

Arguments

`team_id`	The team_id to return team data for.
`season`	The season to return team data for the given year.
`sport_id`	The sport_id to return a directory of team data for a particular club in a sport.

Value

Returns a tibble with the following columns

col_name	types	description
all_star_status	character	All-star status flag.
team_id	integer	Team MLBAM ID.
team_full_name	character	Full team name.
link	character	API link to the team.
season	integer	Season year.
team_code	character	Internal team code.
file_code	character	File code abbreviation.
team_abbreviation	character	Team abbreviation.
team_name	character	Short team name.
location_name	character	Team location (city).
first_year_of_play	character	First year the franchise played.
short_name	character	Short display name.
franchise_name	character	Franchise name.
club_name	character	Club name.
active	logical	Whether the team is active.

spring_league_id	integer	Spring league MLBAM ID.
spring_league_name	character	Spring league name.
spring_league_link	character	API link to the spring league.
spring_league_abbreviation	character	Spring league abbreviation.
venue_id	integer	Home venue MLBAM ID.
venue_name	character	Home venue name.
venue_link	character	API link to the venue.
spring_venue_id	integer	Spring training venue MLBAM ID.
spring_venue_link	character	API link to the spring venue.
league_id	integer	League MLBAM ID.
league_name	character	League name.
league_link	character	API link to the league.
division_id	integer	Division MLBAM ID.
division_name	character	Division name.
division_link	character	API link to the division.
sport_id	integer	Sport MLBAM ID.
sport_link	character	API link to the sport.
sport_name	character	Sport name (e.g., Major League Baseball).

Examples

```
try(mlb_team_info(team_id = 147))
```

`mlb_team_leaders` **MLB Team Leaders**

Description

MLB Team Leaders

Usage

```
mlb_team_leaders(
  team_id = NULL,
  leader_categories = NULL,
  leader_game_types = NULL,
  season = NULL,
  limit = 1000
)
```

Arguments

`team_id`	Team ID to return team leader information for.
`leader_categories`	Team leader category to return information and ranking for a particular statistic.

`leader_game_types`
: Game type to return information and ranking for a particular statistic in a particular game type.

`season`
: Season to return team leader information for.

`limit`
: A limit to limit return to a particular number of records.

Value

Returns a tibble with the following columns

col_name	types	description
leader_category	character	Team leader category (e.g., homeRuns).
rank	integer	Rank within the team leaderboard.
value	character	Statistic value for the leader.
season	character	Season year.
team_id	integer	Team MLBAM ID.
team_name	character	Team name.
team_link	character	API link to the team.
league_id	integer	League MLBAM ID.
league_name	character	League name.
league_link	character	API link to the league.
person_id	integer	Player MLBAM ID.
person_full_name	character	Player full name.
person_link	character	API link to the player.
person_first_name	character	Player first name.
person_last_name	character	Player last name.
sport_id	integer	Sport MLBAM ID.
sport_link	character	API link to the sport.
sport_abbreviation	character	Sport abbreviation (e.g., MLB).
stat_group	character	Stat group (e.g., hitting).
total_splits	integer	Total number of splits in the leaderboard.
game_type_id	character	Game type code (e.g., R for regular season).
game_type_description	character	Game type description.

Examples

```
try(mlb_team_leaders(team_id = 137, leader_categories = "homeRuns", season = 2021))
```

---

mlb_team_personnel MLB Team Personnel

Description

MLB Team Personnel

Usage

```
mlb_team_personnel(team_id = NULL, date = NULL)
```

Arguments

team_id	Team ID to return team coach information for.
date	Date to return team coach information for.

Value

Returns a tibble with the following columns

col_name	types	description
jersey_number	character	Personnel uniform number.
job	character	Job name (e.g., Special Assistant).
job_id	character	Job code identifier.
title	character	Full personnel title.
person_id	integer	Personnel MLBAM person ID.
person_full_name	character	Personnel full name.
person_link	character	API link to the person.

Examples

```
try(mlb_team_personnel(team_id = 137, date = "08/28/2016"))
```

---

mlb_team_stats MLB Team Individual Stats

Description

MLB Team Individual Stats

Usage

```
mlb_team_stats(
  team_id = NULL,
  stat_type = NULL,
  game_type = NULL,
  stat_group = NULL,
  season = NULL,
  sport_ids = NULL
)
```

Arguments

team_id	Team ID to return information and ranking for a particular statistic for a particular team.
stat_type	Stat type to return statistics for.
game_type	Game type to return information for a particular statistic in a particular game type.
stat_group	Stat group to return information and ranking for a particular statistic in a particular group.
season	Year to return information and ranking for a particular statistic in a given year.
sport_ids	The sport_id(s) to return information and ranking information for.

Value

Returns a tibble with the following columns

col_name	types	description
season	character	Season year for the statistic.
games_played	integer	Games played.
ground_outs	integer	Ground outs.
air_outs	integer	Air outs (fly outs).
runs	integer	Runs scored.
doubles	integer	Doubles.
triples	integer	Triples.
home_runs	integer	Home runs.
strike_outs	integer	Strikeouts.
base_on_balls	integer	Walks (bases on balls).
intentional_walks	integer	Intentional walks.
hits	integer	Hits.
hit_by_pitch	integer	Times hit by pitch.
avg	character	Batting average.
at_bats	integer	At bats.
obp	character	On-base percentage.
slg	character	Slugging percentage.
ops	character	On-base plus slugging.
caught_stealing	integer	Times caught stealing.
stolen_bases	integer	Stolen bases.
stolen_base_percentage	character	Stolen base success percentage.
caught_stealing_percentage	character	Caught stealing percentage.
ground_into_double_play	integer	Grounded into double plays.
number_of_pitches	integer	Total pitches seen.
plate_appearances	integer	Plate appearances.
total_bases	integer	Total bases.
rbi	integer	Runs batted in.
left_on_base	integer	Runners left on base.
sac_bunts	integer	Sacrifice bunts.
sac_flies	integer	Sacrifice flies.

babip	character	Batting average on balls in play.
ground_outs_to_airouts	character	Ratio of ground outs to air outs.
catchers_interference	integer	Times reached on catcher's interference.
at_bats_per_home_run	character	At bats per home run.
team_id	integer	Team MLBAM ID.
team_name	character	Team name.
team_link	character	API link to the team.
type_display_name	character	Stat type display name.
group_display_name	character	Stat group display name.

Examples

```
try(mlb_team_stats(team_id = 137, stat_type = 'season', stat_group = 'hitting', season = 2021))
```

`mlb_teams` **MLB Teams**

Description

MLB Teams

Usage

```
mlb_teams(
  season = NULL,
  active_status = NULL,
  all_star_statuses = NULL,
  league_ids = NULL,
  sport_ids = NULL,
  game_type = NULL
)
```

Arguments

`season`	Year to return to return team information for.
`active_status`	The active statuses to populate teams for a given season.
`all_star_statuses`	The all-star statuses to populate teams for a given season.
`league_ids`	The league_id(s) to return team information for.
`sport_ids`	The sport_id(s) to return team information for.
`game_type`	The game_type to return team information for.

Value

Returns a tibble with the following columns

col_name	types	description
all_star_status	character	All-star status flag.
team_id	integer	Team MLBAM ID.
team_full_name	character	Full team name.
link	character	API link to the team.
season	integer	Season year.
team_code	character	Internal team code.
file_code	character	File code abbreviation.
team_abbreviation	character	Team abbreviation.
team_name	character	Short team name.
location_name	character	Team location (city).
first_year_of_play	character	First year the franchise played.
short_name	character	Short display name.
franchise_name	character	Franchise name.
club_name	character	Club name.
active	logical	Whether the team is active.
spring_league_id	integer	Spring league MLBAM ID.
spring_league_name	character	Spring league name.
spring_league_link	character	API link to the spring league.
spring_league_abbreviation	character	Spring league abbreviation.
venue_id	integer	Home venue MLBAM ID.
venue_name	character	Home venue name.
venue_link	character	API link to the venue.
spring_venue_id	integer	Spring training venue MLBAM ID.
spring_venue_link	character	API link to the spring venue.
league_id	integer	League MLBAM ID.
league_name	character	League name.
league_link	character	API link to the league.
division_id	integer	Division MLBAM ID.
division_name	character	Division name.
division_link	character	API link to the division.
sport_id	integer	Sport MLBAM ID.
sport_link	character	API link to the sport.
sport_name	character	Sport name (e.g., Major League Baseball).

Examples

```
try(mlb_teams(season = 2021, sport_ids = c(1)))
```

`mlb_teams_stats` **MLB Teams Stats**

Description

MLB Teams Stats

Usage

```
mlb_teams_stats(
  stat_type = NULL,
  game_type = NULL,
  stat_group = NULL,
  season = NULL,
  sport_ids = NULL,
  sort_stat = NULL,
  order = NULL,
  sit_codes = NULL
)
```

Arguments

stat_type	Stat type to return statistics for.
game_type	Game type to return information for a particular statistic in a particular game type.
stat_group	Stat group to return information and ranking for a particular statistic in a particular group.
season	Year to return information and ranking for a particular statistic in a given year.
sport_ids	The sport_id(s) to return information and ranking information for.
sort_stat	Sort return based on stat.
order	Order return based on either desc or asc.
sit_codes	Situational split code(s) to filter on when stat_type = "statSplits" – e.g. "vl", "vr", "h", "a", "risp". Multiple codes may be passed as a vector. Note the leaders endpoints ignore sitCodes upstream; use stat_type = "statSplits" here or in mlb_stats() for situational splits.

Value

Returns a tibble with the following columns

col_name	types	description
total_splits	integer	Total number of splits in the response.
season	character	Season year for the statistic.
rank	integer	Rank of the team for the sorted statistic.
games_played	integer	Games played.
ground_outs	integer	Ground outs.
air_outs	integer	Air outs (fly outs).
runs	integer	Runs scored.
doubles	integer	Doubles.
triples	integer	Triples.

home_runs	integer	Home runs.
strike_outs	integer	Strikeouts.
base_on_balls	integer	Walks (bases on balls).
intentional_walks	integer	Intentional walks.
hits	integer	Hits.
hit_by_pitch	integer	Times hit by pitch.
avg	character	Batting average.
at_bats	integer	At bats.
obp	character	On-base percentage.
slg	character	Slugging percentage.
ops	character	On-base plus slugging.
caught_stealing	integer	Times caught stealing.
stolen_bases	integer	Stolen bases.
stolen_base_percentage	character	Stolen base success percentage.
caught_stealing_percentage	character	Caught stealing percentage.
ground_into_double_play	integer	Grounded into double plays.
number_of_pitches	integer	Total pitches seen.
plate_appearances	integer	Plate appearances.
total_bases	integer	Total bases.
rbi	integer	Runs batted in.
left_on_base	integer	Runners left on base.
sac_bunts	integer	Sacrifice bunts.
sac_flies	integer	Sacrifice flies.
babip	character	Batting average on balls in play.
ground_outs_to_airouts	character	Ratio of ground outs to air outs.
catchers_interference	integer	Times reached on catcher's interference.
at_bats_per_home_run	character	At bats per home run.
team_id	integer	Team MLBAM ID.
team_name	character	Team name.
team_link	character	API link to the team.
splits_tied_with_offset	list	Teams tied at the offset boundary.
splits_tied_with_limit	list	Teams tied at the limit boundary.
type_display_name	character	Stat type display name.
group_display_name	character	Stat group display name.

Examples

```
try(mlb_teams_stats(stat_type = 'season', stat_group = 'hitting', season = 2021))
```

`mlb_teams_stats_leaders`

MLB Teams Stats Leaders

Description

MLB Teams Stats Leaders

Usage

```
mlb_teams_stats_leaders(
  leader_categories = NULL,
  leader_game_types = NULL,
  sit_codes = NULL,
  stat_group = NULL,
  season = NULL,
  league_id = NULL,
  sport_id = NULL,
  start_date = NULL,
  end_date = NULL,
  stat_type = NULL,
  limit = 1000
)
```

Arguments

leader_categories	League leader category to return information and ranking for a particular statistic.
leader_game_types	Game type to return information and ranking for a particular statistic in a particular game type.
sit_codes	Situation code to return information and ranking for a particular statistic in a particular game type.
stat_group	Stat group to return information and ranking for a particular statistic in a particular group.
season	Year to return information and ranking for a particular statistic in a given year.
league_id	League ID to return statistics for a given league. Default to "Qualified" player pool.
sport_id	The sport_id to return information and ranking information for.
start_date	Start date to return information and ranking for a particular statistic for a particular date range. Format: MM/DD/YYYY *start_date must be coupled with end_date and byDateRange stat_type*
end_date	End date to return information and ranking for a particular statistic for a particular date range. Format: MM/DD/YYYY *end_date must be coupled with start_date and byDateRange stat_type*
stat_type	The stat_type to return information and ranking for a particular statistic for a particular stat type.
limit	A limit to limit return to a particular number of records.

Value

Returns a tibble with the following columns

col_name	types	description
leader_category	character	Team leader category (e.g., homeRuns).
rank	integer	Rank within the team leaderboard.
value	character	Statistic value for the team.
season	character	Season year.
team_id	integer	Team MLBAM ID.
team_name	character	Team name.
team_link	character	API link to the team.
stat_group	character	Stat group (e.g., hitting).
total_splits	integer	Total number of splits in the leaderboard.
game_type_id	character	Game type code (e.g., R for regular season).
game_type_description	character	Game type description.

Examples

```
try(mlb_teams_stats_leaders(leader_categories='homeRuns',sport_id=1, season = 2021))
```

`mlb_venues` **Find MLB Venues**

Description

Find MLB Venues

Usage

```
mlb_venues(venue_ids = NULL, sport_ids = NULL, season = NULL)
```

Arguments

`venue_ids`	Venue directorial information based venue_id.
`sport_ids`	The sport_id(s) for which to return venue directorial information.
`season`	Year for which to return venue directorial information for a given season.

Value

Returns a tibble with the following columns:

col_name	types	description
venue_id	integer	Venue MLBAM ID.
venue_name	character	Venue name.
venue_link	character	API link to the venue.
active	logical	Whether the venue is active.
season	character	Season the venue record applies to.

Examples

```
try(mlb_venues())
try(mlb_venues(venue_ids = 4781))
try(mlb_venues(sport_ids = 1))
```

`mlb_wind_direction_codes`

MLB Wind Direction Codes

Description

MLB Wind Direction Codes

Usage

```
mlb_wind_direction_codes()
```

Value

Returns a tibble with the following columns

col_name	types	description
wind_direction_code	character	Wind direction code (e.g., In From CF).
wind_direction_description	character	Wind direction description.

Examples

```
try(mlb_wind_direction_codes())
```

`most_recent_college_baseball_season`

Most Recent College Baseball Season

Description

NCAA college baseball seasons run roughly February through June (the College World Series finishes in late June) and are labelled by the year in which they end. This returns the current season's year from February onward, and the prior year in January (before the season opens).

Usage

```
most_recent_college_baseball_season()
```

Value

An integer indicating the year of the most recent NCAA college baseball season.

Examples

```
most_recent_college_baseball_season()
```

`most_recent_mlb_season`

Most Recent MLB Season

Description

Most Recent MLB Season

Usage

```
most_recent_mlb_season()
```

Value

An integer indicating the year of the most recent season of Major League Baseball

---

`most_recent_ncaa_baseball_season`

Most Recent NCAA Baseball Season

Description

Most Recent NCAA Baseball Season

Usage

```
most_recent_ncaa_baseball_season()
```

Value

An integer indicating the year of the most recent season of NCAA baseball

ncaa **NCAA Functions Overview**

Description

- ncaa_team_player_stats(): This function allows the user to obtain batting, pitching, or fielding statistics for any school affiliated with the NCAA at the division I, II, or III levels. The function acquires data from the NCAA's website (stats.ncaa.org) and returns a tibble.
- ncaa_pbp(): Get Play-By-Play Data for NCAA Baseball Games.
- ncaa_roster(): Get NCAA Baseball Rosters.
- ncaa_game_logs(): Get NCAA Baseball Game Logs.
- ncaa_lineups(): Get NCAA Baseball Game Lineups.
- ncaa_park_factor(): Get Park Effects for NCAA Baseball Teams.
- ncaa_schedule_info(): Get Schedule and Results for NCAA Baseball Teams.
- ncaa_school_id_lu(): Lookup NCAA School IDs (Division I, II, and III)
- ncaa_teams(): Lookup NCAA Teams by Division (I, II, and III) and Season

Details

Scrape NCAA baseball data (Division I, II, and III):

```
ncaa_team_player_stats(team_id = 255, year = 2013, type = "batting")
```

Get Play-By-Play Data for NCAA Baseball Games:

```
x <- ncaa_schedule_info(736, 2021)$game_info_url[2]
ncaa_pbp(game_info_url = x)
```

Get NCAA Baseball Rosters:

```
ncaa_roster(team_id = 104, year = 2021)
```

Get NCAA Baseball Game Logs:

```
ncaa_game_logs(player_id = 2113782, year = 2021, type = "pitching", span = "game")
```

Get NCAA Baseball Game Lineups:

```
ncaa_lineups(game_info_url="https://stats.ncaa.org/game/index/4587474?org_id=528",year=2018)
```

Get Park Effects for NCAA Baseball Teams:

```
ncaa_park_factor(team_id = 736, years = c(2017:2019), type = "conference")
```

Get Schedule and Results for NCAA Baseball Teams:

```
ncaa_schedule_info(team_id = 736, year = 2021)
```

Lookup NCAA School IDs (Division I, II, and III):

```
ncaa_school_id_lu("VAN")
```

Scrape NCAA baseball Teams (Division I, II, and III):

```
ncaa_teams(year = 2023, division = 1)
```

`ncaa_baseball_roster` **(legacy) Get NCAA Baseball Rosters**

Description

(legacy) Get NCAA Baseball Rosters

(legacy) Get NCAA Baseball Rosters

Usage

```
ncaa_baseball_roster(team_id = NULL, year, ...)

get_ncaa_baseball_roster(team_id = NULL, year, ...)
```

Arguments

`team_id`	NCAA id for a school
`year`	The year of interest
`...`	Additional arguments passed to an underlying function like httr.

Value

A data frame containing roster information, including IDs and urls for each player (if available)

col_name	types	description
player_name	character	Player name.
class	character	Academic class/year (Fr, So, Jr, Sr).
player_id	character	stats.ncaa.org player identifier.
season	numeric	Season (4-digit year).
number	character	Jersey number.
position	character	Primary fielding position.
player_url	character	Full stats.ncaa.org url for the player page.
team_name	character	Team name.
conference	character	Conference name.
team_id	numeric	Team NCAA id.
division	numeric	NCAA division (1, 2, 3).
conference_id	numeric	Conference identifier.

`ncaa_game_logs` **Get NCAA Baseball Game Logs**

Description

Get NCAA Baseball Game Logs

Usage

```
ncaa_game_logs(player_id, year, type = "batting", span = "game", ...)
```

Arguments

`player_id`	A player's unique id. Can be found using the get_ncaa_baseball_roster function.
`year`	The year of interest.
`type`	The kind of statistics you want to return. Current options are 'batting', 'pitching', or 'fielding'.
`span`	The span of time; can either be 'game' for game logs in a season, or 'career' which returns seasonal stats for a player's career.
`...`	Additional arguments passed to an underlying function like httr.

Details

Live usage (reads `stats.ncaa.org`, which is behind Akamai bot protection and needs the optional `chromote` + Google Chrome browser fallback, so it is shown here rather than as a runnable example):

```
ncaa_game_logs(player_id = 2649785, year = 2023, type = "pitching", span = "game")
ncaa_game_logs(player_id = 2477974, year = 2023, type = "pitching", span = "career")
ncaa_game_logs(player_id = 2680961, year = 2023, type = "batting", span = "game")
ncaa_game_logs(player_id = 2486588, year = 2023, type = "batting", span = "career")
```

Value

A data frame containing player and school information as well as game-by-game statistics. The exact stat columns vary by `type` (batting / pitching / fielding) and `span` (game / career); the table below shows the pitching (`type = "pitching"`, `span = "game"`) columns.

col_name	types	description
player_id	numeric	stats.ncaa.org player identifier.
player_name	character	Player name.
Date	character	Game date.
Opponent	character	Opponent name.
Result	character	Game result (W/L and score).
App	numeric	Appearances.
G	numeric	Games.

GS	numeric	Games started.
IP	numeric	Innings pitched.
CG	numeric	Complete games.
H	numeric	Hits allowed.
R	numeric	Runs allowed.
ER	numeric	Earned runs allowed.
BB	numeric	Walks (bases on balls) allowed.
SO	numeric	Strikeouts.
SHO	numeric	Shutouts.
BF	numeric	Batters faced.
P-OAB	numeric	Opponent at-bats.
2B-A	numeric	Doubles allowed.
3B-A	numeric	Triples allowed.
Bk	numeric	Balks.
HR-A	numeric	Home runs allowed.
WP	numeric	Wild pitches.
HB	numeric	Hit batters.
IBB	numeric	Intentional walks allowed.
Inh Run	numeric	Inherited runners.
Inh Run Score	numeric	Inherited runners who scored.
SHA	numeric	Sacrifice hits allowed.
SFA	numeric	Sacrifice flies allowed.
Pitches	numeric	Pitch count.
GO	numeric	Ground outs induced.
FO	numeric	Fly outs induced.
W	numeric	Wins.
L	numeric	Losses.
SV	numeric	Saves.
OrdAppeared	numeric	Order in which the pitcher appeared.
KL	numeric	Strikeouts looking (called third strike).
pickoffs	character	Pickoffs.

`ncaa_lineups` **Retrieve lineups for a given NCAA game via its** `game_info_url`

Description

Retrieve lineups for a given NCAA game via its `game_info_url`

Usage

```
ncaa_lineups(game_info_url = NULL, ...)
```

Arguments

`game_info_url`	The unique game info url
`...`	Additional arguments passed to an underlying function like httr.

Details

Live usage (reads `stats.ncaa.org`, which is behind Akamai bot protection and needs the optional `chromote` + Google Chrome browser fallback, so it is shown here rather than as a runnable example):

```
ncaa_lineups(game_info_url = "https://stats.ncaa.org/contests/2167178/box_score")
ncaa_lineups(game_info_url = "https://stats.ncaa.org/game/index/4587474?org_id=528")
```

Value

Returns a tibble of each team's batting lineup (one row per batter, in batting order) parsed from the game's `individual_stats` box scores.

col_name	types	description
player_name	character	Player name.
position	character	Fielding position (the box score "P" column).
batting_order	integer	Spot in the batting order (box-score row order).
team_name	character	Team name (from the box-score totals row).
player_id	integer	stats.ncaa.org player identifier.
player_url	character	Full stats.ncaa.org url for the player page.
slug	character	Relative stats.ncaa.org url for the player page.

---

ncaa_park_factor Get Park Effects for NCAA Baseball Teams

Description

Get Park Effects for NCAA Baseball Teams

Usage

```
ncaa_park_factor(team_id, years, type = "conference", ...)
```

Arguments

`team_id`	The team's unique NCAA id.
`years`	The season or seasons (i.e. use 2016 for the 2015-2016 season, etc., limited to just 2013-2023 seasons).
`type`	default is conference. the conference parameter adjusts for the conference the school plays in, the division parameter calculates based on the division the school plays in 1,2,or 3. Defaults to 'conference'.
`...`	Additional arguments passed to an underlying function like httr.

Details

```
try(ncaa_park_factor(team_id = 736, years = c(2018:2019), type = "conference"))
```

Value

A data frame with the following fields: school, home_game, away_game, runs_scored_home, runs_allowed_home, run_scored_away, runs_allowed_away, base_pf (base park factor), home_game_adj (an adjustment for the percentage of home games played) final_pf (park factor after adjustments)

col_name	types	description
school	character	Team name.
home_game	numeric	Number of home games in the sample.
away_game	numeric	Number of away games in the sample.
runs_scored_home	numeric	Runs scored by the team in home games.
runs_allowed_home	numeric	Runs allowed by the team in home games.
runs_scored_away	numeric	Runs scored by the team in away games.
runs_allowed_away	numeric	Runs allowed by the team in away games.
base_pf	numeric	Base park factor (before adjustment).
home_game_adj	numeric	Adjustment for the share of home games played.
final_pf	numeric	Park factor after adjustments.

---

ncaa_pbp — Get Play-By-Play Data for NCAA Baseball Games

Description

Get Play-By-Play Data for NCAA Baseball Games

Usage

```
ncaa_pbp(
  game_info_url = NA_character_,
  game_pbp_url = NA_character_,
  raw_html_to_disk = FALSE,
  raw_html_path = "/",
  read_from_file = FALSE,
  file = NA_character_,
  ...
)
```

Arguments

game_info_url	The url for the game's boxscore data. This can be found using the ncaa_schedule_info function.

game_pbp_url	The url for the game's play-by-play data. This can be found using the ncaa_schedule_info function.
raw_html_to_disk	Write raw html to disk (saves as {game_pbp_id}.html in raw_html_path directory)
raw_html_path	Directory path to write raw html
read_from_file	Read from raw html on disk
file	File with full path to read raw html
...	Additional arguments passed to an underlying function like httr.

Details

Live usage (reads stats.ncaa.org, which is behind Akamai bot protection and needs the optional chromote + Google Chrome browser fallback, so it is shown here rather than as a runnable example):

```
ncaa_pbp(game_info_url = "https://stats.ncaa.org/contests/2167178/box_score")
```

Value

A data frame with play-by-play data for an individual game.

col_name	types	description
game_date	character	Game date (NA on the redesigned page; use ncaa_schedule_info()).
location	character	Venue / conditions line when present.
attendance	logical	Reported attendance (NA on the redesigned page).
inning	character	Inning number.
inning_top_bot	character	Half-inning ("top" or "bot").
score	character	Running score (away-home) after the play.
batting	character	Batting team name.
fielding	character	Fielding team name.
description	character	Play description text.
game_pbp_url	character	stats.ncaa.org play-by-play url for the game.
game_pbp_id	integer	stats.ncaa.org play-by-play (contest) identifier.

---

ncaa_roster Get NCAA Baseball Rosters

Description

Get NCAA Baseball Rosters

Usage

```
ncaa_roster(team_id = NULL, year, ...)
```

Arguments

team_id	NCAA id for a school
year	The year of interest
...	Additional arguments passed to an underlying function like httr.

Details

Live usage (reads stats.ncaa.org, which is behind Akamai bot protection and needs the optional chromote + Google Chrome browser fallback, so it is shown here rather than as a runnable example):

```
ncaa_roster(team_id = 104, year = 2023)
```

Value

A data frame containing roster information, including IDs and urls for each player (if available)

col_name	types	description
player_name	character	Player name.
class	character	Academic class/year (Fr, So, Jr, Sr).
player_id	character	stats.ncaa.org player identifier.
season	numeric	Season (4-digit year).
number	character	Jersey number.
position	character	Primary fielding position.
player_url	character	Full stats.ncaa.org url for the player page.
team_name	character	Team name.
conference	character	Conference name.
team_id	numeric	Team NCAA id.
division	numeric	NCAA division (1, 2, 3).
conference_id	numeric	Conference identifier.

---

ncaa_schedule_info Get Schedule and Results for NCAA Baseball Teams

---

Description

Get Schedule and Results for NCAA Baseball Teams

Usage

```
ncaa_schedule_info(team_id = NULL, year = NULL, pbp_links = FALSE, ...)
```

Arguments

team_id	The team's unique NCAA id.
year	The season (i.e. use 2016 for the 2015-2016 season, etc.)
pbp_links	Logical parameter to run process for scraping play_by_play urls for each game
...	Additional arguments passed to an underlying function like httr.

Details

```
try(ncaa_schedule_info(team_id = 736, year = 2019))
```

Value

A data frame with the following fields: date, opponent, result, score, innings (if more than regulation), and the url for the game itself.

col_name	types	description
year	integer	Season (4-digit year).
season_id	integer	stats.ncaa.org season identifier.
date	character	Game date.
home_team	character	Home team name.
home_team_id	integer	Home team NCAA id.
home_team_conference	character	Home team conference name.
home_team_conference_id	integer	Home team conference id.
home_team_slug	character	Relative stats.ncaa.org url for the home team.
home_team_division	integer	Home team NCAA division (1, 2, 3).
away_team	character	Away team name.
away_team_id	integer	Away team NCAA id.
away_team_conference	character	Away team conference name.
away_team_conference_id	integer	Away team conference id.
away_team_slug	character	Relative stats.ncaa.org url for the away team.
away_team_division	integer	Away team NCAA division (1, 2, 3).
neutral_site	character	Neutral-site venue (when not hosted by either team).
result	character	Win/loss/tie result for team_id.
score	character	Final score (e.g. "7-3").
innings	character	Innings played when other than regulation (extras).
slug	character	Relative stats.ncaa.org url for the game.
game_info_url	character	Full stats.ncaa.org box-score url for the game.
contest_id	integer	stats.ncaa.org contest (game) identifier.

---

ncaa_school_id_lu **Lookup NCAA baseball school IDs (Division I, II, and III)**

Description

This function allows the user to look up the `team_id` needed for the `ncaa_team_player_stats()` function.

Usage

```
ncaa_school_id_lu(team_name = NULL)
```

Arguments

`team_name`	A string that will be searched for in the names of the teams.

Details

Example usage (resolved from the bundled NCAA teams table):

```
ncaa_school_id_lu("Van")
```

Value

Returns a tibble with school identification data: team_id, team_name, team_url, conference, conference_id, division, year, and season_id

col_name	types	description
team_id	numeric	Team NCAA id.
team_name	character	Team name.
team_url	character	Relative stats.ncaa.org team url.
conference_id	numeric	Conference identifier.
conference	character	Conference name.
division	numeric	NCAA division (1, 2, 3).
year	numeric	Season (4-digit year).
season_id	numeric	stats.ncaa.org season identifier.

`ncaa_scrape` (legacy) Scrape NCAA baseball Team Player Stats (Division I, II, and III)

Description

(legacy) Scrape NCAA baseball Team Player Stats (Division I, II, and III)

Usage

```
ncaa_scrape(
  team_id,
  year = most_recent_ncaa_baseball_season(),
  type = "batting",
  ...
)
```

Arguments

team_id	The numerical ID that the NCAA website uses to identify a team
year	The season for which data should be returned, in the form of "YYYY". Years currently available: 2013-2017.
type	A string indicating whether to return "batting", "pitching", or "fielding" statistics
...	Additional arguments passed to an underlying function like httr.

Value

A data frame with the following variables. The exact stat columns vary by type (batting / pitching / fielding); the table below shows the batting (type = "batting") columns.

col_name	types	description
year	integer	Season (4-digit year).
team_name	character	Team name.
team_id	numeric	Team NCAA id.
conference_id	integer	Conference identifier.
conference	character	Conference name.
division	numeric	NCAA division (1, 2, 3).
player_id	integer	stats.ncaa.org player identifier.
player_url	character	Full stats.ncaa.org url for the player page.
player_name	character	Player name.
Yr	character	Academic class/year (Fr, So, Jr, Sr).
Pos	character	Primary fielding position.
Jersey	character	Jersey number (the site's "#" column).
GP	numeric	Games played.
GS	numeric	Games started.
BA	numeric	Batting average.
OBPct	numeric	On-base percentage.
SlgPct	numeric	Slugging percentage.
R	numeric	Runs scored.
AB	numeric	At-bats.
H	numeric	Hits.
2B	numeric	Doubles.
3B	numeric	Triples.
TB	numeric	Total bases.
HR	numeric	Home runs.
RBI	numeric	Runs batted in.

BB	numeric	Walks (bases on balls).
HBP	numeric	Hit by pitch.
SF	numeric	Sacrifice flies.
SH	numeric	Sacrifice hits (bunts).
K	numeric	Strikeouts.
DP	numeric	Grounded into double plays (site's "OPP DP").
CS	numeric	Caught stealing.
Picked	numeric	Times picked off.
SB	numeric	Stolen bases.
RBI2out	numeric	Runs batted in with two outs.

`ncaa_team_player_stats`

Scrape NCAA baseball Team Player Stats (Division I, II, and III)

Description

This function allows the user to obtain batting, pitching, or fielding statistics for any school affiliated with the NCAA at the division I, II, or III levels. The function acquires data from the NCAA's website (stats.ncaa.org) and returns a tibble.

Usage

```
ncaa_team_player_stats(
  team_id,
  year = most_recent_ncaa_baseball_season(),
  type = "batting",
  ...
)
```

Arguments

`team_id`	The numerical ID that the NCAA website uses to identify a team
`year`	The season for which data should be returned, in the form of "YYYY". Years currently available: 2013-2017.
`type`	A string indicating whether to return "batting", "pitching", or "fielding" statistics
`...`	Additional arguments passed to an underlying function like httr.

Details

Live usage (reads `stats.ncaa.org`, which is behind Akamai bot protection and needs the optional `chromote` + Google Chrome browser fallback, so it is shown here rather than as a runnable example):

```
ncaa_team_player_stats(team_id = 234, year = 2023, type = "batting")
```

Value

A data frame with the following variables. The exact stat columns vary by `type` (batting / pitching / fielding); the table below shows the batting (`type = "batting"`) columns.

col_name	types	description
year	integer	Season (4-digit year).
team_name	character	Team name.
team_id	numeric	Team NCAA id.
conference_id	integer	Conference identifier.
conference	character	Conference name.
division	numeric	NCAA division (1, 2, 3).
player_id	integer	stats.ncaa.org player identifier.
player_url	character	Full stats.ncaa.org url for the player page.
player_name	character	Player name.
Yr	character	Academic class/year (Fr, So, Jr, Sr).
Pos	character	Primary fielding position.
Jersey	character	Jersey number (the site's "#" column).
GP	numeric	Games played.
GS	numeric	Games started.
BA	numeric	Batting average.
OBPct	numeric	On-base percentage.
SlgPct	numeric	Slugging percentage.
R	numeric	Runs scored.
AB	numeric	At-bats.
H	numeric	Hits.
2B	numeric	Doubles.
3B	numeric	Triples.
TB	numeric	Total bases.
HR	numeric	Home runs.
RBI	numeric	Runs batted in.
BB	numeric	Walks (bases on balls).
HBP	numeric	Hit by pitch.
SF	numeric	Sacrifice flies.
SH	numeric	Sacrifice hits (bunts).
K	numeric	Strikeouts.
DP	numeric	Grounded into double plays (site's "OPP DP").
CS	numeric	Caught stealing.
Picked	numeric	Times picked off.
SB	numeric	Stolen bases.
RBI2out	numeric	Runs batted in with two outs.

`ncaa_teams` **Scrape NCAA baseball Teams (Division I, II, and III)**

Description

This function allows the user to obtain NCAA teams by year and division

Usage

```
ncaa_teams(year = most_recent_ncaa_baseball_season(), division = 1, ...)
```

Arguments

year	The season for which data should be returned, in the form of "YYYY". Years currently available: 2002 onward.
division	Division - 1, 2, 3
...	Additional arguments passed to an underlying function like httr.

Details

```
ncaa_teams(2023, 1)
```

Value

A data frame with the following variables

col_name	types	description
team_id	character	Franchise team id (legacy /team/{id}/... urls).
team_name	character	Team display name.
team_url	character	Relative team url from stats.ncaa.org.
conference_id	character	Conference identifier.
conference	character	Conference name.
division	numeric	NCAA division (1, 2, 3).
year	numeric	Season (4-digit year).
season_id	character	Season id (legacy urls); join key to season ids.
season_team_id	character	Season-team id (modern /teams/{id} urls).

---

pitcher_game_logs_fg (legacy) Scrape Pitcher Game Logs from FanGraphs

---

Description

(legacy) Scrape Pitcher Game Logs from FanGraphs

Usage

```
pitcher_game_logs_fg(playerid, year)
```

Arguments

playerid	This is the playerid used by FanGraphs for a given player
year	The season for which game logs should be returned (use the YYYY format)

Value

A data frame of pitcher game logs.

---

playerid_lookup — Look up Baseball Player IDs by Player Name

Description

This function allows you to query the Chadwick Bureau's public register of baseball players and the various IDs associated with them in different systems of record.

Usage

```
playerid_lookup(last_name = NULL, first_name = NULL)
```

Arguments

last_name	A text string used to return results for players with that string in their last name.
first_name	A text string used to return results for players with that string in their first name.

Value

A data frame of baseball players and the various IDs associated with them in different systems of record.

col_name	types	description
first_name	character	Player first name.
last_name	character	Player last name.
given_name	character	Player full given (legal) name.
name_suffix	character	Name suffix (e.g. Jr., Sr., III).
nick_name	character	Player nickname.
birth_year	integer	Year of birth.
mlb_played_first	integer	First MLB season as a player.
mlbam_id	integer	MLB Advanced Media (MLBAM) player ID.
retrosheet_id	character	Retrosheet player ID.
bbref_id	character	Baseball-Reference player ID.
fangraphs_id	integer	FanGraphs player ID.

Examples

```
try(playerid_lookup("Garcia", "Karim"))
```

`playername_lookup` **Look up Baseball Player Name by ID**

Description

This function allows you to query the Chadwick Bureau's public register of baseball players and the various IDs associated with them in different systems of record.

Usage

```
playername_lookup(id)
```

Arguments

`id`	An integer or character string representing a player ID in a baseball database, cross-referenced through the Chadwick Bureau's public register of baseball players.

Value

A data frame of baseball players and the various IDs associated with them in different systems of record.

col_name	types	description
name_first	character	Player first name.
name_last	character	Player last name.
name_given	character	Player full given (legal) name.
name_suffix	character	Name suffix (e.g. Jr., Sr., III).
name_nick	character	Player nickname.
birth_year	integer	Year of birth.
mlb_played_first	integer	First MLB season as a player.
key_mlbam	integer	MLB Advanced Media (MLBAM) player ID.
key_retro	character	Retrosheet player ID.
key_bbref	character	Baseball-Reference player ID.
key_fangraphs	integer	FanGraphs player ID.

Examples

```
try(playername_lookup(4885))
try(playername_lookup("kaaihki01"))
```

process_statcast_payload **Process Baseball Savant CSV payload**

Description

This is a helper function for all `statcast_search()` functions. The function processes the initial csv payload acquired from Baseball Savant to ensure consistency in formatting across downloads

Usage

```
process_statcast_payload(payload)
```

Arguments

`payload`	payload from a Baseball Savant request

Value

A tibble with the processed Statcast data coerced to the correct types.

retrosheet_data **Get, Parse, and Format Retrosheet Event and Roster Files**

Description

This function requires the use of the `Chadwick CLI`. Follow the directions at the repository for installation of the CLI release for your platform. Specifically from the `Chadwick CLI` tools, this function requires the `cwevent` application to be available from the command line. For unix platform users: the `retrosheet_data()` function uses the `system()` interface under the hood. For Windows and other platform users: the `retrosheet_data()` function interacts with the `cwevent` application using the `shell()` interface under the hood.

Usage

```
retrosheet_data(
  path_to_directory = NULL,
  years_to_acquire = most_recent_mlb_season() - 1,
  sequence_years = FALSE
)
```

Arguments

`path_to_directory`
: (default: NULL) A file path that if set, either:

1. creates a new directory, or
2. uses the path to an existing directory

`years_to_acquire`
: (format: YYYY) The seasons to collect. Single, multiple, and sequential years can be passed. If passing multiple years, enclose in a vector (i.e. c(2017,2018)). Defaults to `most_recent_mlb_season()`.

`sequence_years`
: (logical, default: FALSE): If the seasons passed in the years_to_acquire parameter should be sequenced so that the function returns all years including and between the vector passed, set the argument to TRUE. Defaults to FALSE.

Details

```
retrosheet_data(path_to_directory = NULL,
                years_to_acquire =  most_recent_mlb_season()-1,
                sequence_years = FALSE)
```

Value

If `path_to_directory` is not set (default), the process will return a named list of tibbles: 'events' and 'rosters' for each season provided to `years_to_acquire` If `path_to_directory` is set, will also write two csv files to the unzipped directory: 1) a combined csv of the event data for a given year and 2) a combined csv of each team's roster for each year provided to `years_to_acquire`

`run_expectancy_code` Generate run expectancy and related measures from Baseball Savant data

---

Description

These functions allow a user to generate run expectancy and related measures and variables from Baseball Savant data. Measures and variables will be added to the data frame.

Usage

```
run_expectancy_code(df, level = "plate appearance")
```

Arguments

`df`
: A data frame generated from Baseball Savant.

`level`
: Whether you want run expectancy calculated at the plate appearance or pitch level. Defaults to plate appearance.

Value

Returns the input Baseball Savant data frame (the same Statcast pitch-level columns produced by `statcast_search()` – see that function's return value for the full column-by-column reference) with run-expectancy columns appended. The appended columns are:

col_name	types	description
final_pitch_game	numeric	1 if the row is the last pitch of the game, 0 otherwise.
final_pitch_at_bat	numeric	1 if the row is the last pitch of the plate appearance, 0 otherwise.
runs_scored_on_pitch	numeric	Runs that scored on the pitch (parsed from the play description, plus the batter on a l
bat_score_after	numeric	Batting team score after the pitch.
final_pitch_inning	numeric	1 if the row is the last pitch of the half-inning, 0 otherwise.
bat_score_start_inning	numeric	Batting team score at the start of the half-inning.
bat_score_end_inning	numeric	Batting team score at the end of the half-inning.
cum_runs_in_inning	numeric	Cumulative runs scored in the half-inning up to the pitch.
runs_to_end_inning	numeric	Runs scored from the current state to the end of the half-inning.
count_base_out_state	character	Count, outs, and base-occupancy state string (pitch-level run expectancy).
avg_re	numeric	Average run expectancy for the current base-out (or count-base-out) state.
next_count_base_out_state	character	Base-out (or count-base-out) state of the following event.
next_avg_re	numeric	Average run expectancy for the next state (0 at the end of an inning).
change_re	numeric	Change in run expectancy between the current and next state.
re24	numeric	RE24: change in run expectancy plus runs scored on the pitch.

At the plate-appearance level the analogous state columns are named `base_out_state` and `next_base_out_state`.

Examples

```
try({
  df <- statcast_search(start_date = "2016-04-06", end_date = "2016-04-15",
                        playerid = 621043, player_type = 'batter')
  run_expectancy_code(df, level = "plate appearances")
})
```

`school_id_lu` **(legacy) Lookup NCAA baseball school IDs (Division I, II, and III)**

Description

(legacy) Lookup NCAA baseball school IDs (Division I, II, and III)

Usage

```
school_id_lu(team_name = NULL)
```

Arguments

`team_name`	A string that will be searched for in the names of the teams.

Value

Returns a tibble with school identification data: team_id, team_name, team_url, conference, conference_id, division, year, and season_id

col_name	types	description
team_id	numeric	Team NCAA id.
team_name	character	Team name.
team_url	character	Relative stats.ncaa.org team url.
conference_id	numeric	Conference identifier.
conference	character	Conference name.
division	numeric	NCAA division (1, 2, 3).
year	numeric	Season (4-digit year).
season_id	numeric	stats.ncaa.org season identifier.

`scrape_savant_leaderboards`

(legacy) Query Baseball Savant Leaderboards

Description

(legacy) Query Baseball Savant Leaderboards

Usage

```
scrape_savant_leaderboards(
  leaderboard = "exit_velocity_barrels",
  year = 2020,
  abs = 50,
  min_pa = "q",
  min_pitches = 100,
  min_throws = 100,
  min_field = "q",
  min_run = 0,
  player_type = "batter",
  fielding_type = "player",
  oaa_position = "",
  oaa_roles = "",
  team = "",
  arsenal_type = "n_",
  run_type = "raw",
  min2b = 5,
  min3b = 0,
  position = "",
  bats = "",
  hand = ""
)
```

Arguments

leaderboard	The type of leaderboard to retrieve, input as a string. Current options include exit_velocity_barrels, expected_statistics, pitch_arsenal, outs_above_average, directional_oaa, catch_probability, pop_time, sprint_speed, and running_splits_90_ft, arm_strength.
year	The season for which you want data.
abs	The minimum number of batted balls. Applies only to exit_velocity_barrels leaderboards.
min_pa	Minimum number of plate appearances. Can be a number or 'q' for qualified batters.
min_pitches	Minimum number of pitches thrown.
min_throws	Minimum number of throwing opportunities.
min_field	Minimum number of fieding opportunities.
min_run	Minimum number of running opportunities.
player_type	One of either 'batter' or pitcher. For the expected_statistics leaderboard, 'batter-team' and 'pitcher-team' are also available.
fielding_type	One of either 'player' or 'team'.
oaa_position	Can be either the number position of a player or 'if' or 'of' for position categories.
oaa_roles	Can be either the number position of a player or 'if' or 'of' for position categories.
team	An abbreviation for a team. Can be left blank.
arsenal_type	One of either 'n_', 'avg_spin', or 'avg_speed'.
run_type	One of either 'percent' or 'raw'.
min2b	The minimum number of throwing attempts to second base.
min3b	The minimum number of throwing attempts to third base.
position	The numeric position of the player. For DH use 10. Can be left blank.
bats	The handedness of the batter. One of 'R' or 'L'. Can be left blank.
hand	The handedness of the pitcher. One of 'R' or 'L'. Can be left blank.

Value

Returns a tibble of Statcast leaderboard data.

scrape_statcast_savant

(legacy) Query Statcast by Date Range and Players

Description

(legacy) Query Statcast by Date Range and Players

Usage

```
scrape_statcast_savant(
  start_date = Sys.Date() - 1,
  end_date = Sys.Date(),
  playerid = NULL,
  player_type = "batter",
  ...,
  route = "statcast_search"
)

scrape_statcast_savant.Date(
  start_date = Sys.Date() - 1,
  end_date = Sys.Date(),
  playerid = NULL,
  player_type = "batter",
  ...,
  route = "statcast_search"
)

scrape_statcast_savant.default(
  start_date = Sys.Date() - 1,
  end_date = Sys.Date(),
  playerid = NULL,
  player_type = "batter",
  ...
)

scrape_statcast_savant_batter(start_date, end_date, batterid = NULL, ...)

scrape_statcast_savant_batter_all(start_date, end_date, batterid = NULL, ...)

scrape_statcast_savant_pitcher(start_date, end_date, pitcherid = NULL, ...)

scrape_statcast_savant_pitcher_all(start_date, end_date, pitcherid = NULL, ...)
```

Arguments

start_date	Date of first game for which you want data. Format must be in YYYY-MM-DD format.

end_date	Date of last game for which you want data. Format must be in YYYY-MM-DD format.
playerid	The MLBAM ID for the player whose data you want to query.
player_type	The player type. Can be batter or pitcher. Default is batter
...	currently ignored
route	The Baseball Savant search route. Defaults to the MLB search ("statcast_search"); statcast_search_minors() and statcast_search_wbc() pass the minor-league and World Baseball Classic routes for you.
batterid	The MLBAM ID for the batter whose data you want to query.
pitcherid	The MLBAM ID for the pitcher whose data you want to query.

Value

Returns a tibble with Statcast data.

Returns a tibble with Statcast data.

Returns a tibble with Statcast data.

Returns a tibble with Statcast data.

Returns a tibble with Statcast data.

Returns a tibble with Statcast data.

Returns a tibble with Statcast data.

---

spotrac **Spotrac Endpoint Overview**

Description

- sptrc_team_active_payroll(): Scrape Team Active Payroll Breakdown from Spotrac.
- sptrc_league_payrolls(): Scrape League Payroll Breakdowns from Spotrac.

Details

Spotrac:

These functions retrieve team and league payroll breakdowns from Spotrac.

`sptrc_league_payrolls` **Scrape League Payroll Breakdowns from Spotrac**

Description

This function allows you to scrape each team's payroll from Spotrac.

Usage

```
sptrc_league_payrolls(year = most_recent_mlb_season())
```

Arguments

`year`	Year to load

Value

A data frame of contract data.

col_name	types	description
year	character	Payroll season.
team	character	Full team name.
team_abbr	character	Team abbreviation.
rank	numeric	League rank by total payroll allocations.
record	character	Team win-loss record for the season.
avg_age_team	character	Roster-weighted average age of the team.
total_payroll_allocations	numeric	Total payroll allocations across all roster statuses (USD).
active_26_man	numeric	Payroll allocated to the active 26-man roster (USD).
injured	numeric	Payroll allocated to players on the injured list (USD).
retained	numeric	Retained salary owed to players no longer on the roster (USD).
buried	numeric	Payroll for players assigned to the minors ("buried" contracts) (USD).

Column names after `rank` mirror Spotrac's current league-payroll table and may change as Spotrac updates its layout.

Examples

```
try(sptrc_league_payrolls(year = most_recent_mlb_season()))
```

`sptrc_team_active_payroll`

Scrape Team Active Payroll Breakdown from Spotrac

Description

This function allows you to scrape a team's active payroll from Spotrac.

Usage

```
sptrc_team_active_payroll(team_abbr, year = most_recent_mlb_season())
```

Arguments

`team_abbr`	Team abbreviation
`year`	Year to load

Value

A data frame of contract data.

col_name	types	description
year	numeric	Payroll season.
team	character	Team abbreviation supplied to the function.
player_name	character	Player name.
roster_status	character	Payroll table the row came from: Active, IL, or Retained Salary.
pos	character	Player position.
exp	character	Years of MLB service experience.
options_minor	character	Remaining minor-league option years.
status	character	Contract status (e.g. signed, arbitration, pre-arbitration).
payroll_salary	numeric	Salary counted against the team payroll (USD).
payroll_salary_adjusted	numeric	Payroll salary adjusted for prorated and retained amounts (USD).
base_salary	numeric	Player base salary for the season (USD).
signing_bonus	numeric	Signing bonus allocated to the season (USD).
waiver_options	character	Waiver and option flags reported by Spotrac.

Columns after `roster_status` mirror Spotrac's current payroll table and may change as Spotrac updates its layout.

Examples

```
try(sptrc_team_active_payroll(team_abbr = "BAL", year = most_recent_mlb_season()))
```

standings_on_date_bref (legacy) Scrape MLB Standings on a Given Date

Description

(legacy) Scrape MLB Standings on a Given Date

Usage

```
standings_on_date_bref(date, division, from = FALSE)
```

Arguments

date	a date object
division	One of AL East, AL Central, AL West, AL Overall, NL East, NL Central, NL West, and NL Overall. Which divisions exist depends on the date: before 1969 only `AL Overall` / `NL Overall`; 1969-1993 adds East/West; 1994 onward adds Central. Requesting a division that did not exist for the date errors with the era's available options.
from	a logical indicating whether you want standings up to and including the date (FALSE, default) or rather standings for games played after the date

Value

Returns a tibble of MLB standings

statcast Statcast Functions Overview

Description

- `statcast_search()`: Query Statcast by Date Range and Players.
- `statcast_search_batters()`: Query Statcast Batters by Date Range and Player.
- `statcast_search_pitchers()`: Query Statcast Pitchers by Date Range and Player.
- `statcast_leaderboards()`: Query Baseball Savant Leaderboards.

Details

Query Statcast Batters by Date Range:

```
statcast_search(start_date = "2016-04-06",
                end_date = "2016-04-15",
                player_type = 'batter')

 ## The above is equivalent to:
statcast_search_batters(start_date = "2016-04-06",
                        end_date = "2016-04-15",
                        batterid = NULL)
```

Query Statcast Pitchers by Date Range:

```
statcast_search(start_date = "2016-04-06",
                end_date = "2016-04-15",
                player_type = 'pitcher')

 ## The above is equivalent to:
statcast_search_pitchers(start_date = "2016-04-06",
                         end_date = "2016-04-15",
                         pitcherid = NULL)
```

Query Statcast Batters by Date Range and Player ID:

```
  correa <- statcast_search(start_date = "2016-04-06",
                            end_date = "2016-04-15",
                            playerid = 621043,
                            player_type = 'batter')

 ## The above is equivalent to:
  correa <- statcast_search_batters(start_date = "2016-04-06",
                                    end_date = "2016-04-15",
                                    batterid = 621043)
```

Query Statcast Pitchers by Date Range and Player ID:

```
  noah <- statcast_search(start_date = "2016-04-06",
                          end_date = "2016-04-15",
                          playerid = 592789,
                          player_type = 'pitcher')

 ## The above is equivalent to:
  noah <- statcast_search_pitchers(start_date = "2016-04-06",
                                   end_date = "2016-04-15",
                                   pitcherid = 592789)
```

Query Baseball Savant Leaderboards:

```
  statcast_leaderboards(leaderboard = "exit_velocity_barrels", year = 2021)
```

statcast_impute Statcast Label Imputation

Description

Statcast Label Imputation

Usage

```
statcast_impute
```

Format

An object of class `data.frame` with 44 rows and 4 columns.

statcast_leaderboards Query Baseball Savant Leaderboards

Description

This function allows you to read leaderboard data from BaseballSavant directly into R as data frame.

Usage

```
statcast_leaderboards(
  leaderboard = "exit_velocity_barrels",
  year = 2020,
  abs = 50,
  min_pa = "q",
  min_pitches = 100,
  min_throws = 100,
  min_field = "q",
  min_run = 0,
  player_type = "batter",
  fielding_type = "player",
  oaa_position = "",
  oaa_roles = "",
  team = "",
  arsenal_type = "n_",
  run_type = "raw",
  min2b = 5,
  min3b = 0,
  position = "",
  bats = "",
  hand = ""
)
```

Arguments

leaderboard	The type of leaderboard to retrieve, input as a string. Current options include exit_velocity_barrels, expected_statistics, pitch_arsenal, outs_above_average, directional_oaa, catch_probability, pop_time, sprint_speed, and running_splits_90_ft, arm_strength.
year	The season for which you want data.
abs	The minimum number of batted balls. Applies only to exit_velocity_barrels leaderboards.
min_pa	Minimum number of plate appearances. Can be a number or 'q' for qualified batters.
min_pitches	Minimum number of pitches thrown.
min_throws	Minimum number of throwing opportunities.
min_field	Minimum number of fieding opportunities.
min_run	Minimum number of running opportunities.
player_type	One of either 'batter' or pitcher. For the expected_statistics leaderboard, 'batter-team' and 'pitcher-team' are also available.
fielding_type	One of either 'player' or 'team'.
oaa_position	Can be either the number position of a player or 'if' or 'of' for position categories.
oaa_roles	Can be either the number position of a player or 'if' or 'of' for position categories.
team	An abbreviation for a team. Can be left blank.
arsenal_type	One of either 'n_', 'avg_spin', or 'avg_speed'.
run_type	One of either 'percent' or 'raw'.
min2b	The minimum number of throwing attempts to second base.
min3b	The minimum number of throwing attempts to third base.
position	The numeric position of the player. For DH use 10. Can be left blank.
bats	The handedness of the batter. One of 'R' or 'L'. Can be left blank.
hand	The handedness of the pitcher. One of 'R' or 'L'. Can be left blank.

Details

oaa_roles argument: 30 = 1B - Straight Up 31 = 1B - Towards 1B/2B Hole 32 = 1B - Close to Line 40 = 2B - Straight Up 41 = 2B - Shaded Towards 2B Bag 42 = 2B - Towards 1B/2B Hole 43 = 2B - Behind First Basemen 46 = 2B - Up the Middle 60 = SS - Straight Up 61 = SS - Towards 3B/SS Hole 62 = SS - Shaded Towards 2B Bag 64 = SS - Up the Middle 50 = 3B - Straight Up 51 = 3B - Close to Line 52 = 3B - Towards 3B/SS Hole 77 = LF - Close to Line 71 = LF - Leaning Left 70 = LF - Straight Up 72 = LF - Leaning Right 78 = LF - LF Gap 87 = CF - LF Gap 81 = CF - Leaning Left 82 = CF - Leaning Right 89 = CF - RF Gap 98 = RF - RF Gap 91 = RF - Leaning Left 90 = RF - Straight Up 92 = RF - Leaning Right 99 = RF - Close to Line

Value

Returns a tibble of Statcast leaderboard data with the following columns (for leaderboard: 'exit_velocity_barrels'):

col_name	types	description
year	numeric	Leaderboard season.
last_name, first_name	character	Player name as "Last, First".
player_id	integer	MLBAM player ID.
attempts	integer	Number of batted-ball events (attempts).
avg_hit_angle	numeric	Average launch angle on batted balls (degrees).
anglesweetspotpercent	numeric	Share of batted balls hit in the 8-32 degree sweet-spot range (percent).
max_hit_speed	numeric	Maximum exit velocity recorded (mph).
avg_hit_speed	numeric	Average exit velocity on batted balls (mph).
ev50	numeric	Average of the top 50% of hardest-hit batted balls by exit velocity (mph).
fbld	numeric	Average exit velocity on fly balls and line drives (mph).
gb	numeric	Average exit velocity on ground balls (mph).
max_distance	integer	Maximum batted-ball distance (feet).
avg_distance	integer	Average batted-ball distance (feet).
avg_hr_distance	integer	Average home-run distance (feet).
ev95plus	integer	Number of batted balls hit at 95+ mph.
ev95percent	numeric	Share of batted balls hit at 95+ mph (percent).
barrels	integer	Number of barreled batted balls.
brl_percent	numeric	Barrels per batted-ball event (percent).
brl_pa	numeric	Barrels per plate appearance (percent).

Examples

```
try(statcast_leaderboards(leaderboard = "expected_statistics", year = 2018))
try(statcast_leaderboards(leaderboard = "arm_strength", year = 2020))
```

---

statcast_pitch_colors Baseball Savant pitch-type colors

Description

Returns Baseball Savant's pitch-type color palette as a tibble (`pitch_type` abbreviation, `pitch_name`, and `color` hex code), for coloring pitch charts consistently with Savant's own visuals.

Usage

```
statcast_pitch_colors()
```

Value

A tibble with columns `pitch_type`, `pitch_name`, `color`.

Examples

```
statcast_pitch_colors()
```

`statcast_search` **Query Statcast by Date Range and Players**

Description

This function allows you to query Statcast data as provided on https://baseballsavant.mlb.com

`statcast_search_minors()` queries the minor-league Statcast search (`statcast-search-minors`) – same shape and columns, MiLB games (Triple-A tracking began 2023).

`statcast_search_wbc()` queries the World Baseball Classic Statcast search (`statcast-search-world-baseball-classi`) WBC games are siloed to this route and not reachable from the regular search.

Usage

```
statcast_search(
  start_date = Sys.Date() - 1,
  end_date = Sys.Date(),
  playerid = NULL,
  player_type = "batter",
  ...,
  route = "statcast_search"
)

statcast_search.default(
  start_date = Sys.Date() - 1,
  end_date = Sys.Date(),
  playerid = NULL,
  player_type = "batter",
  ...
)

statcast_search_batters(start_date, end_date, batterid = NULL, ...)

statcast_search_pitchers(start_date, end_date, pitcherid = NULL, ...)

statcast_search_minors(
  start_date = Sys.Date() - 1,
  end_date = Sys.Date(),
  playerid = NULL,
  player_type = "batter",
  ...
)

statcast_search_wbc(
```

```
  start_date = Sys.Date() - 1,
  end_date = Sys.Date(),
  playerid = NULL,
  player_type = "batter",
  ...
)
```

Arguments

start_date	Date of first game for which you want data. Format must be in YYYY-MM-DD format.
end_date	Date of last game for which you want data. Format must be in YYYY-MM-DD format.
playerid	The MLBAM ID for the player whose data you want to query.
player_type	The player type. Can be batter or pitcher. Default is batter
...	currently ignored
route	The Baseball Savant search route. Defaults to the MLB search ("statcast_search"); statcast_search_minors() and statcast_search_wbc() pass the minor-league and World Baseball Classic routes for you.
batterid	The MLBAM ID for the batter whose data you want to query.
pitcherid	The MLBAM ID for the pitcher whose data you want to query.

Value

Returns a tibble with Statcast data with the following columns:

col_name	types	description
pitch_type	character	Abbreviation of the pitch type thrown (e.g. FF, SL, CH).
game_date	Date	Date the game was played.
release_speed	numeric	Pitch velocity out of the hand (mph).
release_pos_x	numeric	Horizontal release position of the ball, catcher's perspective (feet).
release_pos_z	numeric	Vertical release position of the ball, catcher's perspective (feet).
player_name	character	Pitcher (or batter, by query) name, Last, First.
batter	numeric	MLBAM ID for the batter.
pitcher	numeric	MLBAM ID for the pitcher.
events	character	Plate-appearance outcome (e.g. single, strikeout, home_run).
description	character	Pitch-level result description (e.g. ball, called_strike, hit_into_play).
spin_dir	logical	Deprecated spin direction field, no longer populated.
spin_rate_deprecated	logical	Deprecated legacy spin-rate field, no longer populated.
break_angle_deprecated	logical	Deprecated legacy break-angle field, no longer populated.
break_length_deprecated	logical	Deprecated legacy break-length field, no longer populated.
zone	numeric	Strike-zone region the pitch crossed (1-14 Gameday zone).
des	character	Full text description of the play.
game_type	character	Type of game: R (regular), PO/F/D/L/W (postseason), S (spring).
stand	character	Side of the plate the batter is standing (L or R).
p_throws	character	Hand the pitcher throws with (L or R).
home_team	character	Home team abbreviation.

away_team	character	Away team abbreviation.
type	character	Pitch result code: B (ball), S (strike), X (in play).
hit_location	integer	Fielder position number that fielded the ball.
bb_type	character	Batted-ball type (ground_ball, line_drive, fly_ball, popup).
balls	integer	Ball count before the pitch.
strikes	integer	Strike count before the pitch.
game_year	integer	Season year of the game.
pfx_x	numeric	Horizontal pitch movement from the catcher's perspective (feet).
pfx_z	numeric	Vertical pitch movement from the catcher's perspective (feet).
plate_x	numeric	Horizontal position of the pitch crossing the plate (feet from center).
plate_z	numeric	Vertical position of the pitch crossing the plate (feet above ground).
on_3b	numeric	MLBAM ID of the runner on third base, if any.
on_2b	numeric	MLBAM ID of the runner on second base, if any.
on_1b	numeric	MLBAM ID of the runner on first base, if any.
outs_when_up	integer	Number of outs when the batter came to the plate.
inning	numeric	Inning number.
inning_topbot	character	Half of the inning (Top or Bot).
hc_x	numeric	Hit coordinate X on the field diagram.
hc_y	numeric	Hit coordinate Y on the field diagram.
tfs_deprecated	logical	Deprecated time-from-start field, no longer populated.
tfs_zulu_deprecated	logical	Deprecated Zulu time-from-start field, no longer populated.
umpire	logical	Deprecated umpire field, no longer populated.
sv_id	logical	Deprecated Sportvision/Statcast pitch identifier, no longer populated
vx0	numeric	Velocity of the pitch in the x-direction at y=50 ft (ft/s).
vy0	numeric	Velocity of the pitch in the y-direction at y=50 ft (ft/s).
vz0	numeric	Velocity of the pitch in the z-direction at y=50 ft (ft/s).
ax	numeric	Acceleration of the pitch in the x-direction at y=50 ft (ft/s^2).
ay	numeric	Acceleration of the pitch in the y-direction at y=50 ft (ft/s^2).
az	numeric	Acceleration of the pitch in the z-direction at y=50 ft (ft/s^2).
sz_top	numeric	Top of the batter's strike zone for the pitch (feet).
sz_bot	numeric	Bottom of the batter's strike zone for the pitch (feet).
hit_distance_sc	numeric	Statcast-measured projected distance of the batted ball (feet).
launch_speed	numeric	Exit velocity of the batted ball (mph).
launch_angle	numeric	Vertical launch angle of the batted ball (degrees).
effective_speed	numeric	Perceived velocity adjusted for release extension (mph).
release_spin_rate	numeric	Spin rate of the pitch at release (rpm).
release_extension	numeric	Distance toward the plate at release (feet).
game_pk	numeric	Unique MLB game identifier.
fielder_2	numeric	MLBAM ID of the catcher.
fielder_3	numeric	MLBAM ID of the first baseman.
fielder_4	numeric	MLBAM ID of the second baseman.
fielder_5	numeric	MLBAM ID of the third baseman.
fielder_6	numeric	MLBAM ID of the shortstop.
fielder_7	numeric	MLBAM ID of the left fielder.
fielder_8	numeric	MLBAM ID of the center fielder.
fielder_9	numeric	MLBAM ID of the right fielder.
release_pos_y	numeric	Release position of the ball toward the plate (feet).
estimated_ba_using_speedangle	numeric	Expected batting average based on exit velocity and launch angle.

estimated_woba_using_speedangle	numeric	Expected wOBA based on exit velocity and launch angle.
woba_value	numeric	wOBA value assigned to the event.
woba_denom	integer	wOBA denominator (plate-appearance weight) for the event.
babip_value	integer	BABIP value assigned to the event (0 or 1).
iso_value	integer	Isolated power value assigned to the event.
launch_speed_angle	integer	Batted-ball classification code (1-6) from exit velocity and angle.
at_bat_number	numeric	Sequential plate-appearance number within the game.
pitch_number	numeric	Pitch number within the plate appearance.
pitch_name	character	Full name of the pitch type (e.g. 4-Seam Fastball, Slider).
home_score	numeric	Home team score before the pitch.
away_score	numeric	Away team score before the pitch.
bat_score	numeric	Batting team score before the pitch.
fld_score	numeric	Fielding team score before the pitch.
post_away_score	numeric	Away team score after the pitch.
post_home_score	numeric	Home team score after the pitch.
post_bat_score	numeric	Batting team score after the pitch.
post_fld_score	numeric	Fielding team score after the pitch.
if_fielding_alignment	character	Infield defensive alignment (Standard, Strategic, Infield shift).
of_fielding_alignment	character	Outfield defensive alignment (Standard, Strategic, 4th outfielder).
spin_axis	numeric	Spin axis of the pitch as a clock-face angle (degrees).
delta_home_win_exp	numeric	Change in home team win expectancy on the play.
delta_run_exp	numeric	Change in run expectancy on the play.
bat_speed	numeric	Bat speed at the point of contact (mph).
swing_length	numeric	Length of the swing path to contact (feet).
miss_distance	numeric	Distance between the bat and the ball on a swing-and-miss (inches).
estimated_slg_using_speedangle	numeric	Expected slugging based on exit velocity and launch angle.
delta_pitcher_run_exp	numeric	Change in run expectancy credited to the pitcher.
hyper_speed	numeric	Adjusted (90th-percentile) exit velocity (mph).
home_score_diff	integer	Home team score minus away team score before the pitch.
bat_score_diff	integer	Batting team score minus fielding team score before the pitch.
home_win_exp	numeric	Home team win expectancy before the play.
bat_win_exp	numeric	Batting team win expectancy before the play.
age_pit_legacy	integer	Pitcher age using the legacy calculation.
age_bat_legacy	integer	Batter age using the legacy calculation.
age_pit	integer	Pitcher age for the season.
age_bat	integer	Batter age for the season.
n_thruorder_pitcher	integer	Times through the order the pitcher is facing the lineup.
n_priorpa_thisgame_player_at_bat	integer	Number of prior plate appearances by the batter in the game.
pitcher_days_since_prev_game	integer	Days since the pitcher's previous game appearance.
batter_days_since_prev_game	integer	Days since the batter's previous game appearance.
pitcher_days_until_next_game	integer	Days until the pitcher's next game appearance.
batter_days_until_next_game	integer	Days until the batter's next game appearance.
api_break_z_with_gravity	numeric	Vertical pitch break including gravity (inches).
api_break_x_arm	numeric	Horizontal pitch break to the pitcher's arm side (inches).
api_break_x_batter_in	numeric	Horizontal pitch break toward/away from the batter (inches).
arm_angle	numeric	Pitcher's arm angle at release (degrees).
attack_angle	numeric	Angle of the bat's path at contact (degrees).
attack_direction	numeric	Horizontal direction of the swing at contact (degrees).

swing_path_tilt	numeric	Vertical tilt of the swing path (degrees).
intercept_ball_minus_batter_pos_x_inches	numeric	Horizontal offset of ball-bat intercept from batter position (inches).
intercept_ball_minus_batter_pos_y_inches	numeric	Depth offset of ball-bat intercept from batter position (inches).

Returns a tibble with Statcast data.

Returns a tibble with the same Statcast pitch-level columns as `statcast_search()`, filtered to the requested batter. See the `statcast_search()` return value for the full column-by-column reference.

Returns a tibble with the same Statcast pitch-level columns as `statcast_search()`, filtered to the requested pitcher. See the `statcast_search()` return value for the full column-by-column reference.

Examples

```
### Harper
try(statcast_search(start_date = "2022-10-06",
                    end_date = "2022-10-16",
                    playerid = 547180,
                    player_type = 'batter'))
### Framber
try(statcast_search(start_date = "2022-10-06",
                    end_date = "2022-10-16",
                    playerid = 664285,
                    player_type = 'pitcher'))
### Daily
try(statcast_search(start_date = "2022-11-04",
                    end_date = "2022-11-06"))


try({
  correa <- statcast_search_batters(start_date = "2016-04-06",
    end_date = "2016-04-15", batterid = 621043)
  daily <- statcast_search_batters(start_date = "2016-04-06",
    end_date = "2016-04-06", batterid = NULL)
})


try({
  x <- statcast_search_pitchers(start_date = "2016-04-06",
    end_date = "2016-04-15", pitcherid = 592789)
  daily <- statcast_search_pitchers(start_date = "2016-04-06",
    end_date = "2016-04-06", pitcherid = NULL)
})


try(statcast_search_minors(start_date = "2024-06-01", end_date = "2024-06-01"))


try(statcast_search_wbc(start_date = "2023-03-21", end_date = "2023-03-21"))
```

statline_from_statcast

Create stat lines from Statcast data

Description

This function allows you to create stat lines of statistics for players or groups of players from raw Statcast. When calculating wOBA, the most recent year in the data frame is used for weighting.

Usage

```
statline_from_statcast(df, base = "pa")
```

Arguments

df	A data frame of statistics that includes, at a minimum, the following columns: events, description, game_date, and type.
base	Tells the function what to use as the population of pitches to use for the stat line. Options include "swings", "contact", or "pa". Defaults to "pa".

Details

```
statline_from_statcast(df, base = "contact")
```

Value

A tibble with the additional columns calculated using the Statcast data.

stats_api_live_empty_df

Column structure of MLB Stats Live Game API data frame

Description

An empty tibble

Usage

```
stats_api_live_empty_df
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 0 rows and 131 columns.

team_consistency Calculate Team-level Consistency

Description

This function allows you to calculate team-level consistency in run scoring and run prevention over the course of an entire season.

Usage

```
team_consistency(year)
```

Arguments

year	Season consistency should be run for.

Details

```
try(team_consistency(year=2021))
```

Value

Returns a tibble with the following columns

col_name	types	description
Team	character	Team name.
Con_R	numeric	Run-scoring consistency score for the season.
Con_RA	numeric	Run-prevention (runs allowed) consistency score.
Con_R_Ptile	numeric	Percentile rank of run-scoring consistency.
Con_RA_Ptile	numeric	Percentile rank of run-prevention consistency.

team_results_bref (legacy) Scrape Team Results

Description

(legacy) Scrape Team Results

Usage

```
team_results_bref(Tm, year)
```

Arguments

Tm	The abbreviation used by Baseball-Reference.com for the team whose results you want to scrape.
year	Season for which you want to scrape the park factors.

Value

Returns a tibble of MLB team results

---

teams_lu_table — A Team Lookup Table

Description

A Team Lookup Table

Usage

```
teams_lu_table
```

Format

An object of class `data.frame` with 797 rows and 31 columns.

---

woba_plus — Calculate wOBA and related metrics for any set of data

---

Description

This function allows you to calculate wOBA for any given set of data, provided the right variables are in the data set. The function currently returns both wOBA per plate appearance on wOBA per instance of fair contact.

Usage

```
woba_plus(df)
```

Arguments

df	A data frame of statistics that includes, at a minimum, the following columns: uBB (unintentional walks), HBP (Hit By Pitch), X1B (singles), X2B (doubles), X3B (triples), HR (home runs), AB (at-bats), SH (sacrifice hits), SO (strike outs), and season.

Value

Returns a tibble with the wOBA factors calculated and the following columns:

col_name	types	description
bbref_id	character	Baseball-Reference player id
season	integer	Season (4-digit year)
Name	character	Player name
Age	numeric	Player age
Level	character	Level of play (e.g. MLB or minor-league level)
Team	character	Team name
G	numeric	Games played
PA	numeric	Plate appearances
AB	numeric	At-bats
R	numeric	Runs scored
H	numeric	Hits
X1B	numeric	Singles
X2B	numeric	Doubles
X3B	numeric	Triples
HR	numeric	Home runs
RBI	numeric	Runs batted in
BB	numeric	Walks (bases on balls)
IBB	numeric	Intentional walks
uBB	numeric	Unintentional walks (BB minus IBB)
SO	numeric	Strikeouts
HBP	numeric	Hit by pitch
SH	numeric	Sacrifice hits (bunts)
SF	numeric	Sacrifice flies
GDP	numeric	Grounded into double plays
SB	numeric	Stolen bases
CS	numeric	Caught stealing
BA	numeric	Batting average
OBP	numeric	On-base percentage
SLG	numeric	Slugging percentage
OPS	numeric	On-base plus slugging
wOBA	numeric	Weighted on-base average (per plate appearance)
wOBA_CON	numeric	Weighted on-base average per instance of fair contact

Examples

```
try({
  df <- bref_daily_batter("2015-08-01", "2015-10-03")
  woba_plus(df)
})
```

Index

∗ **Baseball**
espn_college_baseball_conferences, 33
∗ **Betting**
espn_mlb_betting, 152
∗ **Box**
espn_mlb_player_box, 234
espn_mlb_team_box, 299
∗ **Chart**
espn_mlb_wp, 347
∗ **College**
espn_college_baseball_conferences, 33
∗ **Conferences**
espn_college_baseball_conferences, 33
espn_mlb_conferences, 163
∗ **Data**
espn_mlb_wp, 347
∗ **ESPN College Baseball Functions**
espn_college_baseball_athletes_index, 23
espn_college_baseball_calendar, 24
espn_college_baseball_coach, 26
espn_college_baseball_coach_record, 28
espn_college_baseball_coach_season, 29
espn_college_baseball_coaches, 31
espn_college_baseball_conferences, 33
espn_college_baseball_game_all, 34
espn_college_baseball_game_broadcasts, 35
espn_college_baseball_game_official_detail, 37
espn_college_baseball_game_officials, 38
espn_college_baseball_game_play, 40
espn_college_baseball_game_play_personnel, 42
espn_college_baseball_game_player_box, 43
espn_college_baseball_game_rosters, 45
espn_college_baseball_game_situation, 50
espn_college_baseball_game_team_leaders, 52
espn_college_baseball_game_team_linescores, 53
espn_college_baseball_game_team_records, 55
espn_college_baseball_game_team_roster, 57
espn_college_baseball_game_team_roster_entry, 58
espn_college_baseball_game_team_score, 60
espn_college_baseball_game_team_statistics, 62
espn_college_baseball_leaders, 63
espn_college_baseball_news, 65
espn_college_baseball_pbp, 67
espn_college_baseball_player_awards, 70
espn_college_baseball_player_box, 71
espn_college_baseball_player_career_stats, 73
espn_college_baseball_player_eventlog, 75
espn_college_baseball_player_gamelog, 76
espn_college_baseball_player_info, 78
espn_college_baseball_player_overview,

81
espn_college_baseball_player_seasons, 83
espn_college_baseball_player_splits, 84
espn_college_baseball_player_statisticslog, 86
espn_college_baseball_scoreboard, 87
espn_college_baseball_season_group, 90
espn_college_baseball_season_group_children, 92
espn_college_baseball_season_group_teams, 93
espn_college_baseball_season_groups, 95
espn_college_baseball_season_info, 97
espn_college_baseball_season_leaders, 98
espn_college_baseball_season_ranking, 100
espn_college_baseball_season_rankings, 102
espn_college_baseball_season_type, 103
espn_college_baseball_season_types, 105
espn_college_baseball_season_week, 107
espn_college_baseball_season_weeks, 108
espn_college_baseball_seasons, 110
espn_college_baseball_standings, 111
espn_college_baseball_team, 113
espn_college_baseball_team_box, 116
espn_college_baseball_team_leaders, 119
espn_college_baseball_team_news, 120
espn_college_baseball_team_record, 122
espn_college_baseball_team_record_detail, 124
espn_college_baseball_team_roster, 125
espn_college_baseball_team_schedule, 127
espn_college_baseball_team_season_profile, 129
espn_college_baseball_team_season_roster, 131
espn_college_baseball_team_season_statistics, 133
espn_college_baseball_teams, 134
espn_college_baseball_tournament, 136
espn_college_baseball_tournament_season, 138
espn_college_baseball_tournament_seasons, 139
espn_college_baseball_tournaments, 141
espn_college_baseball_venues, 142
espn_college_baseball_week_ranking, 144
espn_college_baseball_week_rankings, 146

∗ **ESPN MLB Functions**

espn_mlb, 147
espn_mlb_athletes_index, 149
espn_mlb_award, 151
espn_mlb_betting, 152
espn_mlb_calendar, 155
espn_mlb_coach, 156
espn_mlb_coach_record, 158
espn_mlb_coach_season, 160
espn_mlb_coaches, 161
espn_mlb_conferences, 163
espn_mlb_draft, 164
espn_mlb_draft_athlete_detail, 166
espn_mlb_draft_athletes, 168
espn_mlb_draft_pick, 170
espn_mlb_draft_rounds, 171
espn_mlb_draft_status, 173
espn_mlb_franchise, 175
espn_mlb_franchises, 176
espn_mlb_freeagents, 178
espn_mlb_futures, 180
espn_mlb_game_all, 181
espn_mlb_game_broadcasts, 183
espn_mlb_game_endpoints, 184
espn_mlb_game_info, 186

espn_mlb_game_odds, 187
espn_mlb_game_official_detail, 189
espn_mlb_game_officials, 191
espn_mlb_game_play, 192
espn_mlb_game_play_personnel, 194
espn_mlb_game_player_box, 196
espn_mlb_game_powerindex, 198
espn_mlb_game_predictor, 199
espn_mlb_game_probabilities, 201
espn_mlb_game_probables, 203
espn_mlb_game_propbets, 204
espn_mlb_game_rosters, 206
espn_mlb_game_situation, 211
espn_mlb_game_team_leaders, 213
espn_mlb_game_team_linescores, 215
espn_mlb_game_team_records, 216
espn_mlb_game_team_roster, 218
espn_mlb_game_team_roster_entry, 219
espn_mlb_game_team_score, 221
espn_mlb_game_team_statistics, 223
espn_mlb_injuries, 225
espn_mlb_leaders, 226
espn_mlb_news, 228
espn_mlb_pbp, 230
espn_mlb_player_awards, 233
espn_mlb_player_box, 234
espn_mlb_player_career_stats, 236
espn_mlb_player_contract, 238
espn_mlb_player_contracts, 240
espn_mlb_player_endpoints, 242
espn_mlb_player_eventlog, 243
espn_mlb_player_eventlog_v2, 245
espn_mlb_player_gamelog, 246
espn_mlb_player_info, 248
espn_mlb_player_overview, 251
espn_mlb_player_seasons, 253
espn_mlb_player_splits, 254
espn_mlb_player_statisticslog, 256
espn_mlb_player_stats, 258
espn_mlb_player_stats_v3, 260
espn_mlb_position, 262
espn_mlb_positions, 264
espn_mlb_powerindex, 265
espn_mlb_scoreboard, 267
espn_mlb_season_awards, 269
espn_mlb_season_draft, 271
espn_mlb_season_group, 273
espn_mlb_season_group_children, 275
espn_mlb_season_group_teams, 276
espn_mlb_season_groups, 278
espn_mlb_season_info, 280
espn_mlb_season_leaders, 281
espn_mlb_season_ranking, 283
espn_mlb_season_rankings, 285
espn_mlb_season_type, 287
espn_mlb_season_types, 289
espn_mlb_season_week, 290
espn_mlb_season_weeks, 292
espn_mlb_seasons, 293
espn_mlb_standings, 295
espn_mlb_team, 297
espn_mlb_team_box, 299
espn_mlb_team_current_roster, 302
espn_mlb_team_depthchart, 306
espn_mlb_team_endpoints, 307
espn_mlb_team_injuries, 309
espn_mlb_team_leaders, 310
espn_mlb_team_news, 312
espn_mlb_team_odds_records, 314
espn_mlb_team_record, 316
espn_mlb_team_record_detail, 318
espn_mlb_team_roster, 319
espn_mlb_team_schedule, 321
espn_mlb_team_season_profile, 323
espn_mlb_team_season_roster, 325
espn_mlb_team_season_statistics, 327
espn_mlb_team_stats, 329
espn_mlb_teams, 331
espn_mlb_tournament, 333
espn_mlb_tournament_season, 335
espn_mlb_tournament_seasons, 336
espn_mlb_tournaments, 338
espn_mlb_transactions, 339
espn_mlb_venues, 341
espn_mlb_week_ranking, 343
espn_mlb_week_rankings, 345
espn_mlb_wp, 347

∗ **ESPN**

espn_mlb, 147
espn_mlb_game_endpoints, 184
espn_mlb_player_endpoints, 242
espn_mlb_team_endpoints, 307

∗ **Game**

espn_mlb_game_all, 181
espn_mlb_game_rosters, 206
* **MLB All-Star**
mlb_all_star, 467
* **MLB Draft**
mlb_draft_endpoints, 482
* **MLB Game**
mlb_game_endpoints, 494
* **MLB Home Run Derby**
mlb_homerun_derby_endpoints, 512
* **MLB Jobs**
mlb_jobs_endpoints, 517
* **MLB Schedule**
mlb_schedule_endpoints, 550
* **MLB Stats**
mlb_stats_endpoints, 573
* **MLB Teams**
mlb_team_endpoints, 580
* **MLB**
espn_mlb_betting, 152
espn_mlb_conferences, 163
espn_mlb_game_all, 181
espn_mlb_game_rosters, 206
espn_mlb_pbp, 230
espn_mlb_player_box, 234
espn_mlb_player_stats, 258
espn_mlb_standings, 295
espn_mlb_team_box, 299
espn_mlb_team_current_roster, 302
espn_mlb_team_stats, 329
espn_mlb_teams, 331
espn_mlb_wp, 347
* **PBP**
espn_mlb_pbp, 230
* **Player**
espn_mlb_player_box, 234
espn_mlb_player_stats, 258
* **Probability**
espn_mlb_wp, 347
* **Roster**
espn_mlb_game_rosters, 206
espn_mlb_team_current_roster, 302
* **Spotrac**
spotrac, 617
* **Standings**
espn_mlb_standings, 295
* **Stats**
espn_mlb_player_stats, 258
espn_mlb_team_stats, 329
* **Teams**
espn_mlb_teams, 331
* **Team**
espn_mlb_team_box, 299
espn_mlb_team_current_roster, 302
espn_mlb_team_stats, 329
* **Win**
espn_mlb_wp, 347
* **baseballr Data**
load_baseball, 450
* **datasets**
column_structure_draft_mlb, 20
statcast_impute, 622
stats_api_live_empty_df, 630
teams_lu_table, 632
* **legacy**
batter_game_logs_fg, 10
daily_batter_bref, 20
daily_pitcher_bref, 21
fg_bat_leaders, 351
fg_pitch_leaders, 380
get_batting_orders, 435
get_draft_mlb, 436
get_game_info_mlb, 436
get_game_info_sup_petti, 437
get_game_pks_mlb, 437
get_ncaa_baseball_pbp, 438
get_ncaa_game_logs, 439
get_ncaa_lineups, 440
get_ncaa_park_factor, 441
get_ncaa_schedule_info, 442
get_pbp_mlb, 443
get_probables_mlb, 444
get_retrosheet_data, 444
get_umpire_ids_petti, 445
milb_batter_game_logs_fg, 465
milb_pitcher_game_logs_fg, 465
ncaa_baseball_roster, 596
ncaa_scrape, 604
pitcher_game_logs_fg, 608
school_id_lu, 613
scrape_savant_leaderboards, 614
scrape_statcast_savant, 616
standings_on_date_bref, 620
team_results_bref, 631

all_star *(*mlb_all_star*)*, 467
allstar *(*mlb_all_star*)*, 467

baseballr_data *(*load_baseball*)*, 450
batter_game_logs_fg, 10
bref, 11
bref_daily_batter, 11
bref_daily_pitcher, 13
bref_standings_on_date, 14
bref_team_results, 15

chadwick, 16
chadwick_find_lib *(*chadwick_path*)*, 17
chadwick_is_installed *(*chadwick_path*)*, 17
chadwick_ld_library_path *(*chadwick_path*)*, 17
chadwick_path, 17
chadwick_player_lu, 18
chadwick_set_ld_library_path *(*chadwick_path*)*, 17
code_barrel, 19
column_structure_draft_mlb, 20

daily_batter_bref, 20
daily_pitcher_bref, 21
DBI::dbConnect(), *451–454*, *456–459*, *462*, *525*
draft *(*mlb_draft_endpoints*)*, 482

edge_code, 22
edge_frequency, 22
espn_college_baseball_athletes_index, 23
espn_college_baseball_athletes_index(), *25*, *27, 28*, *30*, *32, 33*, *35, 36*, *38, 39*, *41*, *43, 44*, *49*, *51*, *53, 54*, *56, 57*, *59*, *61*, *63, 64*, *66*, *69, 70*, *72*, *74*, *76*, *78*, *80*, *82*, *84, 85*, *87*, *89*, *91*, *93, 94*, *96*, *98, 99*, *101*, *103, 104*, *106*, *108, 109*, *111*, *113*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129, 130*, *132*, *134, 135*, *137, 138*, *140, 141*, *143*, *145*, *147*
espn_college_baseball_calendar, 24
espn_college_baseball_calendar(), *24*, *27, 28*, *30*, *32, 33*, *35, 36*, *38, 39*, *41*, *43, 44*, *49*, *51*, *53, 54*, *56, 57*, *59*, *61*, *63, 64*, *66*, *69, 70*, *72*, *74*, *76*, *78*, *80*, *82*, *84, 85*, *87*, *89*, *91*, *93, 94*, *96*, *98, 99*, *101*, *103, 104*, *106*, *108, 109*, *111*, *113*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129, 130*, *132*, *134, 135*, *137, 138*, *140, 141*, *143*, *145*, *147*
espn_college_baseball_coach, 26
espn_college_baseball_coach(), *24, 25*, *28*, *30*, *32, 33*, *35, 36*, *38, 39*, *41*, *43, 44*, *49*, *51*, *53, 54*, *56, 57*, *59*, *61*, *63, 64*, *66*, *69, 70*, *72*, *74*, *76*, *78*, *80*, *82*, *84, 85*, *87*, *89*, *91*, *93, 94*, *96*, *98, 99*, *101*, *103, 104*, *106*, *108, 109*, *111*, *113*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129, 130*, *132*, *134, 135*, *137, 138*, *140, 141*, *143*, *145*, *147*
espn_college_baseball_coach_record, 28
espn_college_baseball_coach_record(), *24, 25*, *27*, *30*, *32, 33*, *35, 36*, *38, 39*, *41*, *43, 44*, *49*, *51*, *53, 54*, *56, 57*, *59*, *61*, *63, 64*, *66*, *69, 70*, *72*, *74*, *76*, *78*, *80*, *82*, *84, 85*, *87*, *89*, *91*, *93, 94*, *96*, *98, 99*, *101*, *103, 104*, *106*, *108, 109*, *111*, *113*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129, 130*, *132*, *134, 135*, *137, 138*, *140, 141*, *143*, *145*, *147*
espn_college_baseball_coach_season, 29
espn_college_baseball_coach_season(), *24, 25*, *27, 28*, *32, 33*, *35, 36*, *38, 39*, *41*, *43, 44*, *49*, *51*, *53, 54*, *56, 57*, *59*, *61*, *63, 64*, *66*, *69, 70*, *72*, *74*, *76*, *78*, *80*, *82*, *84, 85*, *87*, *89*, *91*, *93, 94*, *96*, *98, 99*, *101*, *103, 104*, *106*, *108, 109*, *111*, *113*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129, 130*, *132*, *134, 135*, *137, 138*, *140, 141*, *143*, *145*, *147*
espn_college_baseball_coaches, 31
espn_college_baseball_coaches(), *24, 25*, *27, 28*, *30*, *33*, *35, 36*, *38, 39*, *41*, *43, 44*, *49*, *51*, *53, 54*, *56, 57*, *59*, *61*, *63, 64*, *66*, *69, 70*, *72*, *74*, *76*, *78*, *80*, *82*, *84, 85*, *87*, *89*, *91*, *93, 94*, *96*, *98, 99*, *101*, *103, 104*, *106*, *108, 109*, *111*, *113*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129, 130*, *132*, *134, 135*, *137, 138*, *140, 141*, *143*, *145*, *147*
espn_college_baseball_conferences, 33
espn_college_baseball_conferences(), *24, 25*, *27, 28*, *30*, *32*, *35, 36*, *38, 39*, *41*, *43, 44*, *49*, *51*, *53, 54*, *56, 57*, *59*, *61*, *63, 64*, *66*, *69, 70*, *72*, *74*, *76*, *78*, *80*, *82*, *84, 85*, *87*, *89*, *91*, *93, 94*, *96*,

98, *99*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *130*, *132*, *134*, *135*, *137*, *138*, *140*, *141*, *143*, *145*, *147*
espn_college_baseball_game_all, 34
espn_college_baseball_game_all(), *24*, *25*, *27*, *28*, *30*, *32*, *33*, *36*, *38*, *39*, *41*, *43*, *44*, *49*, *51*, *53*, *54*, *56*, *57*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*, *98*, *99*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *130*, *132*, *134*, *135*, *137*, *138*, *140*, *141*, *143*, *145*, *147*
espn_college_baseball_game_broadcasts, 35
espn_college_baseball_game_broadcasts(), *24*, *25*, *27*, *28*, *30*, *32*, *33*, *35*, *38*, *39*, *41*, *43*, *44*, *49*, *51*, *53*, *54*, *56*, *57*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*, *98*, *99*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *135*, *137*, *138*, *140*, *141*, *143*, *145*, *147*
espn_college_baseball_game_official_detail, 37
espn_college_baseball_game_official_detail(), *24*, *25*, *27*, *28*, *30*, *32*, *33*, *35*, *36*, *39*, *41*, *43*, *44*, *49*, *51*, *53*, *54*, *56*, *57*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*, *98*, *99*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *135*, *137*, *138*, *140*, *141*, *143*, *145*, *147*
espn_college_baseball_game_officials, 38
espn_college_baseball_game_officials(), *24*, *25*, *27*, *28*, *30*, *32*, *33*, *35*, *36*, *38*, *41*, *43*, *44*, *49*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*, *98*, *99*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*
espn_college_baseball_game_play, 40
espn_college_baseball_game_play(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *43*, *44*, *49*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*, *98*, *99*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*
espn_college_baseball_game_play_personnel, 42
espn_college_baseball_game_play_personnel(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *44*, *49*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*, *98*, *99*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*
espn_college_baseball_game_player_box, 43
espn_college_baseball_game_player_box(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *49*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*, *98*, *99*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*
espn_college_baseball_game_rosters, 45
espn_college_baseball_game_rosters(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*, *98*, *99*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*
espn_college_baseball_game_situation, 50
espn_college_baseball_game_situation(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *49*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*,

98, *99*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*
espn_college_baseball_game_team_leaders, 52
espn_college_baseball_game_team_leaders(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *49*, *51*, *54*, *56*, *58*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*, *98*, *99*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*
espn_college_baseball_game_team_linescores, 53
espn_college_baseball_game_team_linescores(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *49*, *51*, *53*, *56*, *58*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*, *98*, *99*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*
espn_college_baseball_game_team_records, 55
espn_college_baseball_game_team_records(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *49*, *51*, *53*, *54*, *58*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*, *98*, *100*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*
espn_college_baseball_game_team_roster, 57
espn_college_baseball_game_team_roster(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*, *98*, *100*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*
espn_college_baseball_game_team_roster_entry, 58
espn_college_baseball_game_team_roster_entry(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *58*, *61*, *63*, *64*, *66*, *69*, *70*, *73*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*, *98*, *100*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*
espn_college_baseball_game_team_score, 60
espn_college_baseball_game_team_score(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *58*, *59*, *63*, *64*, *66*, *69*, *70*, *73*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *94*, *96*, *98*, *100*, *101*, *103*, *104*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*
espn_college_baseball_game_team_statistics, 62
espn_college_baseball_game_team_statistics(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *65*, *66*, *69*, *71*, *73*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *95*, *96*, *98*, *100*, *101*, *103*, *105*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*
espn_college_baseball_leaders, 63
espn_college_baseball_leaders(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *66*, *69*, *71*, *73*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *95*, *96*, *98*, *100*, *101*, *103*, *105*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*
espn_college_baseball_news, 65
espn_college_baseball_news(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *65*, *69*, *71*, *73*, *74*, *76*, *78*, *80*, *82*, *84*,

85, *87*, *89*, *91*, *93*, *95*, *96*, *98*, *100*, *101*, *103*, *105*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*

espn_college_baseball_pbp, 67

espn_college_baseball_pbp(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *65*, *66*, *71*, *73*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *95*, *96*, *98*, *100*, *101*, *103*, *105*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*

espn_college_baseball_player_awards, 70

espn_college_baseball_player_awards(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *65*, *66*, *69*, *73*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *95*, *96*, *98*, *100*, *101*, *103*, *105*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*

espn_college_baseball_player_box, 71

espn_college_baseball_player_box(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *65*, *66*, *69*, *71*, *74*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *95*, *96*, *98*, *100*, *101*, *103*, *105*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*

espn_college_baseball_player_career_stats, 73

espn_college_baseball_player_career_stats(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *65*, *66*, *69*, *71*, *73*, *76*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *95*, *96*, *98*, *100*, *101*, *103*, *105*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*

espn_college_baseball_player_eventlog, 75

espn_college_baseball_player_eventlog(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *65*, *66*, *69*, *71*, *73*, *74*, *78*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *95*, *96*, *98*, *100*, *101*, *103*, *105*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*

espn_college_baseball_player_gamelog, 76

espn_college_baseball_player_gamelog(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *65*, *66*, *69*, *71*, *73*, *74*, *76*, *80*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *95*, *96*, *98*, *100*, *101*, *103*, *105*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*

espn_college_baseball_player_info, 78

espn_college_baseball_player_info(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *65*, *66*, *69*, *71*, *73*, *74*, *76*, *78*, *82*, *84*, *85*, *87*, *89*, *91*, *93*, *95*, *96*, *98*, *100*, *101*, *103*, *105*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*

espn_college_baseball_player_overview, 81

espn_college_baseball_player_overview(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *65*, *66*, *69*, *71*, *73*, *74*, *76*, *78*, *80*, *84*, *85*, *87*, *89*, *91*, *93*, *95*, *96*, *98*, *100*, *101*, *103*, *105*, *106*, *108*, *109*, *111*, *113*, *115*, *118*, *120*, *121*, *123*, *125*, *127*, *129*, *131*, *132*, *134*, *136*, *137*, *139–141*, *143*, *145*, *147*

espn_college_baseball_player_seasons, 83

espn_college_baseball_player_seasons(), *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *36*, *38*, *39*, *41*, *43*, *45*, *50*, *51*, *53*, *54*, *56*, *58*, *59*, *61*, *63*, *65*, *66*, *69*, *71*, *73*, *74*, *76*,

78, 80, 82, 85, 87, 89, 91, 93, 95, 96, 98, 100, 101, 103, 105, 106, 108, 109, 111, 113, 115, 118, 120, 121, 123, 125, 127, 129, 131, 132, 134, 136, 137, 139–141, 143, 145, 147
espn_college_baseball_player_splits, 84
espn_college_baseball_player_splits(), 24, 25, 27, 29, 30, 32, 33, 35, 36, 38, 39, 41, 43, 45, 50, 51, 53, 54, 56, 58, 59, 61, 63, 65, 66, 69, 71, 73, 74, 76, 78, 80, 82, 84, 87, 89, 91, 93, 95, 96, 98, 100, 101, 103, 105, 106, 108, 109, 111, 113, 115, 118, 120, 121, 123, 125, 127, 129, 131, 132, 134, 136, 137, 139–141, 143, 145, 147
espn_college_baseball_player_statisticslog, 86
espn_college_baseball_player_statisticslog(), 24, 26, 27, 29, 30, 32, 33, 35, 36, 38, 39, 41, 43, 45, 50, 51, 53, 54, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 74, 76, 78, 80, 82, 84, 85, 89, 91, 93, 95, 96, 98, 100, 101, 103, 105, 106, 108, 109, 111, 113, 115, 118, 120, 121, 123, 125, 127, 129, 131, 132, 134, 136, 137, 139–141, 143, 145, 147
espn_college_baseball_scoreboard, 87
espn_college_baseball_scoreboard(), 24, 26, 27, 29, 30, 32, 33, 35, 36, 38, 39, 41, 43, 45, 50, 51, 53, 54, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 74, 76, 78, 80, 82, 84, 85, 87, 91, 93, 95, 96, 98, 100, 101, 103, 105, 106, 108, 109, 111, 113, 115, 118, 120, 121, 123, 125, 127, 129, 131, 132, 134, 136, 137, 139, 140, 142, 143, 145, 147
espn_college_baseball_season_group, 90
espn_college_baseball_season_group(), 24, 26, 27, 29, 30, 32, 34–36, 38, 40, 41, 43, 45, 50, 51, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 74, 76, 78, 80, 82, 84, 85, 87, 90, 93, 95, 96, 98, 100, 101, 103, 105, 106, 108, 109, 111, 113, 115, 118, 120, 121, 123, 125, 127, 129, 131, 132, 134, 136, 137, 139, 140, 142, 143, 145, 147
espn_college_baseball_season_group_children, 92
espn_college_baseball_season_group_children(), 24, 26, 27, 29, 30, 32, 34–36, 38, 40, 41, 43, 45, 50, 51, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 74, 76, 78, 80, 82, 84, 85, 87, 90, 91, 95, 96, 98, 100, 101, 103, 105, 106, 108, 109, 111, 113, 115, 118, 120, 121, 123, 125, 127, 129, 131, 132, 134, 136, 137, 139, 140, 142, 143, 145, 147
espn_college_baseball_season_group_teams, 93
espn_college_baseball_season_group_teams(), 24, 26, 27, 29, 30, 32, 34–36, 38, 40, 41, 43, 45, 50, 51, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 74, 76, 78, 80, 83–85, 87, 90, 91, 93, 96, 98, 100, 101, 103, 105, 106, 108, 109, 111, 113, 115, 118, 120, 121, 123, 125, 127, 129, 131, 132, 134, 136, 137, 139, 140, 142, 143, 145, 147
espn_college_baseball_season_groups, 95
espn_college_baseball_season_groups(), 24, 26, 27, 29, 30, 32, 34–36, 38, 40, 41, 43, 45, 50, 51, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 74, 76, 78, 80, 83–85, 87, 90, 91, 93, 95, 98, 100, 101, 103, 105, 106, 108, 109, 111, 113, 115, 118, 120, 121, 123, 125, 127, 129, 131, 132, 134, 136, 137, 139, 140, 142, 143, 145, 147
espn_college_baseball_season_info, 97
espn_college_baseball_season_info(), 24, 26, 27, 29, 30, 32, 34–36, 38, 40, 41, 43, 45, 50, 51, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 74, 76, 78, 80, 83–85, 87, 90, 91, 93, 95, 96, 100, 101, 103, 105, 106, 108, 109, 111, 113, 115, 118, 120, 121, 123, 125, 127, 129, 131, 132, 134, 136, 137, 139, 140, 142, 143, 145, 147
espn_college_baseball_season_leaders, 98
espn_college_baseball_season_leaders(), 24, 26, 27, 29, 30, 32, 34–36, 38, 40, 41, 43, 45, 50, 51, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 74, 76, 78,

80, *83–85*, *87*, *90, 91*, *93*, *95, 96*, *98*, *101*, *103*, *105, 106*, *108, 109*, *111*, *113*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*

espn_college_baseball_season_ranking, 100

espn_college_baseball_season_ranking(), *24*, *26, 27*, *29, 30*, *32*, *34–36*, *38*, *40, 41*, *43*, *45*, *50, 51*, *53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73, 74*, *76*, *78*, *80*, *83–85*, *87*, *90, 91*, *93*, *95, 96*, *98*, *100*, *103*, *105, 106*, *108, 109*, *111*, *113*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*

espn_college_baseball_season_rankings, 102

espn_college_baseball_season_rankings(), *24*, *26, 27*, *29*, *31, 32*, *34–36*, *38*, *40, 41*, *43*, *45*, *50, 51*, *53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73, 74*, *76*, *78*, *80*, *83–85*, *87*, *90, 91*, *93*, *95, 96*, *98*, *100, 101*, *105, 106*, *108, 109*, *111*, *113*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*

espn_college_baseball_season_type, 103

espn_college_baseball_season_type(), *24*, *26, 27*, *29*, *31, 32*, *34–36*, *38*, *40, 41*, *43*, *45*, *50, 51*, *53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73, 74*, *76*, *78*, *80*, *83–85*, *87*, *90, 91*, *93*, *95, 96*, *98*, *100, 101*, *103*, *106*, *108, 109*, *111*, *113*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*

espn_college_baseball_season_types, 105

espn_college_baseball_season_types(), *24*, *26, 27*, *29*, *31, 32*, *34–36*, *38*, *40, 41*, *43*, *45*, *50, 51*, *53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73, 74*, *76*, *78*, *80*, *83–85*, *87*, *90, 91*, *93*, *95, 96*, *98*, *100, 101*, *103*, *105*, *108, 109*, *111*, *113*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*

espn_college_baseball_season_week, 107

espn_college_baseball_season_week(), *24*, *26, 27*, *29*, *31, 32*, *34–36*, *38*, *40, 41*, *43*, *45*, *50, 51*, *53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73, 74*, *76*, *78*, *80*, *83, 84*, *86, 87*, *90, 91*, *93*, *95, 96*, *98*, *100, 101*, *103*, *105, 106*, *109*, *111*, *113*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*

espn_college_baseball_season_weeks, 108

espn_college_baseball_season_weeks(), *24*, *26, 27*, *29*, *31, 32*, *34–36*, *38*, *40, 41*, *43*, *45*, *50, 51*, *53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73, 74*, *76*, *78*, *80*, *83, 84*, *86, 87*, *90, 91*, *93*, *95, 96*, *98*, *100, 101*, *103*, *105, 106*, *108*, *111*, *113*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129*, *131, 132*, *134*, *136*, *137*, *139, 140*, *142, 143*, *145*, *147*

espn_college_baseball_seasons, 110

espn_college_baseball_seasons(), *24*, *26, 27*, *29*, *31, 32*, *34–36*, *38*, *40, 41*, *43*, *45*, *50, 51*, *53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73, 74*, *76*, *78*, *80*, *83, 84*, *86, 87*, *90, 91*, *93*, *95, 96*, *98*, *100, 101*, *103*, *105, 106*, *108, 109*, *113*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*

espn_college_baseball_standings, 111

espn_college_baseball_standings(), *24*, *26, 27*, *29*, *31, 32*, *34–36*, *38*, *40, 41*, *43*, *45*, *50, 51*, *53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73*, *75, 76*, *78*, *80*, *83, 84*, *86, 87*, *90, 91*, *93*, *95, 96*, *98*, *100, 101*, *103*, *105, 106*, *108, 109*, *111*, *115*, *118*, *120, 121*, *123*, *125*, *127*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*

espn_college_baseball_team, 113

espn_college_baseball_team(), *24*, *26, 27*, *29*, *31, 32*, *34–36*, *38*, *40, 41*, *43*, *45*, *50, 51*, *53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73*, *75, 76*, *78*, *80*, *83, 84*, *86, 87*, *90, 91*, *93*, *95, 96*, *98*, *100, 101*, *103*, *105, 106*, *108, 109*, *111*,

113, *118*, *120, 121*, *123*, *125*, *127*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*
espn_college_baseball_team_box, 116
espn_college_baseball_team_box(), *24*, *26, 27*, *29*, *31, 32*, *34–36*, *38*, *40, 41*, *43*, *45*, *50, 51*, *53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73*, *75, 76*, *78*, *80*, *83, 84*, *86, 87*, *90, 91*, *93*, *95, 96*, *98*, *100, 101*, *103*, *105, 106*, *108, 109*, *111*, *113*, *115*, *120, 121*, *123*, *125*, *127*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*
espn_college_baseball_team_leaders, 119
espn_college_baseball_team_leaders(), *24*, *26, 27*, *29*, *31, 32*, *34–36*, *38*, *40, 41*, *43*, *45*, *50, 51*, *53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73*, *75, 76*, *78*, *81*, *83, 84*, *86, 87*, *90, 91*, *93*, *95, 96*, *98*, *100, 101*, *103*, *105, 106*, *108, 109*, *111*, *113*, *115*, *118*, *121*, *123*, *125*, *127*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*
espn_college_baseball_team_news, 120
espn_college_baseball_team_news(), *24*, *26, 27*, *29*, *31, 32*, *34–36*, *38*, *40, 41*, *43*, *45*, *50, 51*, *53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73*, *75, 76*, *78*, *81*, *83, 84*, *86, 87*, *90, 91*, *93*, *95, 96*, *98*, *100, 101*, *103*, *105, 106*, *108, 109*, *111*, *113*, *115*, *118*, *120*, *123*, *125*, *127*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*
espn_college_baseball_team_record, 122
espn_college_baseball_team_record(), *24*, *26, 27*, *29*, *31, 32*, *34–36*, *38*, *40, 41*, *43*, *45*, *50, 51*, *53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73*, *75, 76*, *78*, *81*, *83, 84*, *86, 87*, *90, 91*, *93*, *95, 96*, *98*, *100, 101*, *103*, *105, 106*, *108, 109*, *111*, *113*, *115*, *118*, *120, 121*, *125*, *127*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*
espn_college_baseball_team_record_detail, 124
espn_college_baseball_team_record_detail(), *24*, *26, 27*, *29*, *31, 32*, *34, 35*, *37, 38*, *40, 41*, *43*, *45*, *50*, *52, 53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73*, *75, 76*, *78*, *81*, *83, 84*, *86, 87*, *90*, *92, 93*, *95, 96*, *98*, *100, 101*, *103*, *105, 106*, *108, 109*, *111*, *113*, *115*, *118*, *120, 121*, *123*, *127*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*
espn_college_baseball_team_roster, 125
espn_college_baseball_team_roster(), *24*, *26, 27*, *29*, *31, 32*, *34, 35*, *37, 38*, *40, 41*, *43*, *45*, *50*, *52, 53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73*, *75, 76*, *78*, *81*, *83, 84*, *86, 87*, *90*, *92, 93*, *95, 96*, *98*, *100, 101*, *103*, *105, 106*, *108*, *110, 111*, *113*, *116*, *118*, *120, 121*, *123*, *125*, *129*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*
espn_college_baseball_team_schedule, 127
espn_college_baseball_team_schedule(), *24*, *26, 27*, *29*, *31, 32*, *34, 35*, *37, 38*, *40, 41*, *43*, *45*, *50*, *52, 53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73*, *75, 76*, *78*, *81*, *83, 84*, *86, 87*, *90*, *92, 93*, *95, 96*, *98*, *100, 101*, *103*, *105, 106*, *108*, *110, 111*, *113*, *116*, *118*, *120, 121*, *123*, *125*, *127*, *131, 132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*
espn_college_baseball_team_season_profile, 129
espn_college_baseball_team_season_profile(), *24*, *26, 27*, *29*, *31, 32*, *34, 35*, *37, 38*, *40, 41*, *43*, *45*, *50*, *52, 53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73*, *75, 76*, *78*, *81*, *83, 84*, *86, 87*, *90*, *92, 93*, *95, 96*, *98*, *100, 101*, *103*, *105, 106*, *108*, *110, 111*, *113*, *116*, *118*, *120, 121*, *123*, *125*, *127*, *129*, *132*, *134*, *136, 137*, *139, 140*, *142, 143*, *145*, *147*
espn_college_baseball_team_season_roster, 131
espn_college_baseball_team_season_roster(), *24*, *26, 27*, *29*, *31, 32*, *34, 35*, *37, 38*, *40, 41*, *43*, *45*, *50*, *52, 53*, *55, 56*, *58*, *60, 61*, *63*, *65, 66*, *69*, *71*, *73*, *75, 76*, *78*, *81*, *83, 84*, *86, 87*, *90*, *92, 93*, *95, 96*, *98*, *100, 101*, *103*, *105, 106*, *108*, *110, 111*, *113*, *116*, *118*, *120*, *122*,

123, 125, 127, 129, 131, 134, 136, 137, 139, 140, 142, 143, 145, 147
espn_college_baseball_team_season_statistics, 133
espn_college_baseball_team_season_statistics(), 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 41, 43, 45, 50, 52, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 75, 76, 78, 81, 83, 84, 86, 87, 90, 92, 93, 95, 96, 98, 100, 101, 103, 105, 106, 108, 110, 111, 113, 116, 118, 120, 122, 123, 125, 127, 129, 131, 132, 136, 137, 139, 140, 142, 143, 145, 147
espn_college_baseball_teams, 134
espn_college_baseball_teams(), 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 41, 43, 45, 50, 52, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 75, 76, 78, 81, 83, 84, 86, 87, 90, 92, 93, 95, 96, 98, 100, 101, 103, 105, 106, 108, 110, 111, 113, 116, 118, 120, 122, 123, 125, 127, 129, 131, 132, 134, 137, 139, 140, 142, 143, 145, 147
espn_college_baseball_tournament, 136
espn_college_baseball_tournament(), 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 41, 43, 45, 50, 52, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 75, 76, 78, 81, 83, 84, 86, 87, 90, 92, 93, 95, 96, 98, 100, 101, 103, 105, 106, 108, 110, 111, 113, 116, 118, 120, 122, 123, 125, 127, 129, 131, 132, 134, 136, 139, 140, 142, 143, 145, 147
espn_college_baseball_tournament_season, 138
espn_college_baseball_tournament_season(), 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 42, 43, 45, 50, 52, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 75, 76, 78, 81, 83, 84, 86, 87, 90, 92, 93, 95, 96, 98, 100, 101, 103, 105, 106, 108, 110, 111, 113, 116, 118, 120, 122, 123, 125, 127, 129, 131, 132, 134, 136, 137, 140, 142, 143, 145, 147
espn_college_baseball_tournament_seasons, 139
espn_college_baseball_tournament_seasons(), 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 42, 43, 45, 50, 52, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 75, 76, 78, 81, 83, 84, 86, 87, 90, 92, 93, 95, 96, 98, 100, 101, 103, 105, 106, 108, 110, 111, 113, 116, 118, 120, 122, 123, 125, 127, 129, 131, 132, 134, 136, 137, 139, 142, 143, 145, 147
espn_college_baseball_tournaments, 141
espn_college_baseball_tournaments(), 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 42, 43, 45, 50, 52, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 75, 76, 78, 81, 83, 84, 86, 87, 90, 92, 93, 95, 96, 98, 100, 101, 103, 105, 106, 108, 110, 111, 113, 116, 118, 120, 122, 123, 125, 127, 129, 131, 132, 134, 136, 137, 139, 140, 143, 145, 147
espn_college_baseball_venues, 142
espn_college_baseball_venues(), 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 42, 43, 45, 50, 52, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 75, 76, 78, 81, 83, 84, 86, 87, 90, 92, 93, 95, 96, 98, 100, 101, 103, 105, 106, 108, 110, 111, 113, 116, 118, 120, 122, 123, 125, 127, 129, 131, 132, 134, 136, 137, 139, 140, 142, 145, 147
espn_college_baseball_week_ranking, 144
espn_college_baseball_week_ranking(), 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 42, 43, 45, 50, 52, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 75, 76, 78, 81, 83, 84, 86, 87, 90, 92, 93, 95, 96, 98, 100, 101, 103, 105, 106, 108, 110, 111, 113, 116, 118, 120, 122, 123, 125, 127, 129, 131, 132, 134, 136, 137, 139, 140, 142, 143, 147
espn_college_baseball_week_rankings, 146
espn_college_baseball_week_rankings(), 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 42, 43, 45, 50, 52, 53, 55, 56, 58, 60, 61, 63, 65, 66, 69, 71, 73, 75, 76, 78, 81, 83, 84, 86, 87, 90, 92, 93, 95, 96, 98, 100, 101, 103, 105, 106, 108, 110, 111, 113, 116, 118, 120, 122, 123, 125, 127, 129, 131, 132, 134,

136, 137, *139, 140*, *142, 143*, *145*
espn_mlb, 147, *150, 151*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *174*, *176, 177*, *179, 180*, *182*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238, 239*, *241, 242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *259*, *261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*
espn_mlb_athlete *(*espn_mlb_player_endpoints*)*, 242
espn_mlb_athletes_index, 149
espn_mlb_athletes_index(), *148*, *151*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *174*, *176, 177*, *179, 180*, *182*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238, 239*, *241, 242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *259*, *261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*
espn_mlb_athletes_overview *(*espn_mlb_player_endpoints*)*, 242
espn_mlb_award, 151
espn_mlb_award(), *148*, *150*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *174*, *176, 177*, *179, 180*, *182*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238, 239*, *241, 242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *259*, *261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*
espn_mlb_betting, 152
espn_mlb_betting(), *148*, *150, 151*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *174*, *176, 177*, *179, 180*, *182*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238, 239*, *241, 242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *259*, *261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*
espn_mlb_calendar, 155
espn_mlb_calendar(), *148*, *150, 151*, *154*, *157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *174*, *176, 177*, *179, 180*, *182*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238, 239*, *241, 242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *259*, *261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*
espn_mlb_coach, 156
espn_mlb_coach(), *148*, *150, 151*, *154*, *156*,

159, 161, 162, 164, 165, 167, 169, 171, 172, 174, 176, 177, 179, 180, 182, 184, 185, 187, 188, 190, 192, 193, 195, 197, 198, 200, 202, 204, 205, 210, 212, 214, 215, 217, 219, 221, 222, 224, 226, 227, 229, 232, 234, 236, 238, 239, 241, 242, 244, 246, 248, 250, 252, 254, 255, 257, 259, 261, 263, 264, 266, 269, 270, 272, 274, 276, 277, 279, 281, 283, 284, 286, 288, 289, 291, 293, 294, 296, 299, 301, 305, 307, 308, 310, 311, 313, 315, 317, 319, 320, 322, 324, 326, 328, 331, 332, 334, 336, 337, 339, 340, 342, 344, 346, 348

espn_mlb_coach_record, 158

espn_mlb_coach_record(), 148, 150, 151, 154, 156, 157, 161, 162, 164, 165, 167, 169, 171, 172, 174, 176, 177, 179, 180, 182, 184, 185, 187, 188, 190, 192, 193, 195, 197, 198, 200, 202, 204, 205, 210, 212, 214, 215, 217, 219, 221, 222, 224, 226, 227, 229, 232, 234, 236, 238, 239, 241, 242, 244, 246, 248, 250, 252, 254, 255, 257, 259, 261, 263, 264, 266, 269, 270, 272, 274, 276, 277, 279, 281, 283, 284, 286, 288, 289, 291, 293, 294, 296, 299, 301, 305, 307, 308, 310, 311, 313, 315, 317, 319, 320, 322, 324, 326, 328, 331, 332, 334, 336, 337, 339, 340, 342, 344, 346, 348

espn_mlb_coach_season, 160

espn_mlb_coach_season(), 148, 150, 151, 154, 156, 157, 159, 162, 164, 165, 167, 169, 171, 172, 174, 176, 177, 179, 180, 182, 184, 185, 187, 188, 190, 192, 193, 195, 197, 198, 200, 202, 204, 205, 210, 212, 214, 215, 217, 219, 221, 222, 224, 226, 227, 229, 232, 234, 236, 238, 239, 241, 242, 244, 246, 248, 250, 252, 254, 255, 257, 259, 261, 263, 264, 266, 269, 270, 272, 274, 276, 277, 279, 281, 283, 284, 286, 288, 289, 291, 293, 294, 296, 299, 301, 305, 307, 308, 310, 311, 313, 315, 317, 319, 320, 322, 324, 326, 328, 331, 332, 334, 336, 337, 339, 340, 342, 344, 346, 348

espn_mlb_coaches, 161

espn_mlb_coaches(), 28, 148, 150, 151, 154, 156–159, 161, 164, 165, 167, 169, 171, 172, 174, 176, 177, 179, 180, 182, 184, 185, 187, 188, 190, 192, 193, 195, 197, 198, 200, 202, 204, 205, 210, 212, 214, 215, 217, 219, 221, 222, 224, 226, 227, 229, 232, 234, 236, 238, 239, 241, 242, 244, 246, 248, 250, 252, 254, 255, 257, 259, 261, 263, 264, 266, 269, 270, 272, 274, 276, 277, 279, 281, 283, 284, 286, 288, 289, 291, 293, 294, 296, 299, 301, 305, 307, 308, 310, 311, 313, 315, 317, 319, 320, 322, 324, 326, 328, 331, 332, 334, 336, 337, 339, 340, 342, 344, 346, 348

espn_mlb_conferences, 163

espn_mlb_conferences(), 148, 150, 151, 154, 156, 157, 159, 161, 162, 165, 167, 169, 171, 172, 174, 176, 177, 179, 180, 182, 184, 185, 187, 188, 190, 192, 193, 195, 197, 198, 200, 202, 204, 205, 210, 212, 214, 215, 217, 219, 221, 222, 224, 226, 227, 229, 232, 234, 236, 238, 239, 241, 242, 244, 246, 248, 250, 252, 254, 255, 257, 259, 261, 263, 264, 266, 269, 270, 272, 274, 276, 277, 279, 281, 283, 284, 286, 288, 289, 291, 293, 294, 296, 299, 301, 305, 307, 308, 310, 311, 313, 315, 317, 319, 320, 322, 324, 326, 328, 331, 332, 334, 336, 337, 339, 340, 342, 344, 346, 348

espn_mlb_draft, 164

espn_mlb_draft(), 148, 150, 151, 154, 156, 157, 159, 161, 162, 164, 167, 169–172, 174, 176, 177, 179, 180, 182, 184, 185, 187, 188, 190, 192, 193, 195, 197, 198, 200, 202, 204, 205, 210, 212, 214, 215, 217, 219, 221, 222, 224, 226, 227, 229, 232, 234, 236, 238, 239, 241, 242, 244, 246, 248, 250, 252, 254, 255, 257,

259, *261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_draft_athlete_detail, 166

espn_mlb_draft_athlete_detail(), *148*, *150, 151*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *169*, *171, 172*, *174*, *176, 177*, *179, 180*, *182*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238, 239*, *241, 242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *259*, *261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_draft_athletes, 168

espn_mlb_draft_athletes(), *148*, *150, 151*, *154*, *156, 157*, *159*, *161, 162*, *164–167*, *171, 172*, *174*, *176, 177*, *179, 180*, *182*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240–242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269–272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_draft_pick, 170

espn_mlb_draft_pick(), *148*, *150, 151*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *172*, *174*, *176, 177*, *179*, *180*, *182*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240–242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269–272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_draft_rounds, 171

espn_mlb_draft_rounds(), *148*, *150, 151*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171*, *174*, *176, 177*, *179, 180*, *182*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240–242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269–272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_draft_status, 173

espn_mlb_draft_status(), *148*, *150, 151*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *176, 177*, *179, 180*, *182*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240–242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269–272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_franchise, 175
espn_mlb_franchise(), *148*, *150, 151*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *174*, *176, 177*, *179, 180*, *182*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240–242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*
espn_mlb_franchises, 176
espn_mlb_franchises(), *148*, *150, 151*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *174*, *176*, *179, 180*, *182*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240–242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*
espn_mlb_freeagents, 178
espn_mlb_freeagents(), *148*, *150, 151*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *174*, *176, 177*, *180*, *182*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240–242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*
espn_mlb_futures, 180
espn_mlb_futures(), *148*, *150, 151*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *182*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240–242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*
espn_mlb_game *(*espn_mlb_game_endpoints*)*, 184
espn_mlb_game_all, 181
espn_mlb_game_all(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *174*, *176, 177*, *179, 180*, *184, 185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240–242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*
espn_mlb_game_broadcasts, 183
espn_mlb_game_broadcasts(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181*, *182*, *185*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226,*

227, *229*, *232*, *234*, *236*, *238*, *240–242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_endpoints, *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, 184, *184*, *187, 188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240–242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_info, 186

espn_mlb_game_info(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240–242*, *244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_odds, 187

espn_mlb_game_odds(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164, 165*, *167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187*, *190*, *192*, *194, 195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_official_detail, 189

espn_mlb_game_official_detail(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187, 188*, *192*, *194, 195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_officials, 191

espn_mlb_game_officials(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187–190*, *194, 195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *324*, *326*, *328*, *331, 332*,

334, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_play, 192

espn_mlb_game_play(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187, 188*, *190*, *192*, *195*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *325, 326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_play_personnel, 194

espn_mlb_game_play_personnel(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187, 188*, *190*, *192*, *194*, *197, 198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *325, 326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_player_box, 196

espn_mlb_game_player_box(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187, 188*, *190*, *192*, *194, 195*, *198*, *200*, *202*, *204, 205*, *210*, *212*, *214, 215*, *217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307*, *308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *322*, *325, 326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_powerindex, 198

espn_mlb_game_powerindex(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187, 188*, *190*, *192*, *194, 195*, *197*, *200*, *202*, *204*, *206*, *210*, *212*, *214*, *216, 217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *323*, *325, 326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_predictor, 199

espn_mlb_game_predictor(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187, 188*, *190*, *192*, *194, 195*, *197*, *199*, *202*, *204*, *206*, *210*, *212*, *214*, *216, 217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *323*, *325, 326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_probabilities, 201

espn_mlb_game_probabilities(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*,

176, 177, *179*, *181, 182*, *184, 185*, *187, 188*, *190*, *192*, *194, 195*, *197*, *199, 200*, *204*, *206*, *210*, *212*, *214*, *216, 217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *323*, *325, 326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_probables, 203

espn_mlb_game_probables(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187, 188*, *190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *206*, *210*, *212*, *214*, *216, 217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *323*, *325, 326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_propbets, 204

espn_mlb_game_propbets(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187, 188*, *190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *210*, *212*, *214*, *216, 217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *323*, *325, 326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_rosters, 206

espn_mlb_game_rosters(), *57*, *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187, 188*, *190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *206*, *212*, *214*, *216–219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *323*, *325, 326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_situation, 211

espn_mlb_game_situation(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187, 188*, *190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *206*, *210*, *214*, *216, 217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263, 264*, *266*, *269, 270*, *272*, *274*, *276, 277*, *279*, *281*, *283, 284*, *286*, *288, 289*, *291*, *293, 294*, *296*, *299*, *301*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319, 320*, *323*, *325, 326*, *328*, *331, 332*, *334*, *336, 337*, *339, 340*, *342*, *344*, *346*, *348*

espn_mlb_game_team_leaders, 213

espn_mlb_game_team_leaders(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187, 188*, *190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *206*, *210*, *212*, *216, 217*, *219*, *221, 222*, *224*, *226, 227*, *229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*,

254, *255*, *257*, *260*, *261*, *263*, *264*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *284*, *286*, *288*, *289*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *320*, *323*, *325*, *326*, *328*, *331*, *332*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *348*

espn_mlb_game_team_linescores, 215

espn_mlb_game_team_linescores(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *188*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *217*, *219*, *221*, *222*, *224*, *226*, *227*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *252*, *254*, *255*, *257*, *260*, *261*, *263*, *264*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *284*, *286*, *288*, *289*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *320*, *323*, *325*, *326*, *328*, *331*, *332*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *348*

espn_mlb_game_team_records, 216

espn_mlb_game_team_records(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *188*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *219*, *221*, *222*, *224*, *226*, *227*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *252*, *254*, *255*, *257*, *260*, *261*, *263*, *264*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *284*, *286*, *288*, *289*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *320*, *323*, *325*, *326*, *328*, *331*, *332*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *348*

espn_mlb_game_team_roster, 218

espn_mlb_game_team_roster(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *188*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *220–222*, *224*, *226*, *227*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *252*, *254*, *255*, *257*, *260*, *261*, *263*, *264*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *284*, *286*, *288*, *289*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *349*

espn_mlb_game_team_roster_entry, 219

espn_mlb_game_team_roster_entry(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *188*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *222*, *224*, *226*, *227*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *252*, *254*, *255*, *257*, *260*, *261*, *263*, *264*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *284*, *286*, *288*, *289*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *349*

espn_mlb_game_team_score, 221

espn_mlb_game_team_score(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *188*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *224*, *226*, *227*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *252*, *254*, *255*, *257*, *260*, *261*, *263*, *264*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *284*, *286*, *288*, *289*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*,

333, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *349*
espn_mlb_game_team_statistics, 223
espn_mlb_game_team_statistics(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *188*, *190*, *192*, *194–197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *222*, *226*, *227*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *252*, *254*, *255*, *257*, *260*, *261*, *263*, *264*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *284*, *286*, *288*, *290*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *349*
espn_mlb_injuries, 225
espn_mlb_injuries(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *188*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *222*, *224*, *227*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *252*, *254*, *255*, *257*, *260*, *261*, *263*, *264*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *284*, *286*, *288*, *290*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *349*
espn_mlb_leaders, 226
espn_mlb_leaders(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *188*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *222*, *224*, *226*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *252*, *254*, *255*, *257*, *260*, *261*, *263*, *264*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *284*, *286*, *288*, *290*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *349*
espn_mlb_news, 228
espn_mlb_news(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *188*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *222*, *224*, *226*, *227*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *252*, *254*, *255*, *257*, *260*, *261*, *263*, *264*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *284*, *286*, *288*, *290*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *349*
espn_mlb_pbp, 230
espn_mlb_pbp(), *34*, *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *188*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *222*, *224*, *226*, *227*, *229*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *252*, *254*, *255*, *257*, *260*, *261*, *263*, *264*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *349*
espn_mlb_pbp_overview *(*espn_mlb_game_endpoints*)*, 184
espn_mlb_player_awards, 233
espn_mlb_player_awards(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*,

177, 179, 181, 182, 184, 185, 187, 188, 190, 192, 194, 195, 197, 199, 200, 202, 204, 206, 211, 212, 214, 216, 217, 219, 221, 222, 224, 226, 228, 229, 232, 236, 238, 240, 241, 243, 244, 246, 248, 250, 252, 254, 255, 257, 260, 261, 263, 264, 266, 269, 270, 272, 274, 276, 278, 279, 281, 283, 285, 286, 288, 290, 291, 293, 294, 296, 299, 302, 305, 307, 308, 310, 311, 313, 315, 317, 319, 321, 323, 325, 326, 328, 331, 333, 334, 336, 337, 339, 341, 342, 344, 346, 349

espn_mlb_player_box, 234

espn_mlb_player_box(), 34, 148, 150, 152, 154, 156, 157, 159, 161, 162, 164, 166, 167, 169, 171, 172, 174, 176, 177, 179, 181, 182, 184, 185, 187, 189, 190, 192, 194, 195, 197, 199, 200, 202, 204, 206, 211, 212, 214, 216, 217, 219, 221, 222, 224, 226, 228, 229, 232, 234, 238, 240, 241, 243, 244, 246, 248, 250, 252, 254, 255, 257, 260, 261, 263, 264, 266, 269, 270, 272, 274, 276, 278, 279, 281, 283, 285, 286, 288, 290, 291, 293, 294, 296, 299, 302, 305, 307, 308, 310, 311, 313, 315, 317, 319, 321, 323, 325, 326, 328, 331, 333, 334, 336, 337, 339, 341, 342, 344, 346, 349

espn_mlb_player_career_stats, 236

espn_mlb_player_career_stats(), 148, 150, 152, 154, 156, 157, 159, 161, 162, 164, 166, 167, 169, 171, 172, 174, 176, 177, 179, 181, 182, 184, 185, 187, 189, 190, 192, 194, 195, 197, 199, 200, 202, 204, 206, 211, 212, 214, 216, 217, 219, 221, 222, 224, 226, 228, 229, 232, 234, 236, 238, 240, 241, 243, 244, 246, 248, 250, 252, 254, 255, 257, 260, 261, 263, 264, 266, 269, 270, 272, 274, 276, 278, 279, 281, 283, 285, 286, 288, 290, 291, 293, 294, 296, 299, 302, 305, 307, 308, 310, 311, 313, 315, 317, 319, 321, 323, 325, 326, 328, 331, 333, 334, 336, 337, 339, 341, 342, 344, 346, 349

espn_mlb_player_contract, 238

espn_mlb_player_contract(), 148, 150, 152, 154, 156, 157, 159, 161, 162, 164, 166, 167, 169, 171, 172, 174, 176, 177, 179, 181, 182, 184, 185, 187, 189, 190, 192, 194, 195, 197, 199, 200, 202, 204, 206, 211, 212, 214, 216, 217, 219, 221, 222, 224, 226, 228, 229, 232, 234, 236, 238, 240, 241, 243, 244, 246, 248, 250, 252, 254, 255, 257, 260, 261, 263, 265, 266, 269, 270, 272, 274, 276, 278, 279, 281, 283, 285, 286, 288, 290, 291, 293, 294, 296, 299, 302, 305, 307, 308, 310, 311, 313, 315, 317, 319, 321, 323, 325, 326, 328, 331, 333, 334, 336, 337, 339, 341, 342, 344, 346, 349

espn_mlb_player_contracts, 240

espn_mlb_player_contracts(), 148, 150, 152, 154, 156, 157, 159, 161, 162, 164, 166, 167, 169, 171, 172, 174, 176, 177, 179, 181, 182, 184, 185, 187, 189, 190, 192, 194, 195, 197, 199, 200, 202, 204, 206, 211, 212, 214, 216, 217, 219, 221, 222, 224, 226, 228, 229, 232, 234, 236, 238, 240, 243, 244, 246, 248, 250, 252, 254, 255, 257, 260, 261, 263, 265, 266, 269, 270, 272, 274, 276, 278, 279, 281, 283, 285, 286, 288, 290, 291, 293, 294, 296, 299, 302, 305, 307, 308, 310, 311, 313, 315, 317, 319, 321, 323, 325, 326, 328, 331, 333, 334, 336, 337, 339, 341, 342, 344, 346, 349

espn_mlb_player_endpoints, 148, 150, 152, 154, 156, 157, 159, 161, 162, 164, 166, 167, 169, 171, 172, 174, 176, 177, 179, 181, 182, 184, 185, 187, 189, 190, 192, 194, 195, 197, 199, 200, 202, 204, 206, 211, 212, 214, 216, 217, 219, 221, 222, 224, 226, 228, 229, 232, 234, 236, 238, 240, 241, 242, 244, 246, 248, 250, 252, 254, 255, 257, 260, 261, 263, 265,

266, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *349*

espn_mlb_player_eventlog, 243

espn_mlb_player_eventlog(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *222*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *245*, *246*, *248*, *250*, *252*, *254*, *255*, *257*, *260*, *261*, *263*, *265*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *349*

espn_mlb_player_eventlog_v2, 245

espn_mlb_player_eventlog_v2(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *222*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *248*, *250*, *252*, *254*, *255*, *257*, *260*, *261*, *263*, *265*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *349*

espn_mlb_player_gamelog, 246

espn_mlb_player_gamelog(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *222*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *250*, *252*, *254*, *255*, *257*, *260*, *261*, *263*, *265*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *349*

espn_mlb_player_info, 248

espn_mlb_player_info(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *222*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *252*, *254*, *255*, *257*, *260*, *261*, *263*, *265*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *344*, *346*, *349*

espn_mlb_player_overview, 251

espn_mlb_player_overview(), *148*, *150*, *152*, *154*, *156*, *157*, *159*, *161*, *162*, *164*, *166*, *167*, *169*, *171*, *172*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *222*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *254*, *255*, *257*, *260*, *261*, *263*, *265*, *266*, *269*, *270*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *294*, *296*, *299*, *302*, *305*, *307*, *308*, *310*, *311*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*,

344, *346*, *349*
espn_mlb_player_seasons, 253
espn_mlb_player_seasons(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187*, *189, 190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *206*, *211, 212*, *214*, *216, 217*, *219*, *221, 222*, *224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *255*, *257*, *260, 261*, *263*, *265, 266*, *269, 270*, *272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290, 291*, *293, 294*, *296*, *299*, *302*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *344*, *346*, *349*
espn_mlb_player_splits, 254
espn_mlb_player_splits(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187*, *189, 190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *206*, *211, 212*, *214*, *216, 217*, *219*, *221, 222*, *224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254*, *257*, *260, 261*, *263*, *265, 266*, *269, 270*, *272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290, 291*, *293, 294*, *296*, *299*, *302*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *344*, *346*, *349*
espn_mlb_player_statisticslog, 256
espn_mlb_player_statisticslog(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171, 172*, *174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187*, *189, 190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *206*, *211, 212*, *214*, *216, 217*, *219*, *221, 222*, *224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *260, 261*, *263*, *265, 266*, *269, 270*, *272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290, 291*, *293, 294*, *296*, *299*, *302*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *345, 346*, *349*
espn_mlb_player_stats, 258
espn_mlb_player_stats(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187*, *189, 190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *206*, *211, 212*, *214*, *216, 217*, *219*, *221, 222*, *224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *261*, *263*, *265, 266*, *269, 270*, *272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290, 291*, *293, 294*, *296*, *299*, *302*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *345, 346*, *349*
espn_mlb_player_stats_v3, 260
espn_mlb_player_stats_v3(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187*, *189, 190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *206*, *211, 212*, *214*, *216, 217*, *219*, *221, 222*, *224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260*, *263*, *265, 266*, *269, 270*, *272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290, 291*, *293, 294*, *296*, *299*, *302*, *305*, *307, 308*, *310, 311*, *313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *345, 346*, *349*
espn_mlb_position, 262
espn_mlb_position(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187*, *189,*

190, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *206*, *211, 212*, *214*, *216, 217*, *219*, *221, 222*, *224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *264–266*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290, 291*, *293, 294*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312, 313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *345, 346*, *349*

espn_mlb_positions, 264

espn_mlb_positions(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187*, *189, 190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *206*, *211, 212*, *214*, *216, 217*, *219*, *221, 222*, *224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260, 261*, *263*, *266*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290, 291*, *293, 294*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312, 313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *345, 346*, *349*

espn_mlb_powerindex, 265

espn_mlb_powerindex(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187*, *189, 190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *206*, *211, 212*, *214*, *216, 217*, *219*, *221*, *223, 224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260*, *262, 263*, *265*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290, 291*, *293, 294*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312, 313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *345, 346*, *349*

espn_mlb_scoreboard, 267

espn_mlb_scoreboard(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187*, *189, 190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *206*, *211, 212*, *214*, *216, 217*, *219*, *221*, *223, 224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260*, *262, 263*, *265, 266*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290, 291*, *293, 294*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312, 313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *345, 346*, *349*

espn_mlb_season_awards, 269

espn_mlb_season_awards(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187*, *189, 190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *206*, *211, 212*, *214*, *216, 217*, *219*, *221*, *223, 224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260*, *262, 263*, *265, 266*, *269*, *272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290, 291*, *293, 294*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312, 313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *345, 346*, *349*

espn_mlb_season_draft, 271

espn_mlb_season_draft(), *148*, *150*, *152*, *154*, *156, 157*, *159*, *161, 162*, *164*, *166, 167*, *169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187*, *189, 190*, *192*, *194, 195*, *197*, *199, 200*, *202*, *204*, *206*, *211, 212*, *214*, *216, 217*, *219*, *221*, *223, 224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *252*, *254, 255*, *257*, *260*, *262, 263*, *265*,

266, *269*, *271*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *294*, *297*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *345*, *346*, *349*

espn_mlb_season_group, 273

espn_mlb_season_group(), *148*, *150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *167*, *169*, *171*, *173*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *253–255*, *257*, *260*, *262*, *263*, *265*, *266*, *269*, *271*, *272*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *294*, *297*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *345*, *346*, *349*

espn_mlb_season_group_children, 275

espn_mlb_season_group_children(), *148*, *150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *167*, *169*, *171*, *173*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *253–255*, *257*, *260*, *262*, *263*, *265*, *266*, *269*, *271*, *272*, *274*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *294*, *297*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *345*, *346*, *349*

espn_mlb_season_group_teams, 276

espn_mlb_season_group_teams(), *148*, *150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *167*, *169*, *171*, *173*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *253–255*, *257*, *260*, *262*, *263*, *265*, *266*, *269*, *271*, *272*, *274*, *276*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *294*, *297*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *345*, *346*, *349*

espn_mlb_season_groups, 278

espn_mlb_season_groups(), *148*, *150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *168*, *169*, *171*, *173*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *253–255*, *257*, *260*, *262*, *263*, *265*, *266*, *269*, *271*, *272*, *274*, *276*, *278*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *294*, *297*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *345*, *346*, *349*

espn_mlb_season_info, 280

espn_mlb_season_info(), *148*, *150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *168*, *169*, *171*, *173*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *185*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *211*, *212*, *214*, *216*, *217*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *253–255*, *257*, *260*, *262*, *263*, *265*, *266*, *269*, *271*, *272*, *274*, *276*, *278*, *279*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *294*, *297*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *345*,

346, *349*
espn_mlb_season_leaders, 281
espn_mlb_season_leaders(), *148*, *150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187*, *189, 190*, *192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211, 212*, *214*, *216, 217*, *219*, *221*, *223, 224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *253–255*, *257*, *260*, *262, 263*, *265, 266*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *285, 286*, *288*, *290, 291*, *293, 294*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312, 313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *345, 346*, *349*
espn_mlb_season_ranking, 283
espn_mlb_season_ranking(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184, 185*, *187*, *189, 190*, *192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211, 212*, *214*, *216, 217*, *219*, *221*, *223, 224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *253–255*, *257*, *260*, *262, 263*, *265, 266*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *285, 286*, *288*, *290, 291*, *293, 294*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312, 313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *345, 346*, *349*
espn_mlb_season_rankings, 285
espn_mlb_season_rankings(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184*, *186, 187*, *189, 190*, *192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216, 217*, *219*, *221*, *223, 224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *253–255*, *257*, *260*, *262, 263*, *265, 266*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285*, *288*, *290, 291*, *293, 294*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312, 313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *345, 346*, *349*
espn_mlb_season_type, 287
espn_mlb_season_type(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184*, *186, 187*, *189, 190*, *192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216, 217*, *219*, *221*, *223, 224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *253–255*, *257*, *260*, *262, 263*, *265, 266*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *289–291*, *293, 294*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312, 313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *345, 346*, *349*
espn_mlb_season_types, 289
espn_mlb_season_types(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184*, *186, 187*, *189, 190*, *192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216, 217*, *219*, *221*, *223, 224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *250*, *253–255*, *257*, *260*, *262, 263*, *265, 266*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *291*, *293, 294*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312, 313*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336, 337*, *339*, *341, 342*, *345, 346*, *349*
espn_mlb_season_week, 290
espn_mlb_season_week(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184*, *186, 187*,

189, *190*, *192*, *194*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *211*, *213*, *214*, *216*, *217*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *253–255*, *257*, *260*, *262*, *263*, *265*, *266*, *269*, *271*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *293*, *295*, *297*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *345*, *346*, *349*

espn_mlb_season_weeks, 292

espn_mlb_season_weeks(), *149*, *150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *168*, *169*, *171*, *173*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *186*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *211*, *213*, *214*, *216*, *217*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *253*, *254*, *256*, *257*, *260*, *262*, *263*, *265*, *266*, *269*, *271*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *295*, *297*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *345*, *346*, *349*

espn_mlb_seasons, 293

espn_mlb_seasons(), *149*, *150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *168*, *169*, *171*, *173*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *186*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *211*, *213*, *214*, *216*, *217*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *253*, *254*, *256*, *257*, *260*, *262*, *263*, *265*, *266*, *269*, *271*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *297*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *345*, *346*, *349*

espn_mlb_standings, 295

espn_mlb_standings(), *148–150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *168*, *169*, *171*, *173*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *186*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *211*, *213*, *214*, *216*, *217*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *253*, *254*, *256*, *257*, *260*, *262*, *263*, *265*, *266*, *269*, *271*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *295*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *337*, *339*, *341*, *342*, *345*, *346*, *349*

espn_mlb_team, 297

espn_mlb_team(), *149*, *150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *168*, *169*, *171*, *173*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *186*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *211*, *213*, *214*, *216*, *217*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *253*, *254*, *256*, *257*, *260*, *262*, *263*, *265*, *266*, *269*, *271*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *291*, *293*, *295*, *297*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *338*, *339*, *341*, *342*, *345*, *346*, *349*

espn_mlb_team_box, 299

espn_mlb_team_box(), *34*, *148–150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *168*, *169*, *171*, *173*, *174*, *176*, *177*, *179*, *181*, *182*, *184*, *186*, *187*, *189*, *190*, *192*, *194*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *211*, *213*, *214*, *216*, *217*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *250*, *253*, *254*, *256*, *257*, *260*, *262*, *263*, *265*, *266*, *269*, *271*, *272*, *274*, *276*, *278*,

279, 281, 283, 285, 286, 288, 290, 291, 293, 295, 297, 299, 305, 307, 308, 310, 312, 313, 315, 317, 319, 321, 323, 325, 326, 328, 331, 333, 334, 336, 338, 339, 341, 342, 345, 346, 349

espn_mlb_team_current_roster, 302

espn_mlb_team_current_roster(), 149, 150, 152, 154, 156, 158, 159, 161, 163, 164, 166, 168, 169, 171, 173, 174, 176, 177, 179, 181, 182, 184, 186, 187, 189, 190, 192, 194, 195, 197, 199, 201, 202, 204, 206, 211, 213, 214, 216, 217, 219, 221, 223, 224, 226, 228, 229, 232, 234, 236, 238, 240, 241, 243, 244, 246, 248, 250, 253, 254, 256, 257, 260, 262, 263, 265, 266, 269, 271, 272, 274, 276, 278, 279, 281, 283, 285, 286, 288, 290, 291, 293, 295, 297, 299, 302, 307, 308, 310, 312, 313, 315, 317, 319, 321, 323, 325, 326, 328, 331, 333, 334, 336, 338, 339, 341, 342, 345, 346, 349

espn_mlb_team_depthchart, 306

espn_mlb_team_depthchart(), 149, 150, 152, 154, 156, 158, 159, 161, 163, 164, 166, 168, 169, 171, 173, 174, 176, 177, 179, 181, 182, 184, 186, 187, 189, 190, 192, 194, 195, 197, 199, 201, 202, 204, 206, 211, 213, 214, 216, 217, 219, 221, 223, 224, 226, 228, 229, 232, 234, 236, 238, 240, 241, 243, 244, 246, 248, 250, 253, 254, 256, 257, 260, 262, 263, 265, 266, 269, 271, 272, 274, 276, 278, 279, 281, 283, 285, 286, 288, 290, 291, 293, 295, 297, 299, 302, 305, 308, 310, 312, 313, 315, 317, 319, 321, 323, 325, 326, 328, 331, 333, 334, 336, 338, 339, 341, 342, 345, 346, 349

espn_mlb_team_endpoints, 149, 150, 152, 154, 156, 158, 159, 161, 163, 164, 166, 168, 169, 171, 173, 174, 176, 177, 179, 181, 182, 184, 186, 187, 189, 190, 192, 194, 195, 197, 199, 201, 202, 204, 206, 211, 213, 214, 216, 217, 219, 221, 223, 224, 226, 228, 229, 232, 234, 236, 238, 240, 241, 243, 244, 246, 248, 250, 253, 254, 256, 257, 260, 262, 263, 265, 267, 269, 271, 272, 274, 276, 278, 279, 281, 283, 285, 286, 288, 290, 291, 293, 295, 297, 299, 302, 305, 307, 307, 310, 312, 313, 315, 317, 319, 321, 323, 325, 326, 328, 331, 333, 334, 336, 338, 339, 341, 342, 345, 346, 349

espn_mlb_team_injuries, 309

espn_mlb_team_injuries(), 149, 150, 152, 154, 156, 158, 159, 161, 163, 164, 166, 168, 169, 171, 173, 174, 176, 177, 179, 181, 182, 184, 186, 187, 189, 190, 192, 194, 195, 197, 199, 201, 202, 204, 206, 211, 213, 214, 216, 217, 219, 221, 223, 224, 226, 228, 229, 232, 234, 236, 238, 240, 241, 243, 244, 246, 248, 251, 253, 254, 256, 257, 260, 262, 263, 265, 267, 269, 271, 272, 274, 276, 278, 279, 281, 283, 285, 286, 288, 290, 291, 293, 295, 297, 299, 302, 305, 307, 308, 312, 313, 315, 317, 319, 321, 323, 325, 326, 328, 331, 333, 334, 336, 338, 339, 341, 342, 345, 346, 349

espn_mlb_team_leaders, 310

espn_mlb_team_leaders(), 149, 150, 152, 154, 156, 158, 159, 161, 163, 164, 166, 168, 169, 171, 173, 174, 176, 177, 179, 181, 182, 184, 186, 187, 189, 190, 192, 194, 195, 197, 199, 201, 202, 204, 206, 211, 213, 214, 216, 217, 219, 221, 223, 224, 226, 228, 229, 232, 234, 236, 238, 240, 241, 243, 244, 246, 248, 251, 253, 254, 256, 257, 260, 262, 263, 265, 267, 269, 271, 272, 274, 276, 278, 279, 281, 283, 285, 286, 288, 290, 291, 293, 295, 297, 299, 302, 305, 307, 308, 310, 313, 315, 317, 319, 321, 323, 325, 326, 328, 331, 333, 334, 336, 338, 339, 341, 342, 345, 346, 349

espn_mlb_team_news, 312

espn_mlb_team_news(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184*, *186, 187*, *189, 190*, *192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216, 217*, *219*, *221*, *223, 224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *251*, *253, 254*, *256, 257*, *260*, *262, 263*, *265*, *267*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290, 291*, *293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312*, *315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336*, *338, 339*, *341, 342*, *345, 346*, *349*

espn_mlb_team_odds_records, 314

espn_mlb_team_odds_records(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184*, *186, 187*, *189, 190*, *192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216, 217*, *219*, *221*, *223, 224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *251*, *253, 254*, *256, 257*, *260*, *262, 263*, *265*, *267*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290, 291*, *293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312, 313*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336*, *338, 339*, *341, 342*, *345, 346*, *349*

espn_mlb_team_overview *(*espn_mlb_team_endpoints*)*, 307

espn_mlb_team_record, 316

espn_mlb_team_record(), *124*, *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184*, *186, 187*, *189, 190*, *192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216*, *218, 219*, *221*, *223, 224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *251*, *253, 254*, *256, 257*, *260*, *262, 263*, *265*, *267*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290*, *292, 293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312, 313*, *315*, *318, 319*, *321*, *323*, *325–328*, *331*, *333, 334*, *336*, *338, 339*, *341, 342*, *345, 346*, *349*

espn_mlb_team_record_detail, 318

espn_mlb_team_record_detail(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184*, *186, 187*, *189, 190*, *192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216*, *218, 219*, *221*, *223, 224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *251*, *253, 254*, *256, 257*, *260*, *262, 263*, *265*, *267*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290*, *292, 293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312, 313*, *315*, *317*, *321*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336*, *338, 339*, *341, 342*, *345, 346*, *349*

espn_mlb_team_roster, 319

espn_mlb_team_roster(), *148–150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184*, *186, 187*, *189, 190*, *192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216*, *218, 219*, *221*, *223, 224*, *226*, *228, 229*, *232*, *234*, *236*, *238*, *240, 241*, *243, 244*, *246*, *248*, *251*, *253, 254*, *256, 257*, *260*, *262, 263*, *265*, *267*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290*, *292, 293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312, 313*, *315*, *317*, *319*, *323*, *325, 326*, *328*, *331*, *333, 334*, *336*, *338, 339*, *341, 342*, *345, 346*, *349*

espn_mlb_team_schedule, 321

espn_mlb_team_schedule(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176, 177*, *179*, *181, 182*, *184*, *186, 187*,

189, *190*, *192*, *194*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *211*, *213*, *214*, *216*, *218*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *251*, *253*, *254*, *256*, *257*, *260*, *262*, *263*, *265*, *267*, *269*, *271*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *292*, *293*, *295*, *297*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *325*, *326*, *328*, *331*, *333*, *334*, *336*, *338*, *339*, *341*, *342*, *345*, *346*, *349*

`espn_mlb_team_season_profile`, 323

`espn_mlb_team_season_profile()`, *149*, *150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *168*, *169*, *171*, *173*, *174*, *176*, *178*, *179*, *181*, *182*, *184*, *186*, *187*, *189*, *191*, *192*, *194*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *211*, *213*, *214*, *216*, *218*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *251*, *253*, *254*, *256*, *257*, *260*, *262*, *263*, *265*, *267*, *269*, *271*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *292*, *293*, *295*, *297*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *323*, *326*, *328*, *331*, *333*, *334*, *336*, *338*, *339*, *341*, *342*, *345*, *346*, *349*

`espn_mlb_team_season_roster`, 325

`espn_mlb_team_season_roster()`, *149*, *150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *168*, *169*, *171*, *173*, *174*, *176*, *178*, *179*, *181*, *182*, *184*, *186*, *187*, *189*, *191*, *192*, *194*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *211*, *213*, *214*, *216*, *218*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *251*, *253*, *254*, *256*, *257*, *260*, *262*, *263*, *265*, *267*, *269*, *271*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *292*, *293*, *295*, *297*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *328*, *331*, *333*, *334*, *336*, *338*, *339*, *341*, *343*, *345*, *347*, *349*

`espn_mlb_team_season_statistics`, 327

`espn_mlb_team_season_statistics()`, *149*, *150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *168*, *169*, *171*, *173*, *174*, *176*, *178*, *179*, *181*, *182*, *184*, *186*, *187*, *189*, *191*, *192*, *194*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *211*, *213*, *214*, *216*, *218*, *219*, *221*, *223*, *224*, *226*, *228*, *229*, *232*, *234*, *236*, *238*, *240*, *241*, *243*, *244*, *246*, *248*, *251*, *253*, *254*, *256*, *257*, *260*, *262*, *263*, *265*, *267*, *269*, *271*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *292*, *293*, *295*, *297*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *313*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *331*, *333*, *334*, *336*, *338*, *339*, *341*, *343*, *345*, *347*, *349*

`espn_mlb_team_stats`, 329

`espn_mlb_team_stats()`, *148–150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *168*, *169*, *171*, *173*, *174*, *176*, *178*, *179*, *181*, *182*, *184*, *186*, *187*, *189*, *191*, *192*, *194*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *211*, *213*, *214*, *216*, *218*, *219*, *221*, *223*, *224*, *226*, *228*, *230*, *232*, *234*, *236*, *238*, *240*, *242–244*, *246*, *248*, *251*, *253*, *254*, *256*, *257*, *260*, *262*, *263*, *265*, *267*, *269*, *271*, *272*, *274*, *276*, *278*, *279*, *281*, *283*, *285*, *286*, *288*, *290*, *292*, *293*, *295*, *297*, *299*, *302*, *305*, *307*, *308*, *310*, *312*, *314*, *315*, *317*, *319*, *321*, *323*, *325*, *326*, *328*, *333*, *334*, *336*, *338*, *339*, *341*, *343*, *345*, *347*, *349*

`espn_mlb_teams`, 331

`espn_mlb_teams()`, *148–150*, *152*, *154*, *156*, *158*, *159*, *161*, *163*, *164*, *166*, *168*, *169*, *171*, *173*, *174*, *176*, *178*, *179*, *181*, *182*, *184*, *186*, *187*, *189*, *191*, *192*, *194*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *211*, *213*, *214*, *216*, *218*, *219*, *221*, *223*, *224*, *226*, *228*, *230*, *232*, *234*, *236*, *238*, *240*, *242–244*, *246*, *248*, *251*, *253*, *254*, *256*, *257*, *260*, *262*, *263*, *265*, *267*, *269*, *271*,

272, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290*, *292, 293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312*, *314, 315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *334*, *336*, *338, 339*, *341*, *343*, *345*, *347*, *349*

espn_mlb_tournament, 333

espn_mlb_tournament(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176*, *178, 179*, *181, 182*, *184*, *186, 187*, *189*, *191, 192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216*, *218, 219*, *221*, *223, 224*, *226*, *228*, *230*, *232*, *234*, *236*, *238*, *240*, *242–244*, *246*, *248*, *251*, *253, 254*, *256, 257*, *260*, *262, 263*, *265*, *267*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290*, *292, 293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312*, *314, 315*, *317*, *319*, *321*, *323*, *325, 326*, *328*, *331*, *333*, *336*, *338, 339*, *341*, *343*, *345*, *347*, *349*

espn_mlb_tournament_season, 335

espn_mlb_tournament_season(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176*, *178, 179*, *181, 182*, *184*, *186, 187*, *189*, *191, 192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216*, *218, 219*, *221*, *223, 224*, *226*, *228*, *230*, *232*, *234*, *236*, *238*, *240*, *242–244*, *246*, *248*, *251*, *253, 254*, *256, 257*, *260*, *262, 263*, *265*, *267*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290*, *292, 293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312*, *314, 315*, *317*, *319*, *321*, *323*, *325*, *327, 328*, *331*, *333, 334*, *338, 339*, *341*, *343*, *345*, *347*, *349*

espn_mlb_tournament_seasons, 336

espn_mlb_tournament_seasons(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176*, *178, 179*, *181, 182*, *184*, *186, 187*, *189*, *191, 192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216*, *218, 219*, *221*, *223, 224*, *226*, *228*, *230*, *233, 234*, *236*, *238*, *240*, *242–244*, *246*, *248*, *251*, *253, 254*, *256, 257*, *260*, *262, 263*, *265*, *267*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290*, *292, 293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312*, *314, 315*, *317*, *319*, *321*, *323*, *325*, *327, 328*, *331*, *333–336*, *339*, *341*, *343*, *345*, *347*, *349*

espn_mlb_tournaments, 338

espn_mlb_tournaments(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176*, *178, 179*, *181, 182*, *184*, *186, 187*, *189*, *191, 192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216*, *218, 219*, *221*, *223, 224*, *226*, *228*, *230*, *233, 234*, *236*, *238*, *240*, *242–244*, *246*, *248*, *251*, *253, 254*, *256, 257*, *260*, *262, 263*, *265*, *267*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290*, *292, 293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312*, *314, 315*, *317*, *319*, *321*, *323*, *325*, *327, 328*, *331*, *333, 334*, *336*, *338*, *341*, *343*, *345*, *347*, *349*

espn_mlb_transactions, 339

espn_mlb_transactions(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176*, *178, 179*, *181, 182*, *184*, *186, 187*, *189*, *191, 192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216*, *218, 219*, *221*, *223, 224*, *226*, *228*, *230*, *233, 234*, *236*, *238*, *240*, *242–244*, *246*, *248*, *251*, *253, 254*, *256, 257*, *260*, *262, 263*, *265*, *267*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290*, *292, 293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312*, *314, 315*, *317*, *319*, *321*, *323*, *325*, *327, 328*, *331*, *333, 334*, *336*, *338, 339*, *343*, *345*, *347*, *349*

espn_mlb_venues, 341
espn_mlb_venues(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176*, *178, 179*, *181, 182*, *184*, *186, 187*, *189*, *191, 192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216*, *218, 219*, *221*, *223, 224*, *226*, *228*, *230*, *233, 234*, *236*, *238*, *240*, *242–244*, *246*, *248*, *251*, *253, 254*, *256, 257*, *260*, *262, 263*, *265*, *267*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290*, *292, 293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312*, *314, 315*, *317*, *319*, *321*, *323*, *325*, *327, 328*, *331*, *333, 334*, *336*, *338, 339*, *341*, *345*, *347*, *349*
espn_mlb_week_ranking, 343
espn_mlb_week_ranking(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176*, *178, 179*, *181, 182*, *184*, *186, 187*, *189*, *191, 192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216*, *218, 219*, *221*, *223, 224*, *226*, *228*, *230*, *233, 234*, *236*, *238*, *240*, *242–244*, *246*, *248*, *251*, *253, 254*, *256, 257*, *260*, *262, 263*, *265*, *267*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290*, *292, 293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312*, *314, 315*, *317*, *319*, *321*, *323*, *325*, *327, 328*, *331*, *333, 334*, *336*, *338, 339*, *341*, *343*, *347*, *349*
espn_mlb_week_rankings, 345
espn_mlb_week_rankings(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176*, *178, 179*, *181, 182*, *184*, *186, 187*, *189*, *191, 192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216*, *218, 219*, *221*, *223, 224*, *226*, *228*, *230*, *233, 234*, *236*, *238*, *240*, *242–244*, *246*, *248*, *251*, *253, 254*, *256, 257*, *260*, *262, 263*, *265*, *267*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290*, *292, 293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312*, *314, 315*, *317*, *319*, *321*, *323*, *325*, *327, 328*, *331*, *333, 334*, *336*, *338, 339*, *341*, *343*, *345*, *349*
espn_mlb_wp, 347
espn_mlb_wp(), *149, 150*, *152*, *154*, *156*, *158, 159*, *161*, *163, 164*, *166*, *168, 169*, *171*, *173, 174*, *176*, *178, 179*, *181, 182*, *184*, *186, 187*, *189*, *191, 192*, *194, 195*, *197*, *199*, *201, 202*, *204*, *206*, *211*, *213, 214*, *216*, *218, 219*, *221*, *223, 224*, *226*, *228*, *230*, *233, 234*, *236*, *238*, *240*, *242–244*, *246*, *248*, *251*, *253, 254*, *256, 257*, *260*, *262, 263*, *265*, *267*, *269*, *271, 272*, *274*, *276*, *278, 279*, *281*, *283*, *285, 286*, *288*, *290*, *292, 293*, *295*, *297*, *299*, *302*, *305*, *307, 308*, *310*, *312*, *314, 315*, *317*, *319*, *321*, *323*, *325*, *327, 328*, *331*, *333, 334*, *336*, *338, 339*, *341*, *343*, *345*, *347*

fangraphs, 349
fg_bat_leaders, 351
fg_batter_game_logs, 353
fg_batter_leaders, 361
fg_fielder_leaders, 372
fg_guts, 375
fg_milb_batter_game_logs, 376
fg_milb_pitcher_game_logs, 377
fg_park, 379
fg_park_hand *(*fg_park*)*, 379
fg_pitch_leaders, 380
fg_pitcher_game_logs, 382
fg_pitcher_leaders, 390
fg_projections, 403
fg_team_batter, 404
fg_team_fielder, 415
fg_team_pitcher, 418
fip_plus, 430
fox_mlb_league_leaders, 432
fox_mlb_odds, 433
fox_mlb_standings, 433
fox_mlb_team_gamelog, 434
fox_mlb_team_roster, 434
fox_mlb_team_stats, 435

game *(*mlb_game_endpoints*)*, 494

game_pk (mlb_schedule_endpoints), 550
get_batting_orders, 435
get_chadwick_lu (chadwick_player_lu), 18
get_draft_mlb, 436
get_game_info_mlb, 436
get_game_info_sup_petti, 437
get_game_pks_mlb, 437
get_ncaa_baseball_pbp, 438
get_ncaa_baseball_roster (ncaa_baseball_roster), 596
get_ncaa_game_logs, 439
get_ncaa_lineups, 440
get_ncaa_park_factor, 441
get_ncaa_schedule_info, 442
get_pbp_mlb, 443
get_probables_mlb, 444
get_retrosheet_data, 444
get_umpire_ids_petti, 445
ggpitchzone, 446
ggspraychart, 447

homerun_derby (mlb_homerun_derby_endpoints), 512
hr_derby (mlb_homerun_derby_endpoints), 512

jobs (mlb_jobs_endpoints), 517

label_statcast_imputed_data, 448
linear_weights_savant, 449
load_baseball, 450
load_data (load_baseball), 450
load_game_info_sup, 450
load_mlb_batter_projection (mlb_model_loaders), 523
load_mlb_catcher_framing (mlb_model_loaders), 523
load_mlb_command_plus (mlb_model_loaders), 523
load_mlb_expected_hr (mlb_model_loaders), 523
load_mlb_expected_stats (mlb_model_loaders), 523
load_mlb_group_aliases, 451
load_mlb_group_seasons, 452
load_mlb_groups, 453
load_mlb_oaa (mlb_model_loaders), 523
load_mlb_park_dimensions, 454
load_mlb_re24_matrix (mlb_model_loaders), 523
load_mlb_stuff_plus (mlb_model_loaders), 523
load_mlb_team_group_seasons, 455
load_mlb_we_table (mlb_model_loaders), 523
load_mlb_wpa (mlb_model_loaders), 523
load_mlb_xera (mlb_model_loaders), 523
load_ncaa_baseball_group_aliases, 456
load_ncaa_baseball_group_seasons, 457
load_ncaa_baseball_groups, 458
load_ncaa_baseball_pbp, 459
load_ncaa_baseball_schedule, 460
load_ncaa_baseball_season_ids, 461
load_ncaa_baseball_team_group_seasons, 462
load_ncaa_baseball_teams, 463
load_umpire_ids, 463

metrics, 464
milb_batter_game_logs_fg, 465
milb_pitcher_game_logs_fg, 465
mlb, 466
mlb_all_star, 467
mlb_all_star_ballots, 467
mlb_all_star_final_vote, 469
mlb_all_star_write_ins, 470
mlb_attendance, 472
mlb_award, 474
mlb_awards, 475
mlb_awards_recipient, 475
mlb_baseball_stats, 476
mlb_batting_orders, 477
mlb_conferences, 478
mlb_divisions, 479
mlb_draft, 480
mlb_draft_endpoints, 482
mlb_draft_latest, 482
mlb_draft_prospects, 485
mlb_event_types, 487
mlb_fielder_detail_types, 488
mlb_game_changes, 489
mlb_game_content, 491
mlb_game_context_metrics, 492
mlb_game_endpoints, 494
mlb_game_info, 495
mlb_game_linescore, 496
mlb_game_pace, 498

mlb_game_pks, 500
mlb_game_status_codes, 502
mlb_game_timecodes, 503
mlb_game_types, 504
mlb_game_wp, 504
mlb_high_low_stats, 505
mlb_high_low_types, 508
mlb_hit_trajectories, 509
mlb_homerun_derby, 509
mlb_homerun_derby_bracket, 511
mlb_homerun_derby_endpoints, 512
mlb_homerun_derby_players, 513
mlb_job_types, 515
mlb_jobs, 516
mlb_jobs_datacasters, 517
mlb_jobs_endpoints, 517
mlb_jobs_official_scorers, 518
mlb_jobs_umpires, 519
mlb_languages, 519
mlb_league, 520
mlb_league_leader_types, 521
mlb_logical_events, 522
mlb_metrics, 523
mlb_model_loaders, 523
mlb_pbp, 526
mlb_pbp(), *446*
mlb_pbp_diff, 530
mlb_people, 533
mlb_people_free_agents, 535
mlb_pitch_codes, 536
mlb_pitch_types, 537
mlb_player_game_stats, 537
mlb_player_game_stats_current, 539
mlb_player_status_codes, 542
mlb_positions, 543
mlb_probables, 543
mlb_review_reasons, 544
mlb_roster_types, 545
mlb_rosters, 545
mlb_runner_detail_types, 546
mlb_schedule, 547
mlb_schedule_endpoints, 550
mlb_schedule_event_types, 550
mlb_schedule_games_tied, 551
mlb_schedule_postseason, 553
mlb_schedule_postseason_series, 556
mlb_seasons, 558
mlb_seasons_all, 559
mlb_situation_codes, 561
mlb_sky, 561
mlb_sports, 562
mlb_sports_info, 563
mlb_sports_players, 564
mlb_standings, 565
mlb_standings_types, 568
mlb_stat_groups, 568
mlb_stat_types, 569
mlb_stats, 570
mlb_stats(), *589*
mlb_stats_endpoints, 573
mlb_stats_leaders, 574
mlb_team_affiliates, 576
mlb_team_alumni, 578
mlb_team_coaches, 579
mlb_team_endpoints, 580
mlb_team_history, 581
mlb_team_info, 582
mlb_team_leaders, 583
mlb_team_personnel, 584
mlb_team_stats, 585
mlb_teams, 587
mlb_teams(), *545*
mlb_teams_stats, 588
mlb_teams_stats_leaders, 590
mlb_venues, 592
mlb_wind_direction_codes, 593
most_recent_college_baseball_season, 593
most_recent_mlb_season, 594
most_recent_ncaa_baseball_season, 594

ncaa, 595
ncaa_baseball_pbp *(*get_ncaa_baseball_pbp*)*, 438
ncaa_baseball_roster, 596
ncaa_game_logs, 597
ncaa_lineups, 598
ncaa_park_factor, 599
ncaa_pbp, 600
ncaa_roster, 601
ncaa_schedule_info, 602
ncaa_school_id_lu, 603
ncaa_scrape, 604
ncaa_team_player_stats, 606
ncaa_teams, 607

payroll *(*spotrac*)*, 617

pbp (mlb_game_endpoints), 494
pitcher_game_logs_fg, 608
playerid_lookup, 609
playername_lookup, 610
process_statcast_payload, 611

retrosheet_data, 611
retrosheet_data(), *17, 18*
run_expectancy_code, 612

schedule (mlb_schedule_endpoints), 550
school_id_lu, 613
scrape_savant_leaderboards, 614
scrape_statcast_savant, 616
scrape_statcast_savant.Date
        (scrape_statcast_savant), 616
scrape_statcast_savant.default
        (scrape_statcast_savant), 616
scrape_statcast_savant_batter
        (scrape_statcast_savant), 616
scrape_statcast_savant_batter_all
        (scrape_statcast_savant), 616
scrape_statcast_savant_pitcher
        (scrape_statcast_savant), 616
scrape_statcast_savant_pitcher_all
        (scrape_statcast_savant), 616
spotrac, 617
sptrc (spotrac), 617
sptrc_league_payrolls, 618
sptrc_team_active_payroll, 619
standings_on_date_bref, 620
statcast, 620
statcast_impute, 622
statcast_leaderboards, 622
statcast_pitch_colors, 624
statcast_pitch_colors(), *446*
statcast_search, 625
statcast_search(), *446*, *448*, *613*, *629*
statcast_search.default
        (statcast_search), 625
statcast_search_batters
        (statcast_search), 625
statcast_search_minors
        (statcast_search), 625
statcast_search_pitchers
        (statcast_search), 625
statcast_search_wbc (statcast_search),
        625
statline_from_statcast, 630
stats (mlb_stats_endpoints), 573
stats_api_live_empty_df, 630

team (mlb_team_endpoints), 580
team_consistency, 631
team_results_bref, 631
teams (mlb_team_endpoints), 580
teams_lu_table, 632

woba_plus, 632